

PRODUCT GROUP SQUARE OPENING SPACE CLOTH						
Screen Opening		Wire Diameter		Open Area		
Inch	mm	Inch	mm			
4.000	101.6	0.7500	19.05	70.9%		
4.000	101.6	0.6250	15.88	74.8%		
4.000	101.6	0.5000	12.70	79.0%		
3.500	88.90	0.5000	12.70	76.0%		
3.000	76.20	0.6250	15.88	68.5%		
3.000	76.20	0.5000	12.70	73.5%		
3.000	76.20	0.3750	9.525	79.0%		
3.000	76.20	0.2440	6.198	85.5%		
2.500	63.50	0.5000	12.70	69.4%		
2.500	63.50	0.4375	11.11	72.4%		
2.500	63.50	0.3750	9.525	75.6%		
2.250	57.15	0.5000	12.70	66.9%		
2.250	57.15	0.3750	9.525	73.5%		
2.000	50.80	0.5000	12.70	64.0%		
2.000	50.80	0.4375	11.11	67.3%		
2.000	50.80	0.3750	9.525	70.9%		
2.000	50.80	0.3125	7.938	74.8%		
2.000	50.80	0.2440	6.198	79.4%		
1.875	47.63	0.3750	9.525	69.4%		
1.750	44.45	0.3750	9.525	67.8%		
1.750	44.45	0.3125	7.938	73.0%		
1.750	44.45	0.2440	6.198	77.0%		
1.625	41.28	0.3750	9.525	66.0%		
1.625	41.28	0.3125	7.938	70.3%		
1.500	38.10	0.5000	12.70	56.3%		
1.500	38.10	0.4375	11.11	59.9%		
1.500	38.10	0.3750	9.525	64.0%		
PRODUCT GROUP SQUARE OPENING SPACE CLOTH						
Screen Opening		Wire Diameter		Open Area		
Inch	mm	Inch	mm			
1.500	38.10	0.3125	7.938	68.5%		
1.500	38.10	0.2440	6.198	74.0%		
1.375	34.93	0.3750	9.525	61.7%		
1.375	34.93	0.3125	7.938	66.4%		
1.250	31.75	0.3750	9.525	59.2%		
1.250	31.75	0.3125	7.938	64.0%		
1.250	31.75	0.2440	6.198	70.0%		
1.125	28.58	0.3750	9.525	56.3%		
1.125	28.58	0.3125	7.938	61.2%		
1.125	28.58	0.2440	6.198	67.5%		
1.063	27.00	0.3130	7.950	59.7%		
1.063	27.00	0.2440	6.198	66.1%		
1.000	25.40	0.3750	9.525	52.9%		
1.000	25.40	0.3125	7.938	58.0%		
1.000	25.40	0.2440	6.198	64.6%		
1.000	25.40	0.2250	5.715	66.6%		
1.000	25.40	0.1920	4.877	70.4%		
0.875	22.23	0.3750	9.525	49.0%		
0.875	22.23	0.3125	7.938	54.3%		
0.875	22.23	0.2440	6.198	61.1%		
0.875	22.23	0.2250	5.715	63.3%		
0.875	22.23	0.2070	5.258	65.4%		
0.875	22.23	0.1920	4.877	67.2%		
0.875	22.23	0.1200	3.048	77.3%		
0.813	20.65	0.2070	5.258	63.5%		
0.750	19.05	0.3750	9.525	44.4%		
0.750	19.05	0.3125	7.938	49.8%		
0.750	19.05	0.2440	6.198	56.9%		
0.750	19.05	0.2250	5.715	59.2%		
0.750	19.05	0.2070	5.258	61.4%		
0.750	19.05	0.1920	4.877	63.4%		
0.750	19.05	0.1480	3.759	69.8%		
0.750	19.05	0.1350	3.429	71.8%		
0.625	15.88	0.2250	5.715	54.1%		
0.625	15.88	0.1920	4.877	58.5%		
0.625	15.88	0.1620	4.115	63.1%		
0.625	15.88	0.1350	3.429	67.6%		
0.625	15.88	0.1200	3.048	70.4%		
0.563	14.30	0.1770	4.496	57.6%		
0.500	12.70	0.2250	5.715	47.6%		
0.500	12.70	0.1920	4.877	52.2%		
0.500	12.70	0.1770	4.496	54.5%		
0.500	12.70	0.1620	4.115	57.0%		
0.500	12.70	0.1350	3.429	62.0%		
0.500	12.70	0.1200	3.048	65.0%		
0.500	12.70	0.1050	2.667	68.3%		
0.438	11.13	0.1620	4.115	53.3%		
PRODUCT GROUP SQUARE OPENING SPACE CLOTH						
Screen Opening		Wire Diameter		Open Area		
Inch	mm	Inch	mm			
0.438	11.13	0.1480	3.759	55.8%		
0.438	11.13	0.1350	3.429	58.4%		
0.438	11.13	0.1200	3.048	61.6%		
0.375	9.525	0.1920	4.877	43.7%		
0.375	9.525	0.1770	4.496	46.2%		
0.375	9.525	0.1620	4.115	48.8%		
0.375	9.525	0.1480	3.759	51.4%		
0.375	9.525	0.1350	3.429	54.1%		
0.375	9.525	0.1200	3.048	57.4%		
0.375	9.525	0.1050	2.667	61.0%		
0.375	9.525	0.0920	2.337	64.5%		
0.313	7.950	0.1480	3.759	46.1%		
0.313	7.950	0.1350	3.429	48.8%		
0.313	7.950	0.1200	3.048	52.2%		
0.313	7.950	0.1050	2.667	56.0%		
0.313	7.950	0.0920	2.337	59.7%		
0.313	7.950	0.0630	1.600	69.3%		
0.250	6.350	0.1350	3.429	42.2%		
0.250	6.350	0.1200	3.048	45.7%		
0.250	6.350	0.1050	2.667	49.6%		
0.250	6.350	0.0920	2.337	53.4%		
0.250	6.350	0.0720	1.829	60.3%		
0.250	6.350	0.0630	1.600	63.8%		
0.219	5.563	0.1050	2.667	45.7%		
0.219	5.563	0.0920	2.337	49.6%		
0.188	4.775	0.1200	3.048	37.2%		
0.188	4.775	0.1050	2.667	41.1%		
0.188	4.775	0.0920	2.337	45.0%		
0.188	4.775	0.0800	2.032	49.1%		
0.188	4.775	0.0720	1.829	52.2%		
0.188	4.775	0.0630	1.600	56.0%		
0.188	4.775	0.0470	1.194	63.9%		
0.156	3.962	0.1050	2.667	35.8%		
0.156	3.962	0.0920	2.337	39.6%		
0.156	3.962	0.0800	2.032	43.7%		
0.156	3.962	0.0630	1.600	50.8%		
0.125	3.175	0.1050	2.667	29.5%		
0.125	3.175	0.0920	2.337	33.2%		
0.125	3.175	0.0800	2.032	37.2%		
0.125	3.175	0.0720	1.829	40.3%		
0.125	3.175	0.0630	1.600	44.2%		
0.125	3.175	0.0540	1.372	48.8%		
0.094	2.388	0.0470	1.194	52.8%		
0.094	2.388	0.0720	1.829	32.0%		
0.094	2.388	0.0470	1.194	44.4%		
0.094	2.388	0.0350	0.889	53.0%		
Square Opening Mesh						
Screen Opening		Mesh	Wire Diameter		Open Area	Product Group
inch	mm		inch	mm		
0.453	11.506	2	0/0470	1.194	82.1%	Mill
0.446	11.33	2	0.0540	1.370	79.6%	Mill
0.437	11.10	2	0.0630	1.600	76.4%	Market
0.420	10.67	2	0.0800	2.032	70.5%	Heavy
0.292	7.420	3	0.0410	1.040	76.7%	Mill
0.279	7.090	3	0.0540	1.370	70.1%	Market
0.270	6.866	3	0.0630	1.600	65.8%	Heavy
0.253	6.435	3	0.0800	2.032	57.8%	Heavy
0.216	5.486	4	0.0340	0.864	74.6%	Mill
0.215	5.460	4	0.0350	0.890	74.0%	Mill
0.203	5.160	4	0.0470	1.190	65.9%	Market
0.187	4.749	4	0.0630	1.600	56.0%	Heavy
0.168	4.270	5	0.0320	0.810	70.6%	Mill
0.159	4.040	5	0.0410	1.040	63.2%	Market
0.153	3.888	5	0.0470	1.194	58.5%	Heavy
0.139	3.530	6	0.0280	0.710	69.6%	Mill
0.135	3.421	6	0.0320	0.813	65.3%	Market
0.132	3.350	6	0.0350	0.890	62.7%	Heavy
0.119	3.039	6	0.0470	1.193	51.8%	Heavy
0.115	2.921	7	0.0280	0.711	64.6%	Mill
0.111	2.815	7	0.0320	0.812	60.2%	Market
0.108	2.739	7	0.0350	0.889	57.0%	Heavy
0.105	2.667	8	0.0200	0.508	70.6%	Mill
0.100	2.540	8	0.0250	0.635	60.0%	Mill
0.097	2.463	8	0.0280	0.711	60.2%	Market
0.096	2.434	7	0.0470	1.193	45.0%	Heavy
0.093	2.362	8	0.0320	0.812	55.4%	Heavy
0.090	2.288	8	0.0350	0.889	51.8%	Heavy
0.088	2.235	9	0.0230	0.584	62.8%	Mill
0.084	2.134	8	0.0410	1.041	45.2%	Security
0.080	2.032	10	0.0200	0.508	64.0%	Mill
0.080	2.028	7	0.0630	1.600	31.2%	Heavy
0.078	1.981	8	0.0470	1.194	38.9%	Heavy
0.077	1.955	10	0.0230	0.584	59.3%	Mill
0.075	1.905	10	0.0250	0.635	56.2%	Market
0.068	1.727	10	0.0320	0.812	46.2%	Heavy
0.065	1.651	10	0.0350	0.889	42.2%	Heavy
0.065	1.651	12	0.0180	0.457	60.8%	Mill
0.062	1.585	14	0.0090	0.228	76.4%	Bolting
0.060	1.524	12	0.0230	0.584	52.4%	Market
0.055	1.397	12	0.0280	0.711	44.0%	Heavy
0.054	1.371	14	0.0170	0.431	58.0%	Mill
0.054	1.359	16	0.0090	0.228	73.3%	Bolting
0.053	1.346	10	0.0470	1.194	28.1%	Heavy
0.051	1.306	14	0.0200	0.508	51.8%	Market
0.051	1.303	12	0.0320	0.812	37.9%	Heavy
0.048	1.230	14	0.0230	0.584	46.0%	Security
0.048	1.219	12	0.0350	0.889	33.6%	Heavy
0.047	1.183	18	0.0090	0.228	70.2%	Bolting
0.047	1.181	16	0.0160	0.406	55.4%	Mill
0.046	1.179	14	0.0250	0.635	42.2%	Heavy
0.045	1.130	16	0.0180	0.457	50.7%	Market
Square Opening Mesh						
Screen Opening		Mesh	Wire Diameter		Open Area	Product Group
inch	mm		inch	mm		
0.041	1.041	20	0.0090	0.228	67.2%	Bolting
0.041	1.031	18	0.0150	0.381	53.3%	Mill
0.040	1.003	16	0.0230	0.584	39.9%	Heavy
0.039	0.980	18	0.0170	0.431	48.2%	Market
0.038	0.965	22	0.0075	0.191	69.7%	Bolting
0.036	0.925	14	0.0350	0.889	26.0%	Heavy
0.036	0.914	20	0.0140	0.356	51.8%	Mill
0.034	0.869	24	0.0075	0.191	67.2%	Bolting
0.034	0.864	20	0.0160	0.406	46.2%	Market
0.033	0.838	20	0.0170	0.431	43.5%	Heavy
0.032	0.813	20	0.0180	0.457	40.9%	Heavy
0.032	0.813	22	0.0135	0.343	49.6%	Mill
0.031	0.787	26	0.0075	0.191	64.8%	Bolting
0.031	0.774	22	0.0150	0.381	44.9%	Market
0.030	0.762	20	0.0200	0.508	36.0%	Heavy
0.029	0.729	24	0.0130	0.330	47.4%	Mill
0.028	0.718	28	0.0075	0.191	62.4%	Bolting
0.028	0.704	24	0.0140	0.356	44.2%	Market
0.028	0.699	26	0.0110	0.279	51.0%	Mill
0.027	0.685	20	0.0230	0.584	29.2%	Heavy
0.027	0.681	30	0.0065	0.165	64.8%	Bolting
0.026	0.653	28	0.0100	0.254	5	