| Model	Voltage	Speed	Max.Flow	Max.Head	Power		Outlet	Guide Rial
	V	r.p.m	m³/h	m	KW	HP	inch	Fitting
50WQD10-7-0.75TM/QG	220	2850	14	14	0.75	1	2"	50-50
50WQ10-7-0.75TM/QG	380	2850	14	14	0.75	1	2"	50-50
50WQD10-10-1.1TM/QG	220	2850	16	17	1.1	1.5	2"	50-50
50WQ10-10-1.1TM/QG	380	2850	16	17	1.1	1.5	2"	50-50
50WQD15-9-1.1T/QG	220	2850	28	14	1.1	1.5	2"	50-40
50WQ15-9-1.1T/QG	380	2850	28	14	1.1	1.5	2"	50-40
50WQ25-9-1.5T/QG	380	2850	32	16	1.5	2	2"	50-40
80WQ40-6-1.5T/QG	380	2850	48	17	1.5	2	3"	80-65
50WQ25-13-2.2T/QG	380	2850	37	20	2.2	3	2"	50-40
80WQ40-9-2.2T/QG	380	2850	56	21	2.2	3	3"	80-65
80WQ40-12-3T/QG	380	2850	68	21	3	4	3"	80-65
80WQ50-13-4T/QG	380	2850	76	25	4	5.5	3"	80-65

Application

Textile industry

Spinning factory

Poultry Farm

Construction site

Wastewater Treatment

Aquaculture

Residential quarters

Industrial plants

Information

Motor

- Copper winding
- Insulation class: F
- Ingress protection: IPX8
- Running mode:S1

Pump

- Liquid density≤$1.2×10^3$kg/m^3
- Liquid temperture:0-40ºC
- Liquid PH value:4-10
- Immersion Depth:0-5m
- All electrophoresis casting parts
- Optional float switch for single phase models

Specification

- Current available with :220V/50HZ; 380V/50HZ
- Other specification is under develop stage

Cable Length

- Standard with 10m
- Optional length according to the application demand

	Connector		Cutting set
Models with "M"			
Models without "M"			
	Standard	Optional	

info@sspumpsindia.com | malharpump@gmail.com
gencreativeeng@gmail.com
+ 91 90540 25939 | www.sspumpsindia.com

Plot No 2106 & 2107/1, Phase III GIDC, Nr. Trikampura Patia, Vatva, Ahmedabad-382445, Gujarat, (INDIA)

Cutting

Cutting ability

Fiber

E.g Towels, Gloves,Stockings,ect.

Plastic

E.g Rope,Storage bags,ect.

Pads

E.G Diapers,Sanitary napkin,ect.

Hair & wipes

E.G Paper,bath Garbage,ect.

For example

| Before	After		Before	After

Cutting video

Remark

- This product cannot be used to transport liquids containing hard particles, such as sand,gravel, metal shavings, stones, glass, etc.
- This product cannot be used to transport liquids containing much mud.
- There will be a drop in head and flow when change solids content.