

EMAIL ID: SRMENT78@GMAIL.COM

WEBSITE: WWW.SRMENTINDIA.COM





EMAIL ID : SRMENT78@GMAIL.COM WEBSITE : WWW.SRMENTINDIA.COM

COMPANY PROFILE

We are pleased to introduce ourselves, Our Company, **SUN RISE MITALI ENTERPRISES**, is a one of the leading and distinguished business houses in India, who are the pioneers in the Automobile industry in the country. We are exporting to over 50 countries across the Globe.

SUN RISE MITALI ENTERPRISES introduces itself as a one stop shop for **Motorcycle**, **Scooter**, **Three Wheeler**, **Tractors**, **Truck and other Tyres** & **Tubes** offering them at the most competitive prices.

The company also offering a wide range of Spare parts, Helmets, Accessories and Other parts from their India units.

We have been leading the industry in motorbike parts availability, price, and customer service. Our primary goal has always been to please every customer with service and items that make them return to us again and again.



EMAIL ID: SRMENT78@GMAIL.COM WEBSITE: WWW.SRMENTINDIA.COM

It is perhaps no exaggeration to say that **Sun Rise Mitali Enterprises**, with the quality of goods procured, the designs worked on them and the company's nature to deliver on-time, has no other competitor that can offer all these at the same time.

Adherence to premium quality norms that conform to international standards is what defines the motto of **Sun Rise Mitali Enterprises**.

This mail is to emphasize our keen interest in having a business partnership with your company for distribution of our following products in your market.



Product Range

Scooter Tyres

Motor Cycle Tyres



Auto Rickshaw / Tuk Tuk Tyres





Our Quality Vision



"We are committed to total Customer Satisfaction through our Quality Products and Services achieved with Customer Focus, Involvement of our Employees and Continual Improvements in all Areas.



















SIZE
90 / 100 - 10

PATTERN
S9999

PLY RATING
4

TYRE TYPE
TUBE LESS (TL)

FITMENT
FRONT (F) / REAR (R)















Moped Tyres





Moped Tyres



SIZE
2.50 - 16

PATTERN
LM9


PLY RATING
6

TYRE TYPE
TUBE TYPE (TT)

FITMENT
REAR (R)











```
SIZE
2.75 - 17


PATTERN
MF9

PLY RATING
4

TYRE TYPE
TUBE TYPE (TT)

FITMENT
FRONT (F)
```











SIZE
2.75 - 18

PATTERN
MA99

PLY RATING
4

TYRE TYPE
TUBE TYPE (TT)

FITMENT
FRONT (F)



SIZE
2.75 - 18

PATTERN
MA999

PLY RATING
6

TYRE TYPE
TUBE TYPE (TT)

FITMENT
REAR (R)



SIZE
3.00 - 18

PATTERN
M9

PLY RATING
6


TYRE TYPE
TUBE LESS (TL)

FITMENT
REAR (R)













SIZE
100 - 90 / 17

PATTERN
MP9

PLY RATING
6

TYRE TYPE
TUBE LESS(TL)/TUBE TYPE (TT)

FITMENT

REAR (R)



SIZE
90/90 - 18

PATTERN
M999


PLY RATING
6

TYRE TYPE
TUBE TYPE (TT)

FITMENT
REAR (R)



Auto Rickshaw / Tuk Tuk Tyres







Auto Rickshaw / Tuk Tuk Tyres











Ultra Light Truck Tyres







Tractor Tyres





SIZE 6.00 - 16

> PATTERN NTF9

PLY RATING

10

TYRE TYPE
TUBE TYPE (TT)

FITMENT FRONT (F)





, , ,					
Size	Pattern	Ply Rating Application	Tyre Weight	Vehicle Fitment	
2.75 - 17	MF9	4 PR FRONT	2.65	BAJAJ - Platina (All Ranges), XCD (All Ranges), PULSAR 135 / 150, CT 100, Discover (All Ranges), TVS - Star City, Sport, Jive, Max - 4R, YAMAHA - SZ 150	
3.00 - 17	MB9	6 PR	3.45	BAJAJ - Platina 100 & 125, XCD 125, CT 100, Discover 100 cc, TVS - Jive 110, Star City, Sport Max 4R	
2.75 - 18	MA9	6 PR FRONT	2.85	BAJAJ - Boxer CT, Caliber, Wind, HERO - CD Dawn, CD Delux, Splendor (All Ranges), Achiever, Hunk, Passion, Karizma, CBZ (All Ranges), Glamor, Passion (All	
2.75 - 18	MA99	4 PR FRONT	2.85	Ranges), HONDA - Unicorn, Shine Twister, SUZUKI - Heat, Zeus, Slingshog GS 150R, TVS - Flame 125, Star, Star Sport, Max R, Victor, Fiero, YAMAHA - Libero, YBR 110, Gladiator, YBR 125.	
2.75 - 18	MA999	6 PR REAR	3.05	BAJAJ - Boxer AT, HERO - CD Dawn, CD Delux, Splendor, Super Splendor NXG, Glamour, HONDA - Shine, CB Shine, TVS - Max 100, Centra, YAMAHA-Crux	
3.00 - 18	M9, M99	6 PR REAR	3.60	BAJAJ - Cliber, Wind, HERO - Passion X Pro, Glamour PGM Fi, Passion, Achiever, CD 100, HONDA - Unicorn, Shine, Twister,	
3.00 - 18 TL	M9	6 PR REAR	3.80	TVS - Flame 125, Star, Star Sport, Max R, Victor, Fiero, YAMAHA - YBR 125, Gladiator, Alba, Libero G5, YBR 110, Rx 135	
100/90 - 17	MP9	6 PR REAR	4.40	BAJAJ - Pulsar 135 & 150, Discover 135 & 150, HONDA - CBF, Stunner,	
100/90 - 17 TL	MP9	6 PR REAR	4.60	TVS - Flame 125, Apache, YAMAHA-SZ150	

SUN RISE MITALI ENTERPRISES - INDIA Email ID: srment78@gmail.com

Web Site: www.srmentindia.com



Size	Pattern	Ply Rating Application	Tyre Weight	Vehicle Fitment
3.50 - 10	S9, S99 S999	4 PR FRONT / REAR	2.55	
3.50 - 10 TL	S9999	4 PR FRONT / REAR	2.70	HERO - Maestro, HONDA - Activa, Dio, Aviator (Rear), SUZUKI - Access, Swish, TVS - Scooty,
90 / 100 - 10	S9, S99	4 PR FRONT / REAR	2.55	Streak, MAHINDRA - Rodeo (Rear), PIAGGIO - VESPALX 125
90 / 100 - 10 TL	S9999	4 PR FRONT / REAR	2.70	

3 Wheeler & Other Tyres

Size	Pattern	Ply Rating Application	Tyre Weight	Vehicle Fitment
4.00 - 8	A9, A99 A999	6/8 PR FRONT / REAR	3.30	- BAJAJ&TVS Auto Rickshaw
4.00 - 8 HD	A99	6/8 PR FRONT / REAR	3.60	T DAJAJ & T V 3 AUTO RICKSHAW
4.50 - 10	AP9	8 PR FRONT / REAR	5.80	PIAGGIO-APE

Tractor Tyres

Size	Pattern	Ply Rating Application	Tyre Weight	Vehicle Fitment	
6.00 - 16	NTF9	10 PR FRONT	11.80	MAHINDRA- 255 Di/265 Di Power Plus, Yuvo 265/275/415/475/ 575 DI, 475/575/595 DI, Arjun 555 Di, JOHN DEERE - 5036 C	

SUN RISE MITALI ENTERPRISES - INDIA Email ID: srment78@gmail.com

Web Site: www.srmentindia.com



20

6.50/6.00-16

Natural Rubber Tubes

Two Wheeler

	No.	Size	Tubes per Box	Weight Kgs.	Valve
58	1	2.25/2.50-16	60	0.36	TR-29
	2	3.50-8	60	0.38	V1-08-3
	3	2.75/3.00-10/16 x 300	60	0.33	V1-08-1
_	4	3.50-10	50	0.43	V1-08-1
	5	2.25/2.50-17	50	0.36	TR-29
***	6	2.75/3.00-17	50	0.48	TR-29
5	7	2.50/2.75-18	50	0.53	TR-29
	8	2.75/3.00-18	40	0.53	TR-29
_	9	100/90-17	40	0.65	TR-29
_	10	100/90-18	40	0.65	TR-29
	11	3.00/3.25-16	40	0.65	TR-29
		3	Wheeler		
	12	4.00-8	50	0.46	V1-08-3
	13	4.50-10	40	0.65	TR-13
		Passe	enger Radi	al	
	14	4.50-12	35	0.70	TR-13
	15	1.55/1.65/D-12	35	0.80	TR-13
	16	1.45/70SR-12	35	0.80	TR-13
_	17	1.45/70SR-13SV	35	0.90	TR-13
	18	1.45/70SR-13LV	35	0.90	TR-13
_	19	1.65/80SR-14	25	1.10	TR-13
		Truck & Light	Commerci	ial Vehicle	

SUN RISE MITALI ENTERPRISES - INDIA Email ID: srment78@gmail.com

Web Site: www.srmentindia.com

20

1.30

TR-15



Butyl Rubber Tubes

Two Wheeler

31010	over rubes Two	, which is		
No.	Size	Tubes per Box	Weight Kgs.	Valve
1	2.25/2.50-16	50	0.36	TR 29
2	3.50-8	50	0.38	V1-08-3
3	2.75/3.00-10/ 16 x 300	60	0.35	V1-08-1
4	3.50-10	50	0.45	V1-08-1
5	90/90-12	50	0.48	V1-08-1
6	3.00-14	60	0.4	TR 29
7	2.25/2.50-17	50	0.36	TR 29
8	2.75/3.00-17	50	0.46	TR 29
9	2.50/2.75-18	50	0.46	TR 29
10	2.75/3.00-18	50	0.50	TR 29
11	3.50-18	40	0.55	TR 29
12	100/90-17	40	0.62	TR 29
13	100/90-18	40	0.62	TR 29
14	3.00/3.25-16	40	0.65	TR 29
15	3.00/3.25-19	40	0.58	TR 29
16	120/80-17	40	0.78	TR 29
17	130/80-18	40	0.82	TR 29
18	3.00-21	40	0.57	TR 29
19	4.10-18	40	0.62	TR 29
20	4.60-17	40	0.77	TR 29
21	4.00-8	50	0.42	V1-08-3

SUN RISE MITALI ENTERPRISES - INDIA Email ID: srment78@gmail.com

Web Site: www.srmentindia.com



Butyl Rubber Tubes Passenger Radial

	No.	Size	Tubes per Box	Weight Kgs.	Valve
	22	4.50-10	40	0.55	TR 13
	23	4.50-12	40	0.65	TR13
	24	1.45/70SR-12 / D-12	40	0.65	TR-13
100	25	155/165-13	35	0.65	TR13
	26	155/165-13	35	0.75	TR13
	27	5.20-14	35	0.75	TR13
	28	185/6.50-14	25	0.80	TR13
	29	185/6.50-14	25	0.90	TR13
	30	195/80R14	25	1.10	TR 13
-	31	215R14	18	1.30	TR 13
	32	185/195-15	20	0.90	TR 13
	33	H78-15	20	1.10	TR 13
	34	5.90-15	20	0.90	TR 13
-	35	195R15	20	0.90	TR 13
	36	175/185/80R15	18	1.30	TR 13
	37	195R15	20	0.90	TR 13
	38	215/235/75R15	18	1.40	TR 13
3 5	39	205/215/70R15	18	1.30	TR 13
5	40	205/235R16	15	1.40	TR 75A
	41	205R16	15	1.40	TR 13

SUN RISE MITALI ENTERPRISES - INDIA Email ID: srment78@gmail.com Web Site: www.srmentindia.com



Butyl Rubber Tubes Truck & Light Commercial Vehicle

nuovei luves		JUEI IUUES	Huck & Light Co	verncie	
	No.	Size	Tubes per Box	Weight Kgs.	Valve
-	42	6.50/6.00-16	20	1.10	TR 15
- S	43	6.50/6.00-16	20	1.20	TR-15
	44	6.50/6.00-16	20	1.10	TR 75A
107 102	45	6.50/6.00-16	20	1.10	V3-06-5
	46	7.00/7.50-15	18	1.30	TR 15
- A	47	7.00/7.50-15	18	1.30	TR 75A
	48	7.00/7.50-16	15	1.40	TR 15
- A	49	7.00/7.50-16	15	1.45	TR 75A
	50	7.00/7.50-16	15	1.45	V3-06-5
-	51	7.50-16	15	1.70	TR 15
	52	8.25-16	12	1.70	TR 75A
	53	6.50-20	12	1.60	TR 15
	54	7.00-20	12	1.90	TR 75A
	55	7.00-20	12	1.90	TR 75A
	56	7.50-20	12	1.90	V3-06-5
1600	57	7.50-20	12	1.90	TR 175A
	58	8.25-20	12	1.90	TR 175A
	59	8.25-20	12	2.20	TR-15
	60	9.00-20	10	2.30	TR 175A
	61	10.00-20	9	2.50	TR 78A
	62	10.00-20	9	2.70	TR 78A
	63	11.00-20	8	2.90	TR 78A
_	64	12.00-22	6	4.00	TR 78A
	65	11.00-22.5	7	3.50	TR 78A
	66	11.00-22	7	3.50	TR 78A

SUN RISE MITALI ENTERPRISES - INDIA Email ID: srment78@gmail.com

Web Site: www.srmentindia.com



Butyl Rubber Tubes Truck & Light Commercial Vehicle

	31636	over ruves	ruck & Ligiti Co	······································	Vennere
	No.	Size	Tubes per Box	Weight Kgs.	Valve
	67	14.00-20	5	4.50	TR 179A
	68	14.00-20	5	4.20	TR 179A
	69	13.00-20	6	4.00	TR 179A
	70	12.00-20	8	3.20	V3-06-5
	71	12.00-20	8	3.20	TR 78A
	72	11.00-20	8	2.90	V3-06-5
	73	10.00-20	9	2.70	V3-06-5
			Implement Tyro	es	
	74	6.00-10	35	0.70	TR 13
	75	6.00-9	20	0.95	JS2
	76	9.00-15	10	2.00	TR 75
3	77	9.00-15	10	2.00	TR 15
	78	6.50-10	20	0.95	TR 13
	79	7.00-12	20	1.20	JS2
	80	6.00-12	35	0.70	JS2
	81	5.00-12	35	0.60	TR 13
	82	8.25-15	12	1.70	TR 75A
	83	9.00-16	12	2.10	TR 15
	84	9.00-16	12	2.10	TR 75
	85	10.50-16	10	2.30	TR 15
	86	12.5/80-18	10	2.40	TR 218A
	87	5.00-19	18	1.25	TR 15
	88	6.00-19	18	1.35	TR 15
	89	7.00-19	12	1.90	TR 15
: <u>-</u>	90	8.00-19	12	2.10	TR 15

SUN RISE MITALI ENTERPRISES - INDIA Email ID: srment78@gmail.com



Butyl Rubber Tubes

Agriculture Range

91	14.9/13-24	6	4.20	TR 218A
92	13.6/12.4-24	7	3.70	TR 218A
93	12.4/11-24	7	3.50	TR 218A
94	12.4/11-28	5	4.50	TR 218A
95	13.6/12-28	5	5.00	TR 218A
96	14.9/13-28	6	5.50	TR 218A
97	16.9/14-28	3	7.10	TR 218A
98	15.5/16-38	3	6.50	TR 218A
99	14.9/13-38	4	6.00	TR 218A
100	13.6/12-38	4	5.70	TR 218A
101	12.4/11-36	5	5.30	TR 218A
102	18.4/15-30	3	7.60	TR 218A
103	16.9/14-30	3	7.10	TR 218A

Heavy Truck & OTR

58	104	25.5-25	1	14.4	TRJ1175C		
	105	23.5-25	1	12.4	TRJ1175C		
	106	20.5-25	2	10.4	TRJ1175C		
	107	18.00-24/25	2	9.4	TRJ1175C		
	108	17.5-25	2	9.4	TRJ1175C		
-	109	16.00-24/25	3	8.8	TRJ1175C		
	110	15.5-25	3	8.8	TRJ1175C		
5	111	13.00/14.00-24/25	4	5.7	TRJ1175C		
	112	13.00/14.00-24/25	4	5.7	TR 179A		
	113	12.00-24 AL-Rashed	4	4.5	V1.06.05		
	114	12.00-24	6	3.70	TR 78A		
8	115	12.00-24	5	4.20	TR 78A		
	116	12.00-24	5	4.50	TR 78A		



EMAIL ID : SRMENT78@GMAIL.COM WEBSITE : WWW.SRMENTINDIA.COM

MANY MORE SPARE PARTS, ACCESSORIES & HELMETS



EMAIL ID : SRMENT78@GMAIL.COM WEBSITE : WWW.SRMENTINDIA.COM

CONTACT US:

Reg. Office: A-13, Lovely Apartment, Mayur Vihar Phase – 1 Ext. Delhi – 110091 INDIA

Tel #: +91-011-22743854

Mobile # : +91-9953775678 |

+91-8588814020

WhatsApp #: +91-9953775678

Email ID:

srment78@gmail.com

Website: srmentindia.com

Skype ID : Kanojia_Raghu