




An ISO 13485:2016 and ISO 9001:2015 Certified Company.

***A destination for the all ophthalmic instruments.***



एन एस आई सी  
**NSIC**  
ISO 9001 : 2008



**MSME**  
GJ01A0013492

DUNS Number : 86-027-3060

## Welcome to Krishna Eye

- Krishna Eye instruments is a leading manufacturer of complete range of ophthalmic micro surgical blades and ophthalmic instruments. Backed by well-developed manufacturing facilities, we ensure functional reliability of our products and deliver them in standard finishes. Their superior finish makes them have a high demand in government hospitals, eye hospitals, research centres and private clinics.
- With the valuable guidance of our founder Mr. Rameshbhai , Mr. Bharatbhai, Mr. Sureshbhai, we have been able to establish ourselves as a reputed company in the industry. Owing to his sharp business insight, ample industrial experience and our team of skilled professionals, we are growing in large extent.

### **Business Specifics:**

- Company Profile: Manufacturer, Supplier and Exporter
- Based At: Ahmadabad, Gujarat (India)
- Krishna Eye Instruments is an ISO 13485: 2016 and ISO 9001:2015 certified company. Manufacturer of ophthalmic microsurgical blades and instruments dedicated in developing, producing, innovating and promoting.



# company profile

- Krishna Eye Instruments has a team of highly competent and expert professionals to undertake the designing and making of surgical instruments using modern technology and methodology. Our instruments are well acclaimed for their dimensional accuracy and precise design. These are extensively used in government hospitals, eye hospitals, research centres and private clinics.
- In an effort to expand Krishna Eye Instruments as a leading ophthalmic instruments manufacturer, we are soliciting and employing the ideas and concepts of many ophthalmic professionals to develop new products for the industry. Leveraging on our product designing, innovating and development facility, our organization is offering wide assortment of product that caters to the varied requirements of medical industries.
- The company's customer support system is well equipped to provide after sales service to valued customers to achieve complete "customer satisfaction" through business ethics.
- Our goal is to provide products that perfectly match the needs of the surgeons and the their valuable patients. We continue to remain faithful to the quality reputation and name recognition associated with the Krishna Eye Instruments as a premier manufacturer of ophthalmic instruments.

# company profile

- We also customize wide array of these products in accordance with customer's specific requirements and specifications. In the meantime, a forming distribution network all over the world enables us to service globally.
- We hold a team of expert professionals who are committed, dedicated and well positioned to meet the necessary standards and requirements of the market. Our skilled team is adoption of industrial product designers, quality controllers, installation experts, dealers and marketing experts.

## Why Krishna Eye ?

***Some features that make us unique from other competitors are:***

- our quality of products
- our strength to achieve satisfaction of the clients
- our expertise in delivering flawless range of ophthalmic surgical instruments
- our committed and dedicated team

***Our products are verified on the following parameters:***

- Performance
- Design
- Efficiency
- Sharpness
- Usage and Maintenance



## Quality Assurance

- Since beginning, quality has always been one of the basic motives of our company. Our quality of products has also helped us to achieve ISO 13485:2016 and ISO 9001:2015 and many more certifications.
- The focus of our team is to improve the quality of our range of products and thereby maximizing client satisfaction. Our skilled team helps us in delivering our product range with better accuracy and high functionality standards which are accepted globally.
- Quality management tests are conducted with the help of our team of professionals on every step to ensure accuracy of the ophthalmic micro surgical blades. We ensure that our manufacturing processes strictly follow international terms of standard.

## Manufacturing Facilities

- We have a well developed infrastructure unit that spread across a huge area. We have with us well equipped manufacturing facilities, which include a large production unit, packaging unit, storage unit and modern range of machinery equipments. Besides this, we have expert professionals and skilled technicians, who work hard to maintain high quality in the end products. It helps us ensure manufacturing of an effective range of equipments that provide best performance on usage.

## Client Satisfaction


- “Client satisfaction” is what we provide with our quality range of products. Our quality centric approach along with new technology has helped us for offering our product in conformation with regulatory and statutory standards. With our hard working team, we have been successful in gaining the precious trust of our valuable clients based across the globe.
- Through our brand and knowledge, we have built a valuable global network of high profile clients. Our strength to achieve satisfaction of the client lies in delivering the products in the stipulated time. Prompt delivery is one of the remarkable characteristics of our organization.



## Keratome Blades (Sharp Tip)

### KERATOME BLADES ( SHARP TIP ) FOR PHACO STAB INCISION

These Blades are designed to give incision of required width for insertion of phaco tip, irrigation / aspiration tip. These keratomes are available from 1.0mm to 3.5mm.



### SINGLE BEVEL

Product No.	Size	Description	Gauge
811001	1.0mm	Straight	24 Gauge
811071	1.0mm	Angled at 45 Deg. Bevel Up	24 Gauge
811072	1.0mm	Angled at 45 Deg. Bevel Down	24 Gauge
811201	1.2mm	Straight	24 Gauge
811271	1.2mm	Angled at 45 Deg. Bevel Up	24 Gauge
811272	1.2mm	Angled at 45 Deg. Bevel Down	24 Gauge
811401	1.4mm	Straight	24 Gauge
811471	1.4mm	Angled at 45 Deg. Bevel Up	24 Gauge
811472	1.4mm	Angled at 45 Deg. Bevel Down	24 Gauge
811501	1.5mm	Straight	24 Gauge
811571	1.5mm	Angled at 45 Deg. Bevel Up	24 Gauge
811572	1.5mm	Angled at 45 Deg. Bevel Down	24 Gauge
811801	1.8mm	Straight	20 Gauge
811871	1.8mm	Angled at 45 Deg. Bevel Up	20 Gauge
811872	1.8mm	Angled at 45 Deg. Bevel Down	20 Gauge
812001	2.0mm	Straight	20 Gauge
812071	2.0mm	Angled at 45 Deg. Bevel Up	20 Gauge
812072	2.0mm	Angled at 45 Deg. Bevel Down	20 Gauge
812201	2.2mm	Straight	20 Gauge
812271	2.2mm	Angled at 45 Deg. Bevel Up	20 Gauge
812272	2.2mm	Angled at 45 Deg. Bevel Down	20 Gauge
812301	2.3mm	Straight	20 Gauge
812371	2.3mm	Angled at 45 Deg. Bevel Up	20 Gauge
812372	2.3mm	Angled at 45 Deg. Bevel Down	20 Gauge
812401	2.4mm	Straight	20 Gauge
812471	2.4mm	Angled at 45 Deg. Bevel Up	20 Gauge
812472	2.4mm	Angled at 45 Deg. Bevel Down	20 Gauge
812501	2.5mm	Straight	20 Gauge
812571	2.5mm	Angled at 45 Deg. Bevel Up	20 Gauge
812572	2.5mm	Angled at 45 Deg. Bevel Down	20 Gauge
812601	2.65mm	Straight	20 Gauge
812671	2.65mm	Angled at 45 Deg. Bevel Up	20 Gauge
812672	2.65mm	Angled at 45 Deg. Bevel Down	20 Gauge

# our products

Product No.	Size	Description	Gauge
812701	2.75mm	Straight	20 Gauge
812771	2.75mm	Angled at 45 Deg. Bevel Up	20 Gauge
812772	2.75mm	Angled at 45 Deg. Bevel Down	20 Gauge
812801	2.8mm	Straight	20 Gauge
812871	2.8mm	Angled at 45 Deg. Bevel Up	20 Gauge
812872	2.8mm	Angled at 45 Deg. Bevel Down	20 Gauge
813001	3.0mm	Straight	19 Gauge
813071	3.0mm	Angled at 45 Deg. Bevel Up	19 Gauge
813072	3.0mm	Angled at 45 Deg. Bevel Down	19 Gauge
813201	3.2mm	Straight	19 Gauge
813271	3.2mm	Angled at 45 Deg. Bevel Up	19 Gauge
813272	3.2mm	Angled at 45 Deg. Bevel Down	19 Gauge
813501	3.5mm	Straight	19 Gauge
813571	3.5mm	Angled at 45 Deg. Bevel Up	19 Gauge
813572	3.5mm	Angled at 45 Deg. Bevel Down	19 Gauge

## DOUBLE BEVEL

Product No.	Size	Description	Gauge
811008	1.0mm	Double Bevel Straight	24 Gauge
811078	1.0mm	Angled at 45 Deg. Double Bevel	24 Gauge
811208	1.2mm	Double Bevel Straight	24 Gauge
811278	1.2mm	Angled at 45 Deg. Double Bevel	24 Gauge
811408	1.4mm	Double Bevel Straight	24 Gauge
811478	1.4mm	Angled at 45 Deg. Double Bevel	24 Gauge
811508	1.5mm	Double Bevel Straight	24 Gauge
811578	1.5mm	Angled at 45 Deg. Double Bevel	24 Gauge
811808	1.8mm	Double Bevel Straight	20 Gauge
811878	1.8mm	Angled at 45 Deg. Double Bevel	20 Gauge
812008	2.0mm	Double Bevel Straight	20 Gauge
812078	2.0mm	Angled at 45 Deg. Double Bevel	20 Gauge
812208	2.2mm	Double Bevel Straight	20 Gauge
812278	2.2mm	Angled at 45 Deg. Double Bevel	20 Gauge
812308	2.3mm	Double Bevel Straight	20 Gauge
812378	2.3mm	Angled at 45 Deg. Double Bevel	20 Gauge
812408	2.4mm	Double Bevel Straight	20 Gauge
812478	2.4mm	Angled at 45 Deg. Double Bevel	20 Gauge
812508	2.5mm	Double Bevel Straight	20 Gauge
812578	2.5mm	Angled at 45 Deg. Double Bevel	20 Gauge
812608	2.65mm	Double Bevel Straight	20 Gauge
812678	2.65mm	Angled at 45 Deg. Double Bevel	20 Gauge
812708	2.75mm	Double Bevel Straight	20 Gauge
812778	2.75mm	Angled at 45 Deg. Double Bevel	20 Gauge
812808	2.8mm	Double Bevel Straight	20 Gauge
812878	2.8mm	Angled at 45 Deg. Double Bevel	20 Gauge
813008	3.0mm	Double Bevel Straight	19 Gauge
813078	3.0mm	Angled at 45 Deg. Double Bevel	19 Gauge
813208	3.2mm	Double Bevel Straight	19 Gauge
813278	3.2mm	Angled at 45 Deg. Double Bevel	19 Gauge
813508	3.5mm	Double Bevel Straight	19 Gauge
813578	3.5mm	Angled at 45 Deg. Double Bevel	19 Gauge




# our products

## Crescent Blades

### CRESCENT BLADES FOR GROOVE OR POCKET OR TUNNEL INCISION

These Blades designed for making scleral tunnel ( Pocket or groove ). These blades are available in 2.0mm to 2.5mm.



Product No.	Size	Description	Gauge
832001	2.0mm	Straight	20 Gauge
832071	2.0mm	Angled at 45 Deg. Bevel Up	20 Gauge
832072	2.0mm	Angled at 45 Deg. Bevel Down	20 Gauge
832201	2.2mm	Straight	20 Gauge
832271	2.2mm	Angled at 45 Deg. Bevel Up	20 Gauge
832272	2.2mm	Angled at 45 Deg. Bevel Down	20 Gauge
832501	2.5mm	Straight	20 Gauge
832571	2.5mm	Angled at 45 Deg. Bevel Up	20 Gauge
832572	2.5mm	Angled at 45 Deg. Bevel Down	20 Gauge

## Lance Tip Blades

### LANCE TIP BLADES FOR INITIAL INCISION

These Blades designed for making corneal / limbal incision. They are found to be very suitable for making side port. These Blades are available in 15, 22.5, 30 and 45 degree.



Product No.	Description		Gauge
841501	15 Degree	Lance Tip	24 Gauge
842201	22.5 Degree	Lance Tip	24 Gauge
843001	30 Degree	Lance Tip	24 Gauge
844501	45 Degree	Lance Tip	24 Gauge




# our products

## MVR Blades

### MVR BLADES FOR TIGHT SELF SEALING INCISION

These Blades are designed for making precise water tight port in micro vitrioretinal surgery. These Blades are also used for making side port in small incision cataract surgery. These Blades are available in 19G, 20G, and 24G.




Product No.	Description	Gauge
861908	Straight	19 Gauge
861978	Angled at 45 Deg.	19 Gauge
862008	Straight	20 Gauge
862078	Angled at 45 Deg.	20 Gauge
862408	Straight	24 Gauge
862478	Angled at 45 Deg.	24 Gauge

## Clear Corneal Blades

### CLEAR CORNEAL BLADES FOR CLEAR CORNEAL INCISION

These precise width blades are designed for clear corneal incision. These blades are available in 1.0mm to 3.5mm.



### SINGLE BEVEL

Product No.	Size	Description	Gauge
851001	1.0mm	Straight	24 Gauge
851071	1.0mm	Angled at 45 Deg. Bevel Up	24 Gauge
851072	1.0mm	Angled at 45 Deg. Bevel Down	24 Gauge
851201	1.2mm	Straight	24 Gauge
851271	1.2mm	Angled at 45 Deg. Bevel Up	24 Gauge
851272	1.2mm	Angled at 45 Deg. Bevel Down	24 Gauge
851401	1.4mm	Straight	24 Gauge
851471	1.4mm	Angled at 45 Deg. Bevel Up	24 Gauge
851472	1.4mm	Angled at 45 Deg. Bevel Down	24 Gauge
851501	1.5mm	Straight	20 Gauge
851571	1.5mm	Angled at 45 Deg. Bevel Up	20 Gauge
851572	1.5mm	Angled at 45 Deg. Bevel Down	20 Gauge
851801	1.8mm	Straight	20 Gauge
851871	1.8mm	Angled at 45 Deg. Bevel Up	20 Gauge
851872	1.8mm	Angled at 45 Deg. Bevel Down	20 Gauge
852001	2.0mm	Straight	20 Gauge
852071	2.0mm	Angled at 45 Deg. Bevel Up	20 Gauge
852072	2.0mm	Angled at 45 Deg. Bevel Down	20 Gauge
852201	2.2mm	Straight	20 Gauge
852271	2.2mm	Angled at 45 Deg. Bevel Up	20 Gauge
852272	2.2mm	Angled at 45 Deg. Bevel Down	20 Gauge
852301	2.3mm	Straight	20 Gauge
852371	2.3mm	Angled at 45 Deg. Bevel Up	20 Gauge
852372	2.3mm	Angled at 45 Deg. Bevel Down	20 Gauge
852401	2.4mm	Straight	20 Gauge
852471	2.4mm	Angled at 45 Deg. Bevel Up	20 Gauge
852472	2.4mm	Angled at 45 Deg. Bevel Down	20 Gauge
852501	2.5mm	Straight	20 Gauge
852571	2.5mm	Angled at 45 Deg. Bevel Up	20 Gauge
852572	2.5mm	Angled at 45 Deg. Bevel Down	20 Gauge
852601	2.65mm	Straight	20 Gauge
852671	2.65mm	Angled at 45 Deg. Bevel Up	20 Gauge
852672	2.65mm	Angled at 45 Deg. Bevel Down	20 Gauge



# our products

852701	2.75mm	Straight	20 Gauge
852771	2.75mm	Angled at 45 Deg. Bevel Up	20 Gauge
852772	2.75mm	Angled at 45 Deg. Bevel Down	20 Gauge
852801	2.8mm	Straight	20 Gauge
852871	2.8mm	Angled at 45 Deg. Bevel Up	20 Gauge
852872	2.8mm	Angled at 45 Deg. Bevel Down	20 Gauge
853001	3.0mm	Straight	19 Gauge
853071	3.0mm	Angled at 45 Deg. Bevel Up	19 Gauge
853072	3.0mm	Angled at 45 Deg. Bevel Down	19 Gauge
853201	3.2mm	Straight	19 Gauge
853271	3.2mm	Angled at 45 Deg. Bevel Up	19 Gauge
853272	3.2mm	Angled at 45 Deg. Bevel Down	19 Gauge
853501	3.5mm	Straight	19 Gauge
853571	3.5mm	Angled at 45 Deg. Bevel Up	19 Gauge
853572	3.5mm	Angled at 45 Deg. Bevel Down	19 Gauge


## DOUBLE BEVEL

Product No.	Size	Description	Gauge
851008	1.0mm	Double Bevel Straight	24 Gauge
851078	1.0mm	Angled at 45 Deg. Double Bevel	24 Gauge
851208	1.2mm	Double Bevel Straight	24 Gauge
851278	1.2mm	Angled at 45 Deg. Double Bevel	24 Gauge
851408	1.4mm	Double Bevel Straight	20 Gauge
851478	1.4mm	Angled at 45 Deg. Double Bevel	20 Gauge
851508	1.5mm	Double Bevel Straight	20 Gauge
851578	1.5mm	Angled at 45 Deg. Double Bevel	20 Gauge
851808	1.8mm	Double Bevel Straight	20 Gauge
851878	1.8mm	Angled at 45 Deg. Double Bevel	20 Gauge
852008	2.0mm	Double Bevel Straight	20 Gauge
852078	2.0mm	Angled at 45 Deg. Double Bevel	20 Gauge
852208	2.2mm	Double Bevel Straight	20 Gauge
852278	2.2mm	Angled at 45 Deg. Double Bevel	20 Gauge
852308	2.3mm	Double Bevel Straight	20 Gauge
852378	2.3mm	Angled at 45 Deg. Double Bevel	20 Gauge
852408	2.4mm	Double Bevel Straight	20 Gauge
852478	2.4mm	Angled at 45 Deg. Double Bevel	20 Gauge
852508	2.5mm	Double Bevel Straight	20 Gauge
852578	2.5mm	Angled at 45 Deg. Double Bevel	20 Gauge
852608	2.65mm	Double Bevel Straight	20 Gauge
852678	2.65mm	Angled at 45 Deg. Double Bevel	20 Gauge
852708	2.75mm	Double Bevel Straight	20 Gauge
852778	2.75mm	Angled at 45 Deg. Double Bevel	20 Gauge
852808	2.8mm	Double Bevel Straight	20 Gauge
852878	2.8mm	Angled at 45 Deg. Double Bevel	20 Gauge
853008	3.0mm	Double Bevel Straight	19 Gauge
853078	3.0mm	Angled at 45 Deg. Double Bevel	19 Gauge
853208	3.2mm	Double Bevel Straight	19 Gauge
853278	3.2mm	Angled at 45 Deg. Double Bevel	19 Gauge
853508	3.5mm	Double Bevel Straight	19 Gauge
853578	3.5mm	Angled at 45 Deg. Double Bevel	19 Gauge

## Keratome Blades (Blunt Tip)

### KERATOME BLADES ( BLUNT TIP ) FOR I.O.L ENLARGING

These Blades are designed to give incision of required width for insertion of IOL Implant. The tip is made blunt to avoid Secondary incision. These keratomes are available from 3.5mm to 6.0mm.



Product No.	Size	Description	Gauge
823501	3.5mm	Straight	18 Gauge
823571	3.5mm	Angled at 45 Deg. Bevel Up	18 Gauge
823572	3.5mm	Angled at 45 Deg. Bevel Down	18 Gauge
823801	3.8mm	Straight	18 Gauge
823871	3.8mm	Angled at 45 Deg. Bevel Up	18 Gauge
823872	3.8mm	Angled at 45 Deg. Bevel Down	18 Gauge
824001	4.0mm	Straight	18 Gauge
824071	4.0mm	Angled at 45 Deg. Bevel Up	18 Gauge
824072	4.0mm	Angled at 45 Deg. Bevel Down	18 Gauge
825101	5.1mm	Straight	16 Gauge
825171	5.1mm	Angled at 45 Deg. Bevel Up	16 Gauge
825172	5.1mm	Angled at 45 Deg. Bevel Down	16 Gauge
825201	5.2mm	Straight	16 Gauge
825271	5.2mm	Angled at 45 Deg. Bevel Up	16 Gauge
825272	5.2mm	Angled at 45 Deg. Bevel Down	16 Gauge
825501	5.5mm	Straight	16 Gauge
825571	5.5mm	Angled at 45 Deg. Bevel Up	16 Gauge
825572	5.5mm	Angled at 45 Deg. Bevel Down	16 Gauge
826001	6.0mm	Straight	15 Gauge
826071	6.0mm	Angled at 45 Deg. Bevel Up	15 Gauge
826072	6.0mm	Angled at 45 Deg. Bevel Down	15 Gauge




# our clients

Krishna Eye Instruments would like to thank our clients for providing opportunity to be their preferred supplier. We have established good reputation and bonding of trust with our esteemed clients locally & globally. Currently we deal with these countries.

- Egypt
- Italy
- Algeria
- Iran
- Saudi Arabia
- Singapore
- Turkey
- Pakistan
- Sri Lanka
- Nepal
- Qatar

# Contact Us



An ISO 13485:2016 and ISO 9001:2015 Certified Company

**Mr. Ramesh Bhai (MD)**

132 - Pushkar Ind. Estate, Phase - 1, Opp. Makons Factory,  
G.I.D.C., Vatva, Ahmedabad-382445, Gujarat, INDIA  
Bharat Bhai : +91-7874911351, Suresh Bhai : +91-9925495351

Email : [krishnaeyeinstruments@gmail.com](mailto:krishnaeyeinstruments@gmail.com)  
Web Site : [www.krishnaeye.com](http://www.krishnaeye.com), [www.krishnaeyeinstruments.in](http://www.krishnaeyeinstruments.in)  
Call Us : 08043693073

Marketing Associate  
Mobile: +91-9909330013



