



TEST REPORT

Report No. : CH:TX:9420023343

DATE : 29/04/2009

SAMPLE NOT DRAWN BY SGS INDIA PRIVATE LTD.

DRY-AIR TECHNOLOGIES

2/46, WEST STREET,, SILAMALAI,
BODINAYAKANUR,(THENI DT.)-625 528
INDIA

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :

SAMPLE DESCRIPTION	CHEMICAL				
	DRY AIR DESICCANT				
SAMPLE	CALCIUM CHLORIDE				
SAMPLE RECD ON	24/04/2009	TEST START DATE	24/04/2009	TEST END DATE	29/04/2009
TEST(S) REQUIRED	DIMETHYL FUMARATE				

Per pro SGS India Private Ltd.

Anitha.J

Lab Manager

anitha_jeyaraj@sgs.com

This is a computer generated report hence a signature is not available. An original signed hardcopy can be provided upon request at anitha_jeyaraj@sgs.com

JOE No. : 942111069

Page 1 of 2

Control No.:9425028206

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS India Pvt. Ltd.

Consumer Testing Services, 1/509 A, Old Mahabalipuram Road, Thorapakkam, Chennai-600 097 Phone : 91-44-24963844/24962822 Fax : 91-44-24963075

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)



TEST REPORT

Report No. : CH:TX:9420023343

DATE : 29/04/2009

R E S U L T S

DIMETHYL FUMARATE

Solvent Extraction/Analysis by GC-MS

CHEMICAL

RESULT n.d.

Note : n.d. - Not Detected ; Detection Limit : 0.1 mg/kg

***** End of Report*****

This is a computer generated report hence a signature is not available. An original signed hardcopy can be provided upon request at anitha_jeyaraj@sgs.com

JOE No. : 942111069

Page 2 of 2

Control No.:9425028206

This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm and Terms and Conditions for electronic documents www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. This document cannot be reproduced except in full, without prior approval of the Company.

SGS India Pvt. Ltd.

Consumer Testing Services, 1/509 A, Old Mahabalipuram Road, Thorapakkam, Chennai-600 097 Phone : 91-44-24963844/24962822 Fax : 91-44-24963075

Regd & Corp. Off : SGS House, 4B, A.S. Marg, Vikhroli (West), Mumbai-400083. Tel : (022) 25798421 to 28 Fax : (022) 25798431 to 35 www.sgs.com

Member of the SGS Group (SGS SA)