




WPC 26mm LOUVERS





WPC EXTERIOR LOUVERS

Developed with the latest technology, Exterior Louver combines the durability of co - extrusion and the warm appearance of wood. The false open joint profile and hide screw design makes it trendy and modern in looks. Best and reliable product, designed to last for many years and also helps to preserve the environment. With nice patterns and shades, which are similar to exotic woods, our clads provides a unique emotion to live for an exclusive experience .



LOUVERS FEATURES



WATER PROOF



DURABLE



SUPERB QUALITY



NO POLISHING



TERMITE PROOF



ECONOMICAL



MAINTENANCE FREE



CHEMICAL AND
MOISTURE RESISTANT



ANTI CORROSIVE




UV RESISTANT



EASY TO INSTALL



LIGHT WEIGHT




LOUVERS APPLICATIONS

- EXTERIOR CLADDING •
- INTERIOR CLADDING •
- BALCONY CLADDING •
- ROOF CLADDING •
- FENCE & RAILING •
- GATE PANELING •

WPC LOUVERS

SPECIFICATIONS



PRO DUCT NAM E :



BU RMA TEAK WOOD



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.






PRO DUCT NAM E :


BLACK



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.





PRO DUCT NAM E :




SYCAMORE



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.





PRO DUCT NAM E :

ROSE WOOD



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.





PRO DUCT NAM E :



IPE WOOD



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.






PRO DUCT NAM E :

SILIVER OAK



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.






PRO DUCT NAM E :



GREY



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.






PRO DUCT NAM E :

NATURAL TEAK



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.





PRO DUCT NAME :





AFRICAN WALNUT



TECHNICAL SPECIFICATION

Width	219mm
Length	2900mm
Thickness	26mm
Packing Per Box	04 panel
Area Per Panel	6.84 sqft.
Area Per Box	27.36 sqft.







WPC EXTERIOR LOUVERS

