







**3M | SafetyMaster**

## THE COMPANY



# CONTENTS



# REFLECTIVE SHEETING

There are a number of different types of reflective sheetings in use on highway signs. Some types, as classified by ASTM D4956-01 and sold by us are 3M Type I, III, IV, IX, XI.

Name	Commercial Grade 3100 Series
Specification	Surface Film: PET Durability: 7 years Die Cutting, Non-Printable, Temporary Road Traffic Signs, Work Zone Signage etc.
Dimension	1.24 X 45.7m/roll



Name	Commercial Grade 3200 Series
Specification	Surface Film: Acrylic Durability: 7 years Screen Printing, Die Cutting Temporary Road Traffic Signs Work Zone Signage etc.
Dimension	1.24 X 45.7m/roll



Name	Engineering Grade Prismatic
Specification	Product Type: Micro Prismatic Durability: 7 years Permanent Pressure Sensitive Permanent and Temporary Traffic Signs Work Zone Signs
Dimension	1.22 X 45.72m/roll





# REFLECTIVE SHEETING

Name	High Intensity Prismatic Grade
Specification	Product Type: Micro Prismatic Durability: 7 years Permanent Pressure Sensitive Permanent and Temporary Traffic Signs ASTM D 4956 Type IV
Dimension	1.22 X 45.72m/roll



Name	Diamond Grade DG^3
Specification	Product Type: Micro Prismatic Durability: 10 years Permanent Pressure Sensitive Permanent and Temporary Traffic Signs ASTM D 4956 Type IX, XI
Dimension	1.22 X 45.72m/roll



Name	Electro Cut Film
Specification	Product Type: Transparent Acrylic Film Durability: 10 years
Dimension	1.27 X 50m/roll



Name	Aluminium Backed Flexible Prismatic
Specification	Diamond Grade Prismatic Sheetting Highly Flexible and Conformable Superior Adhesion and Edge Sealing
Dimension	1 X 145 feet



# SIGNAGES


## Warning Sign



## Mandatory Sign



## Facility Sign




## S. S. Sign



# SIGNAGES


## Overhead Gantry & Cantilever Sign



## Other Signs



## Railway Sign



# SIGNAGES

## LED Edge Light Signs



## LED Display Signs



## Glow in Dark Signages





## SPEED BREAKER

It is very compact and has high resistance capacity to withstand severe impacts. The pre-coloured UV stabilised material (black & yellow) provides it permanent colour. For clear vision in the night two reflectors are fixed on both sides of the bump. Dev Plastics have categorised them in three types based on the usage i.e. **Plastic, Rubber** and **Rumbler**.

### Plastic Speed Breaker



Model ID: SM-601  
Dimension: L 250 x W350 x H50mm  
Color: Yellow Black Combo



Model ID: SM-602  
Dimension: L 500 x W320 x H45mm  
Color: Yellow Black Combo



Model ID: SM-603  
Dimension: L 500 x W375 x H50mm  
Color: Yellow Black Combo



Model ID: SM-604  
Dimension: L 500 x W400 x H75mm  
Color: Yellow Black Combo



Model ID: SM-605  
Dimension: L 250 x W750 x H75mm  
Color: Yellow Black Combo

### Rumbler



Model ID: SM-613  
Dimension: L 250 x W150 x H32mm  
Color: Yellow Black Combo



Model ID: SM-614  
Dimension: L 250 x W150 x H32mm  
Color: Yellow Black Combo



Model ID: SM-615  
Dimension: L 500 x W125 x H25mm  
Color: Yellow Black Combo



Model ID: SM-612  
Dimension: L 275 x W150 x H32mm  
Color: Yellow Black Combo

### Rubber Speed Breaker



Model ID: SM-606  
Dimension: L 500 x W400 x H50mm  
Color: Yellow Black Combo



Model ID: SM-607  
Dimension: L 500 x W415 x H50mm  
Color: Yellow Black Combo



Model ID: SM-608  
Dimension: L 500 x W400 x H75mm  
Color: Yellow Black Combo



Model ID: SM-609  
Dimension: L 500 x W415 x H75mm  
Color: Yellow Black Combo



Model ID: SM-610  
Dimension: L 500 x W350 x H50mm  
Color: Yellow Black Combo

## ROAD STUD

It is a reflective safety device used in road marking in various locations such as highways, walkways, car parks and cycleways. They are particularly valuable in fog and are largely resistant to damage from natural weathering. Dev Plastics have categorised them in two types based on the material used i.e. **Plastic** and **Aluminium**.

### Aluminium Road Studs



Model ID: SM-117  
Specification: Two Side 21 Glass Beads Each Side with Anchoring Shank  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-118  
Specification: Two Side 21 Glass Beads Each Side with Square Nails  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-122  
Specification: Two Side Polycarbonate Prismatic Reflector with Square Nails  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-123  
Specification: Two Side Acrylic Prismatic Reflector with Anchoring Shank  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-124  
Specification: Two Ways Retro Reflector with Square Nails  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-126  
Specification: Two Ways Retro Reflector with Anchoring Shank  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-127  
Specification: Two Ways 43 Glass Beads Each Side with Anchoring Shank  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-128  
Specification: Two Ways 43 Glass Beads Each Side with Square Nails  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-129  
Specification: Two Side Acrylic Prismatic Reflector with Anchoring Shank  
Dimension: 125 X 125 X 30 mm  
Available Color: Yellow, Red, White



Model ID: SM-131  
Specification: Two Side 21 Glass Beads Each Side with Square Nails  
Dimension: 100 X 75X 20 mm  
Available Color: Yellow, Red, White

## Plastic Road Studs



Model ID: SM-100  
Specification: Two Sided Micro Prismatic Reflector Meets ASTM Standard  
Dimension: 102x90x16 mm  
Available Color: Yellow, Red, White  
Brand: 3M



Model ID: SM-101  
Specification: Two Sided Micro Prismatic Reflector Meets ASTM Standard  
Dimension: 102x90 mm  
Available Color: Yellow, Red, White  
Brand: 3M



Model ID: SM-102  
Specification: Two Sided Acrylic Prismatic Reflector Meets ASTM Standard  
Dimension: 116x118x17 mm  
Available Color: Yellow, Red, White  
Brand: Ennis



Model ID: SM-104  
Specification: Two Sided Acrylic Prismatic Reflector Meets ASTM Standard  
Dimension: 102x90x16 mm  
Available Color: Yellow, Red, White



Model ID: SM-105  
Specification: Two Sided Acrylic Prismatic Reflector Meets ASTM Standard  
Dimension: 102x90 mm  
Available Color: Yellow, Red, White




Model ID: SM-106  
Specification: Two Sided Acrylic Prismatic Reflector Meets ASTM Standard  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-108  
Specification: Two Sided Imported Prismatic Reflector Meets ASTM Standard  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-106H  
Specification: Two Sided Acrylic Prismatic Reflector Meets ASTM Standard  
Dimension: 100x100x20 mm  
Available Color: Yellow, Red, White



Model ID: SM-108H  
Specification: Two Sided Imported Prismatic Reflector Meets ASTM Standard  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-109  
Specification: Two Sided 43 Glass Bead Reflector  
Dimension: 100 X 100 X 20 mm  
Available Color: Yellow, Red, White



Model ID: SM-110  
Specification: Two Sided Acrylic Prismatic Reflector  
Dimension: 100 X 128 X 30 mm  
Available Color: Yellow, Red, White

## Road Stud Accessories



Shanks Nylon



Bitumin



Resin & Hardener

# SAFETY CONE & ACCESSORIES

Also called as traffic cones, highway cones or construction cones, are usually cone-shaped markers that are placed on roads or footpaths to temporarily redirect traffic in a safe manner. They are often used to create separation or merge lanes. The Reflective sleeves are for night time visibility; the bosses at the top ease handling and can be used for attaching caution tape.



Model ID: SM-201  
Height: 750mm  
Weight: 1.2kg




Model ID: SM-202  
Height: 750mm  
Weight: 4.3kg



Model ID: SM-203  
Height: 750mm  
Weight: 3.3kg



Model ID: SM-204  
Height: 750mm  
Weight: 2.0kg



Name: Connecting Rod  
Model ID: SM-216  
Length: Open: 2 meter  
Close: 1 meter



Name: Interlinking Chain  
Model ID: SM-218

# MESSAGE PLATES

Made of Special Strong Flexible UV Protected Material. These are placed on roads or paths to display any message, They can be also used to create separation or merge lanes. These are also available with heavy weight base fixed at the bottom.



Name: Four Sided Message Cone  
Model ID: SM-221  
Height: 750mm  
Weight: 2kg



Name: Floor Message Plate  
Model ID: SM-225  
Height: 600mm



Name: Plastic Warning Post  
Model ID: SM-226  
Height: 1.5 mtr  
Weight: 3kg




## MEDIAN MARKER

Made of tough, impact resistant thermoplastic body, reflectorized on either sided using fluorescent yellow prismatic sheeting is a highly durable reflective product for medians. It is designed to take the rigours of natural weathering, the product make the medians extremely visible thereby preventing accidents and saving invaluable lives on roads.



Model ID: SM-137  
Dimension: Height: 105mm  
Bottom: 150 X 105mm  
Brand: 3M



Model ID: SM-140  
Specification: 

- Made of Tough Thermoplastic body.
- It can with stand changes & very high impact
- UV resistant
- Available in Type IV and Type IX


  
Dimension: Height: 105mm  
Bottom: 150 X 105mm  
Brand: Safety Master

## GUARD RAIL REFLECTOR

They are attached to the guard rail fixed on bridge, open road, tunnel, etc., to prevent traffic from getting accidentally coming in contact. They have a reflective surface and attention catching colour combination which help them to be visible even in poor weather conditions. Reflective film of our Reflectors has the capability to intensify and reflect the light beam of automobile to catch driver's attention.



Model ID: SM-331  
Specification: Made of Metal Bracket with Prismatic Reflective Sheeting. with Tape Protector



Model ID: SM-332  
Specification: Made of Metal Bracket with Prismatic Reflective Sheeting. without Tape Protector




Model ID: SM-334  
Specification: Has Acrylic Reflector Double Side



Model ID: SM-335  
Specification: Has Acrylic Reflector Single Side

## LINEAR DELINEATOR SYSTEM

Model ID	SM-333
Specification	Delineation System (LDS) panels are fabricated from prismatic grade reflective sheeting laminated on to thin gauge aluminium. LDS panels are formed to a unique shape and applied to concrete barriers and metal guard rails providing retro reflection across a wide range entrance and observation angles. Use of LDS: Round about gap in medium flyovers and curves.
Dimension	Size of the LDS: 4x34 inch (3inch is the actual length of the panel to formation)
Available Color	Yellow, Red, White



# DELINEATOR

Delineators are tall pylons mounted on the road surface, or along the edge of a road, and are used to channelize traffic. They usually contain one or more reflective strips. They can be round and open in the centre or curved (45-degree sections) of plastic with a reflective strip. They are also used in low reflective markers in a "T" shape. They can also be used to indicate lane closures as in cases where the number of lanes is reduced.

## Round Pipe with Acrylic Reflectors & Solar Delineator



## Round, Square & Rectangular Pipe Delineators



# BOLLARD

A **bollard** is a short vertical post can be used, either to control traffic intake size by limiting movements, or to control traffic speed by narrowing the available space.



SM-406



SM-407



SM-222

Model	Name	Dimension	Available Color
SM-406	Bollard	Powder Coated MS Pipe Length: 1800mm, Round Plate: 600mm, Hazard Marker Plate: 600mm X 300mm	
SM-407	Bollard with Reflectors	Powder Coated MS Pipe Length: 1800mm, Plastic Plate Size (9 Reflectors within): 405mm X 405mm, MS Round Plate Dia: 405mm, MS Plate with Round Plate below: 305mm X 75mm	
SM-222	Plastic Bollard	Height: 80cm, Top Width: 17cm, Base Width: 36cm	Red, Blue

## SPRING POST

Made of special pliant material, it can quickly restore to its original state without damaging the vehicle and itself in case of a high-speed collision. Highly reflective heat transfer sheet is pasted on specially designed grooves, make it highly visible from distance at night or in bad weather. It is easy to install with a epoxy and other strong adhesives without damage to roads or bridges.



SM-507



SM-501



SM-504



SM-506

Model	Material	Dimension / Height	Specification
SM-507	Moulded in ABS-PC alloy	L 250 x H 75 x W 750mm	Special design with extra ribs on the back side gives more strength to it
SM-501	Eva	750 mm	Flexibility: Average, Reflective Tape: 3 Bands
SM-504	PU with ABS Base	710 mm	Flexibility: Excellent, Reflective Tape: 2 Bands
SM-506	PU	750 mm	Flexibility: Excellent, Reflective Tape: 3 Bands

## WATER BARRIER

It can be used for traffic control, construction projects, perimeter security for crowd control. They can be used empty or ballasted with water or sand and can be interconnected or spaced apart to clearly delineate the intended path. Made of high-density plastic, these barriers are durable, versatile and functional.



Model ID: SM-401  
Dimension: Length: 1500 mm  
Width: 400 mm  
Height: 950 mm  
Water Ballast: 50 Ltrs



Model ID: SM-402  
Dimension: Length: 1000 mm  
Width: 500 mm  
Height: 800 mm  
Water Ballast: 20 Ltrs



Model ID: SM-405  
Dimension: Length: 1650 mm  
Width: 600 mm  
Height: 1000 mm  
Water Ballast: 65 Ltrs



Model ID: SM-404  
Dimension: Length: 2000 mm  
Width: 600 mm  
Height: 900 mm  
Water Ballast: 65 Ltrs



Model ID: SM-403  
Dimension: Length: 1000 mm  
Width: 200 mm  
Height: 500 mm

## SOLAR SAFETY PRODUCTS

Dev Plastics have its own range of SOLAR safety products such as road studs, delineators, warning lights, chevron, signages and blinkers. Key Features are rechargeable, self-illuminating during dim and night time and have super bright LEDs and equipped with prismatic reflective lens.

### Solar Road Stud

Model ID: SM-716  
Specification: Solar Cell: Single Crystalline Silicon (3V, 75mA)  
Storage Battery: Ni-MH (1200mAH)  
Light Source: Super Luminosity LED  
LED Quantity: 6 pieces  
Work Time: > 108 hours  
Work Temperature: (-25) to (+75) degree C.  
Material: Aluminium Alloy & Polycarbonate  
Resist Compression: 10 tons,  
Waterproof Grade IP>67  
View Distance: Over 800m  
Dimension: LWD: 132mm x 122mm x 32mm



Model ID: SM-717  
Specification: Solar Cell: Single Crystalline Silicon (3.25V, 130mA)  
Storage Battery: Ni-MH (1800mAH)  
Light Source: Super Luminosity LED  
LED Quantity: 6 pieces  
Work Time: > 108 hours  
Work Temperature: (-25) to (+75) degree C.  
Material: Aluminium Alloy & Polycarbonate  
Resist Compression: 10 tons,  
Waterproof Grade IP>67  
View Distance: Over 1000m  
Dimension: LWD: 125mm x 125mm x 25mm

### Solar Delineator

Basic + Pole  
SM-702



Red



Yellow



White



Blue



Green



Basic + Clamp Mounting  
SM-704



Basic + Wall Mounting  
SM-703

Model ID: SM-700  
Specification: LED Visibility: > 500m  
Flashing Rate: Around 74 times per minute  
Temperature Range: Minus 20°C to 85°C  
Color: Red, Yellow, White, Green, Blue  
SOLAR PANEL  
Voltage: 2.5 Volts, Current: 120mA  
BATTERY  
Voltage: 1.2 Volts, Capacity: 1200mAH  
Material: Polycarbonates/ABS  
Dimension: Dia: 90mm, Height: 150mm



Basic + Rail Clamp  
SM-705



## Solar Chevron



Model ID: SM-708  
Size: 600mm x 750mm  
Battery : 7.2V 2500mAh Li-Ion



Model ID: SM-711  
Size: 750mm x 450mm  
Battery : 7.2V 2500mAh Li-Ion

## Solar Signage

Model ID: SM-712  
Dimension Size: As per IRC 67  
Battery : 7.2V 2500mAh Li-Ion



## Solar Blinker



Model ID: SM-713  
Specification: Solar Cell: 15W [Type: Mono Crystalline, Voltage: 18V/900mA]  
Battery Type: Plumbic Acid [Voltage: 12V]  
LED: Size: 5 mm - 172 LED, or as required.  
Luminous Intensity: 8000 - 9000 mcd.  
IC Frequency: 38-40/minute.  
Operating Time: Sustain Power Supply continuously for over 4 days when in the wet or rainy days after full-charging.  
Temperature Range: -20 °C to + 70 °C.  
Warranty Years: 1 year.  
Service Life: Over 3 years if used in an efficient way.  
Application: Dangerous Roads.  
Material: PC Plastic anti-UV material.

## Solar Highway Flasher

Model ID: SM-723  
Specification: Solar Cell: 15W [Type: Mono Crystalline Voltage: 18V/900mA]  
Battery Type: Plumbic Acid [Voltage: 12V]  
LED: Size: 5 mm - 288 LED, or as required.  
Warranty Years: 1 year.  
Service Life: Over 3 years if used in an efficient way.  
Application: Dangerous Roads.



# TRAFFIC LIGHT

Our Traffic Signal and Toll Plaza Equipments like Toll Plaza Signs, LED Fog Light, Flasher and Lane Signs are tested on various parameters under the supervision of our quality controllers. Sturdiness, long service life and less maintenance cost are its best features.



Name: Traffic Signal  
Model ID: SM-811  
Specification: Voltage: AC220V  
No of LEDs: 192  
Operation: 24 Hr Flashing or Static as per req.  
Color: Red, Amber, Green  
Warranty: 12 months  
Diameter: 100/200/300 mm



Name: LED Fog Light  
Model ID: SM-814  
Specification: Voltage: AC220V  
Operation: Inner White Amber Core which is Flashing and an Outer Ring Amber which will be Permanently Glowing.  
Warranty: 12 months  
Diameter: 300 mm



Name: Timer  
Model ID: SM-813  
Specification: Voltage: AC220V  
Operation: Available in Different Digit Formats like 2 & 3 can be custom designed to match the requirement of the customer.  
Warranty: 12 months



Name: Toll Plaza Lights  
Model ID: SM-816  
Specification: Voltage: AC220V  
Color: Red for STOP and Green for GO  
Warranty: 12 months  
Diameter: 100/200 mm



Name: Lane Sign  
Model ID: SM-817  
Specification: Voltage: AC220V  
Color: Red CROSS and Green ARROW  
Warranty: 12 months  
Diameter: 300 mm



Name: Highway Flasher  
Model ID: SM-821  
Specification: 5 mm - 288 LED, or as required.  
Warranty: 1 year.  
Service Life: Over 3 years if used in an efficient way.  
Application: Dangerous Roads.

## STANCHION POST

A stanchion is a sturdy upright fixture that provides support for some other object. They are often not a permanent fixture, so that they may be expediently enlisted or removed whenever desired. They are used for many different purposes including crowd control & waiting lines. Many different places use stanchions including banks, stores, hotels, museums, restaurants, concert venues, trade shows & other events.



SM-1032



SM-1035



SM-1036

Model	Dimension	Available Color
SM-1032	Height: 1000mm Belt Length: Upto 3 mtrs	Pole: Stainless Steel Belt: Red, Blue
SM-1035	Height: 900mm/1000mm Rope Length: Upto 2 mtrs	Pole: Silver & Golden

Model	Belt Length	Available Color
SM-1036	Diameter of Hook: 32mm Rope Length: Upto 2 mtrs	Red, Blue Black

## CONVEX MIRROR

It is a curved mirror in which the reflective surface bulges toward the light source. They are usually mounted on a wall or ceiling where hallways intersect each other, or where they make sharp turns. They are used on roads, driveways, and alleys to provide safety for motorists where there is a lack of visibility, especially at curves and turns. Convex mirror lets motorists see around a corner.



Model ID	SM-1017
Dimension	45cm



Model ID	SM-1018
Dimension	60cm



Model ID	SM-1019
Dimension	80cm



Model ID	SM-1020
Dimension	100cm

# PARKING SAFETY PRODUCTS

Parking lots are a significant liability risk for personal injury and automobile property damage. Dev Plastics provides a number of parking lot safety solutions that mitigate these risks. These include **Car Stopper** and **Corner Guard**.

## Car Stopper



Model ID: SM-1006  
Dimension: Length: 500mm, Height: 125mm  
Width: 160mm



Model ID: SM-1021  
Dimension: Length: 500mm, Height: 125mm  
Width: 100mm

## Corner Guard



Model ID: SM-1022  
Material: Rubber  
Dimension: Length: 500mm or 900mm



Model ID: SM-1027  
Material: Rubber, L Type  
Dimension: Length: 800mm



Model ID: SM-1028  
Material: Plastic  
Dimension: Length: 800mm

# LED LIGHT BATON

Our LED Traffic Control Batons are a highly visible traffic safety light for getting the attention of pedestrians or drivers are used by Police Department Officers, Valet Parking Attendants, School Cross Walk Guards, Road Construction Crews etc. Battery operated, light weight, safety devices, made of ABS, and extruded poly carbonate material. Two way switch are provided for blinking & static light.



SM-801 2.6RG



SM-805 2.6 RG Rechargeable



SM-807 9 RG



SM-808 9 RG Rechargeable



SM-822 9 R





## SAFETY CLOTHING

Safety Clothes includes Jackets, Hand Gloves, Helmets which are designed to suit the needs of people working in sensitive & dangerous areas. It increases the visibility of individual at night & in poor light condition due to its reflective properties. The products meet world class quality standards due to the use of high quality standardised materials.

### Jackets & Hand Gloves



SM-902 Jacket 1" Reflective



SM-906 Jacket 2" Fabric



SM-933 Crossbelt 2" Reflective



SM-903 Jacket 2" Reflective



SM-950 Reflective Gloves

### Helmet



SM-1097  
Industrial Safety Helmet



SM-1093  
Executive without Ratchet



SM-1094  
Executive with Ratchet



SM-1091  
Air Boss with Ratchet

## THERMOPLASTIC ROAD MARKING

It is a chlorinated rubber modified alkyl based paint specifically designed for the application over asphalt, tar sealed substrates and concrete surfaces. The product dries fast and hence traffic hold up is minimum. Easy to apply it is used for road & line marking concrete and bituminous roads, highways, pavements, car parks, shopping centres, factories and warehouse lines and floors.

Available Color



## OTHER SAFETY ACCESSORIES

It includes Hand-Held & Door Metal Detectors, Caution Tape, various lines of Search Lights, Breath Alcohol Analyser, Wheel Lock and Under Vehicle Search Mirror.



Name: Hand-Held Metal Detectors  
Model ID: SM-1087  
Dimension: 41(L) X 10(W) X 6(H) cm approx



Name: Hand-Held Metal Detectors  
Model ID: SM-1088  
Dimension: 41(L) X 8.5(W) X 4.5(H)cm



Name: Caution Tape  
Model ID: SM-1007  
Dimension: 3" X 500 mtr



Name: Wheel Lock  
Model ID: SM-1090  
Dimension: (H)480mm X (260mm + 220mm Handle) X (W)235mm X (T)70mm



Name: Search Light LED Lightweight  
Model ID: SM-1034



Name: Search Light LED Heavyduty  
Model ID: SM-1043



Name: Search Light LED  
Model ID: SM-1046



Name: Search Light  
Model ID: SM-1047  
Dimension: 25cm (L), 16.5 cm (Front Dia) 13.5cm (Rear Dia)  
Weight: 3.8kg



Name: Search Light  
Model ID: SM-1049  
Dimension: 25cm (L), 16.5 cm (Front Dia), 13.5cm (Rear Dia)  
Weight: 3.5kg



Name: Under Vehicle Search Mirror  
Model ID: SM-1050  
Mirror Size: 2ft X 1ft



Name: Under Vehicle Search Mirror  
Model ID: SM-1051  
Mirror Size: 9" X 5" approx




Name: Under Vehicle Search Mirror  
Model ID: SM-1053  
Mirror Size: 14" X 7"  
Pipe Length: 51"






**ROLLER CRASH BARRIER**



**HIGH MAST POLE**



**OCTAGONAL POLE**





## Why Dev Plastics?

- Best Value
- Integrity
- Quality

## **KRISHNA ENTERPRISES**

Office Address : Rajnagar Madhubani Bihar - 847235

Email:krishnayak581993@gmail.com

Mobile:+91 7004100952, +91 9576515920

Office contact number : Mobile: +91 7646005463,



**Wire Rope Crash barrier**



**THIRE BEAM CRASH BARRIER**



**W BEAM CRASH BARRIER**