



**SHARADAA**

CERAMICS PVT LTD

*Passion. Performance. Pride.*

ISO 9001:2015

# **CEMENT INDUSTRY**

for

## **Tip Casting / Burner Pipe**

### **VELCRETE -003XL**

### **Proven High Performance Castable**



# Core Performance Indicators

- Product with proven properties in Thermal Shock, Alkali Resistance, Abrasion Resistance
- Increase in Life Parameter synchronizing with Burning Zone Lining or Multiple Campaign thereof
- Compatible to Alternate Fuel
- Friendly Installation Process



# TIP CASTING

FULL VIEW BEFORE CASTING



FULL VIEW AFTER CASTING



- AFTER 13+ MONTHS





# BULL NOSE

- AS INSTALLED



- 5+ MONTHS AFTER KILN RUNNING





# BURNER - PIPE

AS INSTALLED



5+ MONTHS AFTER KILN  
USAGE





# BURNER - TIP

AS INSTALLED



- 5+ MONTHS AFTER KILN USAGE





**SHARADAA**

CERAMICS PVT LTD

*Passion. Performance. Pride.*

ISO 9001:2015

# **CEMENT INDUSTRY**

for

**Kiln Hood / Calciner / Tad / Cooler**

**VELGUN 70G / VELGUN L401**

**Precision Gunning Peak**

**Performance**



# Core Performance Indicators

- Eliminates Patching & Vibrocasting Repairs drastically Reducing ShutDown Durations & Maximising Operational Uptime
- Low Rebound Loss with Specialized Nozzle
- Minimal Human Intervention
- High Alkali Resistance & Abrasion Resistance
- 20 MT Repair Capacity per Day
- No Shuttering Required
- Semi Automatic Installation
- Performance Equivalent to Vibrocasting Quality
- Hybrid Gunning + Vibrocasting Product available to Reduce Inventory



# Gunning Practice





## 9 MONTHS AFTER INSTALLATION





AN UNPLANNED SHUTDOWN AFTER 9 MONTHS  
OF CONTINUOUS KILN CAMPAIGN