

SS Braille Signage

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail: lightupstudio1@gmail.com

Benefits:

- Braille text includes people with visual impairments to read the sign.
- Helps to identify accessible facilities in a building.
- The design of the signage make it conspicuous and easy to identify.
- The symbol on the signage enables unschooled people to comprehend it.

Use: Indoor **Specifications:**

Material: SS + Acrylic Size: 6 inch x 9 inch

Base Plate: 0.4mm Aluminium

Text: Upper Case "SansSerif" font words made of white acrylic non glare cut out letters of height 15mm raised 0.8mm above base plate

Braille: Grade 1 Braille consisting of raised domes of 1.5 to 1.6mm dia, and spacing in compliance with Braille standards given by GOI, integral with the sign face, raised 0.6 to 0.9mm above base plate.

Fixing Mechanism: Double sided bonding tape (3M or equivalent) or Mirror screws

Side

Front











SS Braille Label

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail : lightupstudio1@gmail.com



- Braille text includes people with visual impairments to read the sign.
- Helps to identify accessible facilities in a building.
- The design of the signage make it conspicuous and easy to identify.
- The symbol on the signage enables unschooled people to comprehend it.

Use: Indoor

Specifications:

Material: 0.4MM SS

Size: Customize

Base Plate: SS

Fixing Mechanism: Double sided bonding tape (3M or equivalent)







Braille Audio Signage

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail : lightupstudio1@gmail.com

Front







Side

0.4mm Aluminium 6mm Acrylic

3mm Blue
Acrylic

Benefits:

- Braille text includes people with visual impairments to read the sign.
- Helps to identify accessible facilities in a building.
- The design of the signage make it conspicuous and easy to identify.
- The symbol on the signage enables unschooled people to comprehend it.
- Audio is an efficient way to provide more clarity to the blind and visually impaired people.

Use: Indoor Specifications: Material: Acrylic Size: Customize

Base Plate: 0.4mm Aluminium

Text: Upper Case "SansSerif" font words made of white acrylic non glare cut out letters of height 15mm raised 0.8mm above base plate

Braille : Grade 1 Braille consisting of raised domes of 1.5 to 1.6mm dia, and spacing in compliance with Braille standards given by GOI, integral with the sign face, raised 0.6 to 0.9mm above base plate.

Fixing Mechanism: Mirror screws



Braille Audio Tactile Floor Directory

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail: lightupstudio1@gmail.com

Front



Side

- Braille text includes people with visual impairments to read the sign.
- Helps to identify accessible facilities in a building.
- The design of the signage make it conspicuous and easy to identify.
- The symbol on the signage enables unschooled people to comprehend it.
- Audio is an efficient way to provide more clarity to the blind and visually impaired people.

Use: Indoor **Specifications:**

Material: Acrylic + Aluminium

Size: Customize

Base Plate: 0.4mm Aluminium

Text: Upper Case "SansSerif" font words made of white acrylic non glare cut out letters of height 15mm raised 0.8mm above base plate

Braille: Grade 1 Braille consisting of raised domes of 1.5 to 1.6mm dia, and spacing in compliance with Braille standards given by GOI, integral with the sign face, raised 0.6 to 0.9mm above base plate.

Fixing Mechanism: Mirror screws




Braille Audio Tactile Pictogram

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail : lightupstudio1@gmail.com

Side

Front



0.4mm
Aluminium
6mm
Acrylic
3mm Black
Acrylic

Benefits:

- Braille text includes people with visual impairments to read the sign.
- Helps to identify accessible facilities in a building.
- The design of the signage make it conspicuous and easy to identify.
- The symbol on the signage enables unschooled people to comprehend it.
- Audio is an efficient way to provide more clarity to the blind and visually impaired people.

Use: Indoor **Specifications**:

Material: Acrylic + Aluminium

Size: Customize

Base Plate: 0.4mm Aluminium

Text: Upper Case "SansSerif" font words made of white acrylic non glare cut out letters of height 15mm raised 0.8mm above base plate


Braille : Grade 1 Braille consisting of raised domes of 1.5 to 1.6mm dia, and spacing in compliance with Braille standards given by GOI, integral with the sign face, raised 0.6 to 0.9mm above base plate.

Fixing Mechanism : Mirror screws



ightup Audio Signages

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail: lightupstudio1@gmail.com





Parking Signage

Side

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail : lightupstudio1@gmail.com

Benefits:

- Braille text includes people with visual impairments to read the sign.
- Helps to identify accessible facilities in a building.
- The design of the signage make it conspicuous and easy to identify.
- The symbol on the signage enables unschooled people to comprehend it.

Use: Indoor

Specifications:

Material: ACP

Size: Customize

Base Plate: 3mm Thick ACP

Front



24'

Jili


SS Stand

IDENTIFICATION SIGNAGE - DOOR SIGNAGE



Parking Signage Description

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784 E-Mail : lightupstudio1@gmail.com







Tactile (Stainless Steel)

GST:- 27ADSPY2542E1Z4 Phone No. 9082906784

E-Mail: lightupstudio1@gmail.com







Tactile (PU)

GST:- 27ADSPY2542E1Z4

Phone No. 9082906784 E-Mail : lightupstudio1@gmail.com



