



M.P. Pollution Control Board - Guna

Tanker Parking Area, GAIL Complex, Vijaypur, Dist : GUNA
Guna Tele : 07544-274098



Consent Order

Outward No:16308.19/04/2026

Consent No:AW-139005

GREEN-SMALL

CCA-Fresh
(Valid up to 31/03/2031)

PCB ID:]



To,
The Occupier,
M/s. Rizma Bio Coal Industry, (Prop. Farjana Bano),
S.No.215/1/1, Nagar Panchyat Shadora, Nai Sarai Road,
Teh. Shadora, Distt. Ashoknagar, (MP)
Latitude : 24.6430 Longitude : 77.5813

Subject: Grant of Consent to Operate under section 25 of the Water (Prevention & Control of Pollution) Act, 1974 under section 21 of the Air (Prevention & Control of Pollution) Act, 1981

Ref: Your Consent to Operate Application Receipt No. 1420178 Dt. 19/03/2026 and last communication received on Dt.16/03/2026

With reference to your above application for consent to operate has been considered under the aforesaid Acts and existing rules therein. The M. P. Pollution Control Board has agreed to grant consent valid up to 31/03/2031, subject to the fulfillment of the terms & conditions, enclosed with this letter and-

SUBJECT TO THE FOLLOWING CONDITIONS :-

- a. Location: S.No.215/1/1, Nagar Panchyat Shadora, Nai Sarai Road, Teh. Shadora, Distt. Ashoknagar, (MP)
- b. The capital investment in lakhs: Rs. 155
- c. Product & Production Capacity:

Product	Qty / year
Biomass Briquettes	18,000 MT/Year (Eighteen Thousand MT/Year)

Note:-

- For any change in above unit shall obtain fresh consent from the board.
- This consent in no way be taken as measures of proof that the unit has not violated any pollution control laws at any time in the past. Hence, in case of litigation if any, whatsoever may be decision of the Hon'ble court, shall be binding to the management & this Board.
- Unit management shall comply with all the relevant Acts/Rules, directions, guidelines issued by NGT/MoEF&CC/CPCB/MPPCB from time to time as required and if applicable.

The Validity of the consent is up to 31/03/2031 and has to be renewed before expiry of consent validity. Online application through XGN with annual license fees in this regard shall be submitted to this office 6 months before expiry of the consent/Authorization. Board reserves the right to amend/cancel / revoke the above condition in part or whole as and when required.

Enclosures:-

- * Conditions under Water Act
- * Conditions under Air Act
- * General conditions



(Organic Authentication on AADHAR from UIDAI Server)
TPAV # W8GK77SLKK

Neetesh

NEETESH CHAURASIYA
Regional Officer



Consent Order

CONDITIONS PERTAINING TO WATER (PREVENTION & CONTROL OF POLLUTION) ACT 1974 :-

1. The daily quantity of trade effluent of the unit shall not exceed 0.000 KL/day, and the daily quantity of sewage of the unit shall not exceed 0.500 KL/day

2. Trade Effluent Treatment:-

The applicant shall operate and maintain effluent treatment system properly to achieve following standards-

pH	Between	5.5 – 9.0	TDS	Not exceed	2100 mg/l.
Suspended Solids	Not exceed	100 mg/l.	Chlorides	Not exceed	1000 mg/l.
BOD ₃ Days 27 °C	Not exceed	30 mg/l.			
COD	Not exceed	250 mg/l.			
Oil and grease	Not exceed	10 mg/l.			

For other parameters general standards of discharge as notified under EP Act 1986 shall be applicable.

3. Sewage Treatment :- The applicant shall operate and maintain Sewage Treatment System properly to achieve following standards-

pH	Between	5.5 – 9.0
Suspended Solids	Not exceed	100 mg/l.
BOD ₃ Days 27 °C	Not exceed	30 mg/l.
COD	Not exceed	250 mg/l.
Oil and grease	Not exceed	10 mg/l.
fecal coliform	Not exceed	1000 MPN/100 ml

Sr	Water Code (Qty in klpd - Kilo Ltr per Day)	WC : 3.000	WWG : 0.500	Water Source	Remark
1	Domestic Purpose	1.000	0.500	Bore well	
2	Dust Suppression	2.000	0.000	Bore well	

4. The effluent shall be treated up to prescribed Standards and reuse in the process, for cooling and for green belt devolvement/gardening within premises. Hence zero discharge condition shall be practiced. In no case treated effluent shall be discharged outside of industry/unit premises.

5. Water meter preferably electromagnetic/ultrasonic type with digital flow recording facilities shall be installed separately for category wise consumption of water for Industrial cooling/boiler feed, mine spray, process & domestic purposes and data shall be submitted online through XGN monthly patrak/statements.

6. Any change in production capacity, process, raw material used etc. and for any enhancement of the above prior permission of the Board shall be obtained. All authorized discharges shall be consistent with terms and conditions of this consent. Facility expansions, production increases or process modifications which result new or increased discharges of pollutants must be reported by submission of a fresh consent application for prior permission of the Board

7. All treatment/control facilities/systems installed or used by the applicant shall be regularly maintained in good working order and operate effectively/efficiently to achieve compliance of the terms and conditions of this consent

8. The Consent does not authorize or approve the Construction of any physical structures or facilities or the undertaking of any work in any water course or within its high flood level (HFL) area

9. The specific effluent limitations and pollution control systems applicable to the discharge permitted herein are set forth as above conditions.

10. Compilation of Monitoring data-

i. Samples and measurements taken to meet the monitoring requirements specified above shall be representative of the volume and nature of monitored discharge. ii. Following promulgation of guidelines establishing test procedures for the analysis of pollutants, all sampling and analytical methods used to meet the monitoring requirements specified above shall conform to such guidelines unless otherwise specified sampling and analytical methods shall conform to the latest edition of the Indian Standard specifications and where it is not specified the guidelines as per standard methods for the examination of Water and Waste latest edition of the American Public Health Association, New York U.S.A. shall be used.

Consent No:AW-139005



Consent Order

11. Recording of Monitoring Activities & Results-

i. The applicant shall make and maintain online records of all information resulting from monitoring activities by this Consent.

ii. The applicant shall record for each measurement of samples taken pursuant to the requirements of this Consent as follows:

- (i) The date, exact place and time of sampling
- (ii) The dates on which analysis were performed
- (iii) Who performed the analysis?
- (iv) The analytical techniques or methods used and
- (v) The result of all required analysis

iii. If the applicant monitors any Pollutant more frequently as is by this Consent he shall include the results of such monitoring in the calculation and reporting of values required in the discharge monitoring reports which may be prescribed by the Board. Such increased frequency shall be indicated on the Discharge Monitoring Report Form.

iv. The applicant shall retain for a minimum of 3 years all records of monitoring activities including all records of Calibration and maintenance of instrumentation and original strip chart regarding continuous monitoring instrumentation. The period of retention shall be extended during the course of any unresolved litigation regarding the discharge of pollutants by the applicant or when requested by Central or State Board or the court.

12. Reporting of Monitoring Results:-

Monitoring Information required by this Consent shall be summarized and reported by submitting a Discharge Monitoring report on line to the Board.

13. Limitation of discharge of oil Hazardous Substance in harmful quantities:-

The applicant shall not discharge oil or other hazardous substances in quantities defined as harmful in relevant regulations into natural water course. Nothing in this Consent shall be deemed to preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities, or penalties to which the applicant is or may be subject to clauses.

14. Limitation of visible floating solids and foam:

During the period beginning date of issuance the applicant shall not discharge floating solids or visible foam.

15. Disposal of Collected Solid waste/sludge-

All hazardous waste/sludge shall be disposed of as per the Authorization issued under Hazardous & other waste (M&TM) Rules 2016. And/other Solids Sludges, dirt, silt or other pollutant separated from or resulting from treatment shall be disposed of in such a manner as to prevent any pollutant from such materials from entering any such water. Any live fish, Shall fish or other animal collected or trapped as a result of intake water screening or treatment may be returned to eaters body habitat.

16. Provision for Electric Power Failure-

The applicant shall assure to the consent issuing authority that the applicant has installed or provided for an alternative electric power source sufficient to operate all facilities utilized by the applicant to maintain compliance with the terms and conditions of the Consent.

17. Prohibition of By pass system of treatment facilities-

The diversion or by-pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this Consent is prohibited except :

- i. where unavoidable to prevent loss of life or severe property damage, or
- ii. Where excessive storm drainage or run off would damage any facilities necessary for compliance with the terms and conditions of this Consent. The applicant shall immediately notify the consent issuing authorities in writing of each such diversion or by-pass in accordance with the procedure specified above for reporting non-compliance.

18. Industry/Institute/mine management shall submit the information online through XGN in reference to compliance of consent conditions.

Additional Water condition:-

- 1. The industry shall maintain the ZLD from the unit all the time.
- 2. The industry shall provide adequate facility for proper treatment of domestic and industrial waste effluent. The industry shall ensure that the treated effluent must conform the limits as per notification of M. P. Pollution control Board published in gazette of M. P. dated: 25-3-1988.
- 3. The domestic effluent from septic tank shall be discharged into soak pit only.



Consent Order

CONDITIONS PERTAINING TO AIR (PREVENTION & CONTROL OF POLLUTION) ACT 1981 :-

1. The applicant shall operate and maintain air pollution control system to achieve the level of pollutants to the following standards:-

Name of section	Control equipment to be installed	P.M, SOX, NOX(mg/NM3)
Material Handling	Ventilated Working Shed, Exhaust	As per CPCB Norms

2. The Ambient air quality norms are prescribed in MoEF gazette notification no. GSR/826(E), dated: 16/11/09. Some of the parameters are as follows:

- Particulate Matter (less than 10 micron) - 100 $\mu\text{g}/\text{m}^3$ (PM10 $\mu\text{g}/\text{m}^3$ 24 hrs. basis)
- Particulate Matter (less than 2.5 micron) - 60 $\mu\text{g}/\text{m}^3$ (PM2.5 $\mu\text{g}/\text{m}^3$ 24 hrs. basis)
- Sulphur Dioxide [SO₂] (24 hrs. Basis) - 80 $\mu\text{g}/\text{m}^3$
- Nitrogen Oxides [NO_x] (24 hrs. Basis) - 80 $\mu\text{g}/\text{m}^3$
- Carbon Monoxide [CO] (8 hrs. Basis) - 2000 $\mu\text{g}/\text{m}^3$

3. The industry shall take adequate measures for control of noise level generated from industrial activities within the premises less than 75 dB(A) during day time and 70 dB(A) during night time.

4. Industry/Unit shall provide with each stack port hole with safe platform of 1 meter width with support & spiral ladder/ Stepped ladder with hand rail up to monitoring platform as per specifications given in part-III emission regulation of CPCB. In no case monkey ladder shall be allowed as stack monitoring facility.

5. The industry/unit shall make the necessary arrangements for control of the fugitive emission from any source of emission/section/activities.

6. All other fugitive emission sources such as leakages, seepages, spillages etc shall be ensured to be plugged or sealed or made airtight to avoid the public nuisance.

7. The industry/ unit shall ensure all necessary arrangements for control of odour nuisance from the industrial activities or process within premises

8. All the internal roads shall be made pucca to control the fugitive emissions of particulate matter generated due to transportation and internal movements. Good housekeeping practices shall be adopted to avoid leakages, seepages, spillages etc.

9. Industry shall take effective steps for extensive tree plantation preferably in 03 rows of the local tree species with minimum spacing of 2X2 meters within or around the industry/unit premises for general improvement of environmental conditions and as stated in below..

10. Industry shall write name of the industry on stack with heat resistant paint.

11. In case of emission found exceeding prescribed standards, the unit may be liable to pay environmental compensation as per NGT orders O.A. no 593/2017 dated 22.02.2021 and the industry shall be punishable or court case may be filed by the Board under provisions of the Air (Prevention & Control of Pollution) Act, 1981.

12. The industry shall obtain PLI policy under provisions of PLI Act, 1991; if applicable.

(Minimum number of plants to be planted by the unit:-15 Nos.)

Additional Air condition:-

- (1)The Industry shall install appropriate air pollution control equipment/ arrangement at all points of particulate matter emission during operation and shall ensure that these are always kept running and in good working order all the time. Effective steps shall be taken to control fugitive emissions during process, etc. In case of any failure it shall be immediately rectified or same alternative arrangement shall be made.
- (2)The Industry shall have to provide suitable arrangement for control of fugitive emission
- (3) The Industry shall take proper make to control the noise pollution. The ambient noise level shall not exceed the limit 75dB [A] during the day time and 70dB [A] during the night time within the premises.
- (4) Effective steps shall be taken to control fugitive emissions during the manufacturing process.
- (5) Industry shall be provide the ventilated shed & Exhaust fan for the control of fumes.



Consent Order

GENERAL CONDITIONS:

1. The non hazardous solid waste arresting in the industry/unit/unit premises sweeping, etc. be disposed off scientifically so as not to cause any nuisance/pollution. The applicant shall take necessary permission from civic authorities for disposal to dumping site. If required.

Non Hazardous Solid wastes:-

Type of waste	Quantity	Disposal
Scrap/ Plastic packing material wood, card board, gunny bags etc	As Generated	Re-Use/Sale to M.P. Pollution Control Board's authorized party

2. The applicant shall allow the staff of Madhya Pradesh Pollution Control Board and/or their authorized representative, upon the representation of credentials:

- To inspect raw material stock, manufacturing processes, reactors, premises etc to perform the functions of the Board.
- To enter upon the applicant's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this Consent.
- To have access at reasonable times to any records required to be kept under the terms and conditions of this Consent.
- To inspect at reasonable times any monitoring equipment or monitoring method required in this Consent: or,
- To sample at reasonable times any discharge or pollutants.

3. This consent / authorisation is transferable in nature, in case of any change in ownership / management, the new owner / partner / directors / proprietor shall immediately apply for the consent with new requisite information.

4. The issuance of this Consent does not convey any property rights in either real or personal property or any exclusive privileges, nor does it authorise any invasion of personal rights, nor any infringement of Central, State or local laws or regulations.

5. Industry shall install separate electric metering arrangement for running of pollution control devices and this arrangement shall be made in such fashion that any non functioning of pollution control devices shall immediately stop electric supply to the production and shall remain tripped till such time unless the pollution control device/devices are made functional.

6. This consent is granted in respect of Water pollution control Act 1974 or Air Pollution Control act, 1981 or Authorization under the provisions of Hazardous and other Waste (Management & Transboundary movement) Rules 2016 only and does not relate to any other Department/Agencies. License required from other Department/Agencies have to be obtained by the unit separately and have to comply separately as per there Act / Rules.

7. Balance consent/authorisation fee, if any shall be recoverable by the Board even at a later date.

8. The applicant shall submit such information, forms and fees as required by the board not later than 180 day prior to the date of expiration of this consent/authorisation

9. The industry/unit shall establish a separate environmental cell, headed by senior officer of the unit for reporting the environmental compliances. The industry/ Unit shall submit environmental statement for the previous year ending 31st March on or before 30th September every year to the Board.

10. Industry shall obtain membership of Emergency Response Center of the Board if needed.

11. Knowingly making any false statement for obtaining consent or compliance of consent conditions shall result in the imposition of criminal penalties as provided under the section 42(g) of the Water Act or section 38 (g) of the Air Act.

12. After notice and opportunity for the hearing, this consent may be modified, suspended or revoked by the Board in whole or in part during its term for cause including, but not limited to, the following :

- Violation of any terms and conditions of this Consent.
- Obtaining this Consent by misrepresentation of failure to disclose fully all relevant facts.
- A change in any condition that requires temporary or permanent reduction or elimination of the authorized discharge.

13. On violation of any of the above-mentioned conditions the consent granted will automatically be taken as canceled and necessary action will be initiated against the industry.

14. The industry/unit shall also monitor the treated wastewater flow and report the same online through monthly patrak/statements.

Consent No:AW-139005



Consent Order

15. The applicant shall take samples and measurement to meet the monthly requirements specified above and report online through XGN the same to the Board.

16. Ambient air quality at the boundary of the industry/unit premises shall be monitored and reported to the Board regularly on quarterly basis

17. The record of electricity consumption for running of pollution control equipment shall be maintained and submitted to the Board every month.

Additional condition:-

1. This consent may not be taken as a measures of proof that Industry has not violated Pollution control law at any period of time in the past.
2. Industry shall comply with all the relevant Acts/Rules, directions, guidelines issued by MoEF&CC/CPCB/MPPCB from time to time as required and if applicable
3. Industry Management shall comply with the direction of Hon'ble Supreme Court, National Green Tribunal & Hon'ble High Court issued in the relevant writ petitions.
4. Industry management shall have to close down the industrial activities in case there in any public complaint regarding health & environmental degradation and Board find the facts correct and direct the industry to do so at any time.
5. Industry management shall make preventive measures to control Fugitive dust emission from all the sources should be controlled effectively and duly monitored.
6. Good housekeeping practices shall be adopted by the industry.
7. The industry shall take effective steps for extensive tree plantation in and around premises for improvement to the environment conditions.

Consent/authorization as required under the Water (Prevention & Control of Pollution) Act,1974 , The Air (Prevention & Control of Pollution) Act,1981 is granted to your industry subject to fulfillment of all the conditions mentioned above. For renewal purpose you shall have to make an application to this Board through XGN at least Six months before the date of expiry of this consent/authorisation. The applicant without valid consent (for operation) of the Board shall not bring in to use any outlet for the discharge of effluent and gaseous emission.

For and on behalf of
M.P. Pollution Control Board



(Organic Authentication on AADHAR from UIDAI Server)
TPAV # W8GK77SLKK

NEETESH CHAURASIYA
Regional Officer

Consent No:AW-139005