



ACE AL SHARQ TRADING EST

مؤسسة ايس الشرق التجارية

Our Solutions offer

Prevention Protection

Tampering Evidence & Traceability



Industrial Excellent Supplies and Support

رؤية
VISION
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

6





ACE AL SHARQ TRADING EST
مؤسسة ايس الشرق التجارية

VISIT US AT

www.alaceindustrial.com
sales@alaceindustrial.com

WHO WE ARE

ACE AL SHARQ TRADING Establishment was incorporated in early 2021 under rules and regulations of the Kingdom of Saudi Arabia with its head office in Riyadh. By a group of professionals and highly trained technical staff with the target of marketing, servicing and support after sales for its products.

With the coalition of worldwide technical expertise achieved from overseas subsidiaries with their knowledge and experience, our company have grown into multifaceted organization in the kingdom of Saudi Arabia.

At present **ACE AL SHARQ TRADING Establishment**, is a leading company in providing high quality services and range of products and it is successfully in the process of coordinating to its clients in Saudi Arabia.

Today both its customers and business partners recognize '**ACE AL SHARQ TRADING Establishment**' as a company that delivers world-class services.





WHY CHOOSE US

Reliable Products

The strictly quality control, from the design and development of the seal, the sourcing of the materials, the processing of the production to the packaging and deliveries, making us be able to provide customers with the most reliable products.

Reasonable Price

We seek the common development of employees, customers and enterprise. Basing on the reliable products, we shall never sacrifice the welfare and interests of the employees in order to provide the cheapest price; but we shall guarantee that the price is reasonable.

Responsible After-sales Service

We are responsible for each delivered order. As a manufacturer, we understand that we can not do 100% perfect, but we can make 100% commitments that we shall be with you for any seldom happened case.

Environment Friendly

We have invested on the treatment of the waste non-methane hydrocarbon (NMHC) for the plastic injection and laser marking machines according to the National Integrated Emission Standard of Air Pollutants.



ACS-HBS 01

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

GENSEAL patented anti-spin bolt seal
ISO 17712:2013, Clause 6 & C-TPAT compliant
Galvanized low carbon steel wrapped with ABS
Customized name, unique number, barcode available
Packed in 10pcs/plastic box and 25 boxes/carton



ACS-HBS 02

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Galvanized low carbon steel wrapped with ABS
Customized name, unique number, barcode available
Packed in 10pcs/plastic box and 25 boxes/carton



ACS-HBS 01

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Galvanized low carbon steel wrapped with ABS
Customized name, unique number, barcode available
Packed in 10pcs/plastic box and 25 boxes/carton

ACS-HBS 05L

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Galvanized low carbon steel wrapped with ABS
PC coated locking body for printings protection
Customized name, unique number, barcode available
Packed in 1pc/bag, 10bags/line and 25 lines/carton



ACS-HBS 06

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Galvanized low carbon steel wrapped with ABS
Anti-spin metal pin w/o plastic, easily recycled
Customized name, unique number, barcode available
Packed in 1pc/bag, 10bags/line and 25 lines/carton



ACS-ACS 1.5E

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc.

Product Features

Aluminum alloy body with size in 24X14X5mm
Φ1.5mm NPC wire with standard length in 25cm
Tensile strength: more than 2.0kN
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 10 bags/carton



ACS-ACS 1.5F

Available in
1.0mm
and 2.0mm

ACS-ACS 1.0F ACS-ACS 2.0F

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Aluminum alloy body with size in 26X22X6mm
Φ1.5mm NPC wire with standard length in 25cm
Tensile strength: more than 2.5kN
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 10 bags/carton




ACS-ACS 2.5F

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Aluminum alloy body with size in 26X22X6mm
Φ2.5mm NPC wire with standard length in 25cm
Tensile strength: more than 7.0kN
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 10 bags/carton



ACS-ACS 3.5F

Available
in 3.0mm


ACS-ACS 3.0F

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Aluminum alloy body with size in 26X26X7.5mm
Φ3.5mm NPC wire with standard length in 30cm
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 5 bags/carton



ACS-ACS 5.0F

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Aluminum alloy body with size in 38X30X10mm
Φ5.0mm NPC wire with standard length in 30cm
Customized name, unique number, barcode available
Packed in 50pcs/plastic bag and 4 bags/carton



ACS-ACS 1.8L

Available
in 2.5mm

ACS-ACS 2.5L

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Aluminum alloy body with size in 26X26X7.5mm
Φ1.8mm NPC wire with standard length in 25cm
Tensile strength: more than 2.5kN
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 10 bags/carton




ACS-ACS 3.5L

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Aluminum alloy body with size in 26X26X9mm
Φ3.5mm NPC wire with standard length in 30cm
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 5 bags/carton



ACS-ACS 5.0L

Available in 4.0mm


ACS-ACS 4.0L

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
 Aluminum alloy body with size in 35X41X13mm
 Ø5.0mm NPC wire with standard length in 30cm
 Customized name, unique number, barcode available
 Packed in 50pcs/plastic bag and 4 bags/carton



ACS-ACS 1.8S

Available in 2.5mm


ACS-ACS 2.5S

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Aluminum alloy body with size in 26X26X10mm
 Ø1.8mm NPC wire with standard length in 25cm
 Tensile strength: more than 5.0kN
 Customized name, unique number, barcode available
 Packed in 100pcs/plastic bag and 5 bags/carton



ACS-PCS 1.8

Nylon coated cable available

ACS-PCS 1.8N

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Plastic (ABS) coated body with size in 27X15.4mm
 Ø1.8mm NPC wire with standard length in 25cm
 Tensile strength: more than 2.5kN
 Customized name, unique number, barcode available
 Packed in 100pcs/plastic bag and 10 bags/carton



ACS-PCS 1.8C

Main Applications

Container doors, bulk tankers, trailer doors, etc

Product Features

Plastic (ABS) coated body with size in 27X14mm
 Ø1.8mm cable with standard total length in 25cm
 Tensile strength: more than 2.0kN
 Customized name, unique number, barcode available
 Packed in 100pcs/plastic bag and 10 bags/carton



ACS-PCS 2.0D

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Plastic (ABS) coated body with size in 25X28X10mm
 Ø2.0mm NPC wire, double locking cable seal
 Tensile strength: more than 2.5kN
 Customized name, unique number, barcode available
 Packed in 100pcs/plastic bag and 10 bags/carton



ACS-PCS 3.5C

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
 Plastic (ABS) coated body with size in 28.5X16mm
 Ø3.5mm cable with standard total length in 25cm
 Customized name, unique number, barcode available
 Packed in 50pcs/plastic bag and 4 bags/carton



ACS-MCS 1.5

Available in 1.8mm

ACS-MCS 1.8

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Plastic (ABS) coated body with size in 26X16.5X7.2mm
Locking holes coming out of the body for tamper evidence
Φ1.5mm NPC wire with standard length in 25cm
Tensile strength: more than 2.0kN
Customized name, unique number, barcode available



ACS-MCS 2.0

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Plastic (ABS) coated body with size in 28X20X8.5mm
Locking holes coming out of the body for tamper evidence
Φ2.0mm NPC wire with standard length in 25cm
Tensile strength: more than 3.0kN
Customized name, unique number, barcode available




ACS-MCS 3.5

Main Applications

Container doors, truck doors, air cargos, etc.

Product Features

ISO 17712:2013, Clause 6 & C-TPAT compliant
Plastic (ABS) coated body with size in 30X27X10mm
Locking holes coming out of the body for tamper evidence
Φ3.5mm NPC wire with standard length in 25cm
Customized name, unique number, barcode available



ACS-PCS 1.8R

Main Applications

Container doors, bulk tankers, trailer doors, valves, etc

Product Features

Plastic (ABS) coated RFID cable seal
Φ1.8mm NPC wire with standard length in 25cm
Tensile strength: more than 2.5kN
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 5 bags/carton



ACS-PDS 01

Main Applications

Meters, tankers, doors, boxes, airline cart, bags, etc.

Product Features

ABS body with size in 37X20X4.3mm
Φ1.2mm locking wire
Average tensile strength: 500N
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 5 bags/carton



ACS-PAL

Main Applications

Airlines catering, duty free, hospitals healthcare, etc.

Product Features

All plastic, easily recycled
Big flag with size in 38X11X4.3mm
Average tensile strength: 150N
Customized name, unique number, barcode available
Packed in 100pcs/plastic bag and 50 bags/carton



ACS-MPS 330C Available in 230mm ACS-MPS 230C

Main Applications

Airlines catering, ATM cassettes, cash boxes, bags, etc.

Product Features

Metal insert pull tight plastic seal
Total length in 330mm and flag size in 37X18mm
Φ2.0mm round tail with operational length in 250mm
Average tensile strength: 120N
Customized name, unique number, barcode available



ACS-MPS 400

Main Applications

Postal services, courier services, bags, etc.

Product Features

Metal insert pull tight plastic seal
Total length in 400mm and flag size in 75X25mm
Flat tail (7X2mm) with operational length in 320mm
Average tensile strength: 400N
Customized name, unique number, barcode available



ACS-MPS 410

Main Applications

Postal services, courier services, bags, etc.

Product Features

"Pusher" construction metal insert pull tight plastic seal
Total length in 415mm and flag size in 55X20mm
Φ2.0mm round tail with operational length in 330mm
Average tensile strength: 130N
Customized name, unique number, barcode available



ACS-MPS 410C Available in 510mm ACS-MPS 510C

Main Applications

Postal services, courier services, bags, etc.

Product Features

Metal insert pull tight plastic seal
Total length in 415mm and flag size in 79X21.5mm
Φ3.5mm round tail with operational length in 310mm
Average tensile strength: 400N
Customized name, unique number, barcode available



ACS-MPS 550C

Main Applications

Postal services, courier services, bags, etc.

Product Features

Tear-off, metal insert pull tight plastic seal
Total length in 550mm and flag size in 95X30mm
Φ4.0mm round tail with operational length in 380mm
Average tensile strength: 450N
Customized name, unique number, barcode available



ACS-MPS 210R

Main Applications

In-flight service equipment, identification, etc.

Product Features

All plastic, easily recycled
Fixed length, double locking mechanism
Total length in 210mm with tail width in 8mm
Average tensile strength: 250N
Customized name, unique number, barcode available



ACS-APS 215T

Main Applications

In-flight Service Equipment, ATM cassettes cash boxes, etc.

Product Features

Tear-off seal, all plastic, easily recycled
 Total length in 215mm and flag size in 60X22.5mm
 Φ2.8mm node tail with operational length in 145mm
 Average tensile strength: 100N
 Customized name, unique number, barcode available


ACS-APS 250

Main Applications

In-flight Service Equipment, ATM cassettes, cash boxes, etc.

Product Features

All plastic, easily recycled
 Total length in 250mm and flag size in 40X20mm
 Φ2.8mm node tail with operational length in 180mm
 Average tensile strength: 100N
 Customized name, unique number, barcode available



ACS-APS 305

Main Applications

Postal services, courier services, bags, etc.

Product Features

All plastic, easily recycled
 Total length in 305mm and flag size in 45X28mm
 Φ3.8mm node tail with operational length in 230mm
 Average tensile strength: 160N
 Customized name, unique number, barcode available

ACS-APS 400 ACS-APS 500

Available in 500mm

Main Applications

Postal services, courier services, bags, etc.

Product Features

All plastic, easily recycled
 Total length in 405mm and flag size in 49X30mm
 Φ3.8mm node tail with operational length in 315mm
 Average tensile strength: 160N
 Customized name, unique number, barcode available



ACS-APS 342

Main Applications

Postal services, courier services, bags, etc.

Product Features

Double locking seal, all plastic, easily recycled
 Total length in 340mm and flag size in 70X25mm
 Flat-teeth tail [7X2.5mm] with operational length in 270mm
 Average tensile strength: 380N
 Customized name, unique number, barcode available

ACS-APS 410

Main Applications

Postal services, courier services, bags, etc.

Product Features

Tear-off seal, all plastic, easily recycled
 Total length in 415mm and flag size in 65X30mm
 Flat-teeth tail [6X3.3mm] with operational length in 260mm
 Average tensile strength: 300N
 Customized name, unique number, barcode available



ACS-TRS 05

Main Applications

Water meters, fuel tanks, pumps, scales, totes, etc.

Product Features

- Tool-less roto seal, PC house and ABS twist
- Two holes in vertical way for convenient applying
- Locking house with (hot-melted) extension part
- Big flag in size 27X13mm
- Customized name, unique number, barcode available



ACS-AWS 06

Main Applications

Water meters, fuel tanks, pumps, scales, totes, etc.

Product Features

- Tool-less arrow seal, PC house and ABS insert
- Designed the insert with 8 locking teech
- Pre-locked with 2 teeth when delivery
- Unique number printed on both the house and insert
- Customized name, unique number, barcode available



SEALING WIRE

Main Applications

Wire for wire seals as GS-TRS 05, GS-AWS06...

Product Features

- 2 strand galvanized wire in diameter 0.6mm
- 3 strand galvanized wire in diameter 0.9mm
- 3 strand copper wire in diameter 0.6mm
- 7 strand SS wire w/o PVC coated in diameter 0.6mm
- 7 strand SS wire PVC coated in diameter 0.7mm
- Standard wire package in 1000m/roll and 10 rolls/carton



ACS-BRS 02

Main Applications

Container doors, truck doors, etc.

Product Features

- One time use heavy duty barrier lock seal
- Designed to secure the container locking bars
- 100% steel construction
- Customized name, unique number
- Packed in 10pcs/ carton



ACS-BRS 03

Main Applications

Container doors, truck doors, etc.

Product Features

- One time use heavy duty barrier lock seal
- Designed to secure the container locking bars
- 100% steel body and aluminum alloy cap
- Customized name, unique number, barcode available
- Packed in 10pcs/ carton



ACS-BRS 215F

Main Applications

Container doors, truck doors, etc.

Product Features

- Ball head tinplate steel metal seal
- Total length 215mm, bended-edge tail 200X8.5mm
- Average tensile strength: 800 N
- Customized name, unique number
- Packed in 100pcs/wire and 20 wires/carton



ACS-MS 210F

Main Applications

Container doors, truck doors, etc.

Product Features

Flat head tinplate steel metal seal
 Total length 218mm, bended-edge tail 200X8.1mm
 Average tensile strength: 600 N
 Customized name, unique number
 Packed in 100pcs/wire and 20 wires/carton



ACS-MS 217F

Main Applications

Container doors, truck doors, etc.

Product Features

Plastic (ABS) coated, tinplate steel metal seal
 Total length in 270mm and tail size in 200X7mm
 Average tensile strength: 800 N
 Customized name, unique number
 Packed in 100pcs/bag and 10bags/carton



Security Tape

Main Applications

Carton, documents' bags, coated BOPP bags, etc.

Product Features

Total transfer (Available in **Partial Transfer**)
 Can not see the hidden warning message before open
 The hidden msg will be left on the products when open
 Standard size: 50mmX76.6m/roll
 Customized name, unique number



Security Label

Main Applications

Bank, finance, airlines, electronic, etc.

Product Features

Total transfer (Available in Low & Non-residue)
 Made from PET and glassine paper
 The thickness of face material is: 25 & 50micron
 The weight of the glassine paper is: 80g
 Customized name, unique number



GENTRO

Main Applications

Supermarket chains, 24h cvs, distribution centers, dept stores etc.

Product Features

Plastic trolley with thickened antiskid PP platform
 Natural rubber tire with nylon structure
 Precision bearing - more quiet, four swivel
 Easy to transport, to store, to carry, to clean and to dismantle
 Size of deck: L680 X W400 X H41mm, deck with wheel: H125mm



GENBOX

Main Applications

Supermarket chains, 24h cvs, distribution centers dept stores etc.

Product Features

Folding plastic tote box
 Ergonomically designed handle for convenient operating
 Four sides designed with label area to place the labels
 Outer size: L600 X W410 X H380mm
 Inner size: L535 X W380 X H360mm



ACE AL SHARQ TRADING EST

مؤسسة ايس الشرق التجارية

Building # 8799 Al Imam Abdulaziz Bin
Mohammed Bin Saud Street.
Al Wisham District 3824. Postal code 12741
Riyadh – Kingdom of Saudi Arabia.

Tel :- 966 11 488 6663

Mobile # +966 56 862 6403

+966 53 020 1760

+966 53 399 8152

+966 50 052 1521

www.alaceindustrial.com

sales@alaceindustrial.com

sultan@alaceindustrial.com

عمارة رقم ٨٧٩٩ الامام عبدالعزيز بن

شارع محمد بن سعود.

حي الوشام ٣٨٢٤. الرمز البريدي ١٢٧٤١

الرياض - المملكة العربية السعودية.

Tel :- ٩٦٦ ١١ ٤٨٨ ٦٦٦٣

Mobile # +٩٦٦ ٥٦ ٨٦٢ ٦٤٠٣

+٩٦٦ ٥٣ ٠٢ ١٧٦٠

+٩٦٦ ٥٣ ٣٩٩ ٨١٥٢

+٩٦٦ ٥٠ ٠٥٢ ١٥٢١