

Battery Operated Hydraulic Telescopic Stacker (Capacity : UP to 250 Kgs, Lifted HT : UP to 3000 mm)



Battery Operated Hydraulic Telescopic Stacker is extensively used for material handling purposes and first of its kind machine as it is Eco-friendly machine which runs on battery.

Lifting & Lowering operations are done by DC power Pack and maneuver is done by manually.

Advantage of Telescopic stacker is that master height of machine is half of the maximum lifted height.



SALIENT FEATURES

Manufactured as cGMP Norms.

The specialty of this product is the heavy duty Battery with DC power Pack.

Master height of machine is half of the maximum lifted height.

The Stacker Carriage is lifted by hydraulic Cylinder, actuated by a gear pump with Motor.

The electrical controls are simple design from the view point of maintenance.

The Stacker Carriage is made from best quality of steel structure and to carry material and castor wheels used to move very easily in required directions.

Load carrying capacity : Up to 250Kg.

Minimum Lift Height : 90 to 100 mm

Maximum Lift Height : Up to 3000 mm.

Finish : 180 Grid Matt polish.

Battery Operated Hydraulic Lifting Trolley (Available Cap : UP to 500 Kgs, Lift Heights Up to 750 mm)

Battery Operated Hydraulic Lifting Trolley is extensively used for material handling purposes and first of its kind machine as it is Eco-friendly machine which runs on battery.

Lifting & Lowering operations are done by DC power Pack and maneuver is done by manually.



SALIENT FEATURES

Manufactured as cGMP Norms.

The specialty of this product is the Master height of machine is half of the maximum lifted height.

The machine is operated by heavy duty Battery with DC Power Pack.

The Platform Carriage is lifted by hydraulic Cylinder, actuated by a gear pump.

Push Buttons are provided for UP and DOWN operations.

The electrical controls are simple design from the view point of maintenance.

Platform Trolley is made from best quality of steel structure to carry different types of material and castor wheels are provided to move very easily in required directions.

Load carrying capacity : up to 500kg.

Minimum Lift Height : 90 to 100 mm

Maximum Lift Height : up to 750 mm

Finish : 180 Grid Matt polish.

WATER TRAILER TANKER.(Capacity UP to 10,000 Ltrs)

Water Trailer Tankers are used for storing, carrying and supplying of water to desired locations. The Design of the trailer tanker unit shall be easily accessible for handling, operations and maintenance.

Trailer Tanker has an Elliptical shape S.S water tank of desired capacity with all necessary mounting & Fitting arrangements. And a chassis shall be suitable load carrying capacity and fabricated from M.S channels and Plates.

SALIENT FEATURES

S.S Elliptical shape with dished Ends S.S water tank of desired capacity.

S.S water disbursing manifold

S.S Ladders to climb on to the tank top to operate Open / Close man hole cover or filling port.

Spring loaded forget towing hook.

S.S Man-hole Cover for Inspection

Heavy Duty Lubricated Turn Table with Proper Fittings.

Manual Breaking System.

Good quality pneumatic tyres with tubes.

Heavy Duty leaf springs to dampen, vibrations / shock.

Heavy Duty Anti Vibration Pad for Tank Mounting

Drain Plug provided at the bottom of tank



High Lift Hydraulic Operated Pallet Truck (Capacity: Up to 2 TON)

High Lift Hydraulic Operated Pallet Trucks are used for material handling purposes and first of its kind machine as it is Eco-friendly machine which runs on hydraulic Hand Pump. The hand pump can be utilized anywhere; at any time that hydraulic power is required, since the hand pump does not require any electrical power source.

SALIENT FEATURES

Manufactured as cGMP Norms.

Hydraulic Hand Pump is Used.

The specialty of this product is High lift in Hand Pump.

The hand Pump does not require any electrical power source that only hydraulic power is required.

The Pallet Trucks are the economical alternative to fork lifts and are suited to maneuvering pallets in the workplace.

Load carrying capacity : UP to 2000Kg.

Minimum Lift Height : 100 mm

Maximum Lift Height : UP to 350 mm

Finish : 180 Grid Matt Polish.

