



MAHI ENGINEERS

COLLOID MILL (HORIZONTAL)

- ◆ Model 3H.P. To 5H.P. and special 20h\H.P.
- ◆ Operation Batch Mixing, Solid/ Liquid Fine Milling
- ◆ Out Put 120 To 12000Kg./Shift (depends On The Product)
- ◆ Collied Mill Is Suitable For Homogenising
- ◆ Emulsifixing Dispersing Mixing
- ◆ M.O.C SS 304 /316 / 316L
- ◆ cGMP With Documentation




COLLOID MILL (VERTICAL)



- ◆ Model 3H.P. To 5H.P. and special 20h\H.P.
- ◆ Operation Batch Mixing, Solid/ Liquid Fine Milling
- ◆ Out Put 120 To 12000Kg./Shift (depends On The Product)
- ◆ Collied Mill Is Suitable For Homogenising,
- ◆ Emulsifixing Dispersing Mixing
- ◆ M.O.C SS 304 /316 / 316L
- ◆ cGMP With Documentation

HOMOGINISER (EMULSIFIER)

- ◆ Model Available 0.25 H.P.To 10 H.P.
- ◆ Operation Batch Mixer
- ◆ Used For Suspension And Emulatinon Etc.
- ◆ Special Arrangement For Mechanical Lifting And Lowering
- ◆ Also Available Verious Design Of Homogeniser
- ◆ M.O.C SS 304 /316 / 316L
- ◆ c.G.M.P. Documentation



INLINE HIGH SHEAR MIXER (MICRONISER)



- ◆ Model Available 5 H.P.To 75 H.P.
- ◆ Operation Inline Single- Stage, Solid/ liquid Mixing
- ◆ High Speed Stator / Rotor Construction
- ◆ Available for both and continuos production
- ◆ In Built Mechanical Seal
- ◆ High Degree of Sanotary Finish
- ◆ M.O.C SS 304/ 316 /316L
- ◆ cGMP With Documentation

INLINE HOMOGINISER (EMULSIFIRE)

- ◆ Model Available 5 H.P.To 75 H.P.
- ◆ Operation Inline Single- Stage, Solid/ liquid Mixing
- ◆ High Speed Stator / Rotor Construction
- ◆ Available for both and continuos production
- ◆ In Built Mechanical Seal
- ◆ High Degree of Sanotary Finish
- ◆ M.O.C SS 304/ 316 /316L
- ◆ cGMP With Documentation



INLINE HOMOGINISER (EMULSIFIRE)



- ◆ Model Available 5 H.P.To 75 H.P.
- ◆ Operation Inline Single- Stage, Solid/ liquid
- ◆ Mixing High Speed Stator / Rotor Construction
- ◆ Available for both and continuos production
- ◆ In Built Mechanical Seal
- ◆ High Degree of Sanotary Finish
- ◆ M.O.C SS 304/ 316 /316L
- ◆ cGMP With Documentation



COWL (DISPERSER)

- ◆ Model Available 0.5H.P.To 50 H.P.
- ◆ Operation - Water / Oil Batch Mixer
- ◆ M.O.C SS 304 / 316 / 316 L
- ◆ cGMP With Documentation



HOMOGENISER (EMULSIFIER)



- ◆ Model Available 0.5H.P.To 50 H.P.
- ◆ Operation Batch Mixer
- ◆ Used for Suspension and Emulation Etc.
- ◆ M.O.C SS 304 / 316 / 316 L
- ◆ cGMP With Documentation



MAHI ENGINEERS

ISO - 9001 - 2015 Certified Co.

**Specialist in: Bottom Stirrer, Inline, In-tank Homogenizer
Lobe Pump, Colloidal Mill, Pumps**

Address:-W/S-03, Rajban Road, Taruwalla, Near Truck union,
Paonta Sahib, Distt. Sirmour (H.P.) 173025
Workshop No: 6230306830 / 9816688211 / 9594603396
E-mail: engineersmahi@gmail.com