

Status<sup>®</sup>  
CERAMIC

Carving  
Series



# STATUARIO

A BEAUTY THAT STAY FOREVE.


600x  
600mm

600x  
1200mm

# ABOUT US

The strategic perspective of STATUS is enriched with a new technology, with a horizon of beauty, creativity and functionality, which puts the values of ceramics at the center.

STATUS'S collections embody the combination of beauty, design and nature, in a perfect equilibrium achieved through what has always been a deliberate and thought-out approach. Our constant commitment, supported by continuous technological research, has enabled us to improve and to develop a "sustainable" porcelain stoneware, made with natural materials and with the partial use of recycled materials.



Inspired From Nature  
Inspired From Nature  
Inspired From Nature

## APPLICATION AREA



AIRPORTS



HOTELS



SHOPS



KITCHENS AND  
BATH ROOM



HOMES



RESTAURANTS



RETAIL MALLS



MUSEUMS

## FEATURES OF



PERFECTLY  
FLAT



EASY TO  
CLEAN




HYGIENIC



LIGHT WEIGHT



RESISTANT TO  
CHEMICALS



BENDING STRENGTH



EASY TO  
INSTALL



RESISTANT TO  
TRAFFIC & WEAR

**Status**<sup>®</sup>  
CERAMIC

600x  
1200mm

**Carving**  
Series

ARABESCO

4 Random



Finish :  
Carving

Thickness :  
9mm

Glazed  
Vitrified Tiles



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**ATLAS WIDE**

**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**BLAZY**

**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**





**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**BORGHINI**

**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**



**Status**<sup>®</sup>  
CERAMIC

600x  
1200mm

**Carving**  
Series

CAFE GOLD

4 Random



Finish :  
Carving

Thickness :  
9mm

Glazed  
Vitrified Tiles



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**CALACATTA GOLD**

**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**CRESTOLA**

**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**





**Status**<sup>®</sup>  
CERAMIC

600x  
1200mm

**Carving**  
Series

**CROMITE LUSH**

4 Random



Finish :  
Carving

Thickness :  
9mm

Glazed  
Vitrified Tiles



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**ELEMENTO BIANCO**


**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**



**Status**<sup>®</sup>  
CERAMIC

600x  
1200mm

**Carving**  
Series

EMPORIO

4 Random



Finish :  
Carving

Thickness :  
9mm

Glazed  
Vitrified Tiles



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**EVA WHITE**

**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**







**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**LUNA WHITE**


**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**MARITACA**

**3 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**NASHIRA**


**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**



**Status**<sup>®</sup>  
CERAMIC

**600x  
1200mm**

**Carving**  
Series

**SILKEN BIANCO**

**4 Random**



**Finish :**  
Carving

**Thickness :**  
9mm

**Glazed  
Vitrified Tiles**





## TECHNICAL SPECIFICATION GSVT

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE OF GSVT
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	As per square
Water absorption	≤ 3 %	≤ 3 %
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 35 N/mm <sup>2</sup>
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min. 7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

## PACKING DETAIL

Size	600x1200mm
Thickness (approx.)	9.0 mm (approx)
Pieces / Box	2 pcs.
Area / Box	1.44 sq. mtr.
Wt./Box (approx.)	27.5 kgs. (approx)

**Status**<sup>®</sup>  
CERAMIC

**ROLEX (STATUS) CERAMIC**

8-A National Highway, Lakhadhirpur Road,  
Beside Antique Granite, Ghuntu Road,  
Morbi - 363642, Gujarat

[info@statusceramic.in](mailto:info@statusceramic.in)

[www.statusceramic.in](http://www.statusceramic.in)

