



An ISO:9001:2015, ISO:14001:2015, ISO:45001:2018 Certified Laboratory

TEST REPORT

Issued To:	Dev Bhoomi Naturals House No. 03, Village Post Office, Maikot, Gopeshwar, Chamoli, Uttarakhand, India-246426.	Report No:	20260629GEN-22
Description:	Orange Peel Powder	Reporting Date:	04.07.2026
Sample Qty:	250 gm	Sample Received On:	29.06.2026
		Sampled By:	Customer
		Analysis Start Date:	29.06.2026
		Analysis End Date:	04.07.2026
		Page No: 01 of 01	

TEST RESULT

S.No.	Test Parameters	Unit	Result	Test Method
1.	Staphylococcus aureus	cfu/g	< 10	IS 5887 (Part-1):1976
2.	Salmonella spp.	/25g	Absent	IS 5887 (Part-3), sec-1:2020
3.	Total Plate Count	cfu/g	535	IS 5402:2012
4.	Coli	cfu/g	< 10	IS 5887(Part-1):1976
5.	Yeast and Mould Count	cfu/g	< 10	IS 5403:1999
6.	Pseudomonas aeruginosa	cfu/g	Absent	ISO 16266(Part-2)
7.	Lead (as Pb)	mg/kg	BLQ(LOQ-0.05)	FSSAI Manual of Methods of Analysis of Foods-Metals
8.	Arsenic (as As)	mg/kg	BLQ(LOQ-0.05)	FSSAI Manual of Methods of Analysis of Foods-Metals
9.	Cadmium (as Cd)	mg/kg	BLQ(LOQ-0.05)	FSSAI Manual of Methods of Analysis of Foods-Metals
10.	Mercury (as Hg)	mg/kg	BLQ(LOQ-0.05)	FSSAI Manual of Methods of Analysis of Foods-Metals
11.	Moisture Content	%	6.10	FSSAI Manual of Methods of Analysis of Foods-Fruit & Vegetable Products
12.	pH Value	-	7.80	FSSAI Manual of Methods of Analysis of Foods-Fruit & Vegetable Products
13.	Ash Content	%	3.50	FSSAI Manual of Methods of Analysis of Foods-Fruit & Vegetable Products
14.	Particle Size/Mesh Size	mesh	65	By Sieving
15.	Bulk Density	g/ml	0.38	FSSAI Manual of Methods of Analysis of Foods-Cereal & Cereal Products
16.	Solubility	%	1.3	BY Gravimetric
17.	Vitamin C	mg/100g	128	IS 5838:1970

End of Report

Reviewed By



Authorized Signatory

Signature



बिना होलोग्राम के रिपोर्ट
मान्य नहीं है

Note:- The result indicated only refer to the tested samples and listed parameters and do not endorse any product.

Total liability of the laboratory is limited to the invoiced amount.

This certificate shall not be reproduced wholly or in part without prior written consent of the laboratory.

Samples received shall be destroyed after four weeks from the date of issue of the certificate unless specified otherwise.

This certificate shall not be used in any advertising media or as evidence in the Court of Law without prior written consent of the laboratory.

Branch Office: C-15/15, Turner Road, Muskan Chowk, ISBT Dehradun 248001 Uttarakhand, India