



a product range by



**QUALITY
YOU CAN
TRUST**

a premium range of
CDSCO medical device approved

trauma implants

locking system

A solid yellow horizontal bar located at the bottom right corner of the page.

TRAUMA IMPLANTS MANUFACTURING IN INDIA

**SINCE
1985**



R.K. ENTERPRISES

Leveraging science and technology in the manufacturing of orthopaedic implants and Instruments, R.K. Enterprises has been a promoter of wellness and global health since its inception.

The company established in 1985, located in Vadodara, Gujarat was ignited with the vision of young entrepreneur Mr. Rajesh Parmar who wanted to contribute to global healthcare with his knowledge and skills and produce premium range of quality products at an affordable cost. With over 30 years of experience, R.K. Enterprises is now one of the most preferred and trusted brands by healthcare experts and vendors across the world.

To produce diligent quality of products we use best in market SS316L, SS316LVM and Titanium material. Our production and validation procedures ensure robust, safe to use products which are reliable for many years. Till date we have produced and provided countless products worldwide enabling freedom of movement to numerous lives.

"I have dedicated my life to producing affordable and quality ortho products in India. I will continue to thrive for the rest of my life excelling this art and to keep marking a global benchmark with our products."



Director - Mr. Rajesh Parmar



Small locking plate 3.5mm



Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
4	201TI.04	201.04	201LVM.04	9	201TI.09	201.09	201LVM.09
5	201TI.05	201.05	201LVM.05	10	201TI.10	201.10	201LVM.10
6	201TI.06	201.06	201LVM.06	11	201TI.11	201.11	201LVM.11
7	201TI.07	201.07	201LVM.07	12	201TI.12	201.12	201LVM.12
8	201TI.08	201.08	201LVM.08	14	201TI.14	201.14	201LVM.14

Material : SS316L , Titanium , SS316LVM

Small T - locking plate 3.5mm



Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	202TI.03	202.03	202LVM.03	7	202TI.07	202.07	202LVM.07
4	202TI.04	202.04	202LVM.04	8	202TI.08	202.08	202LVM.08
5	202TI.05	202.05	202LVM.05	9	202TI.09	202.09	202LVM.09
6	202TI.06	202.06	202LVM.06	10	202TI.10	202.10	202LVM.10

Material : SS316L , Titanium , SS316LVM



Small T- oblique locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	203TI.03R	203.03R	203LVM.03R	3	203TI.03L	203.03L	203LVM.03L
4	203TI.04R	203.04R	203LVM.04R	4	203TI.04L	203.04L	203LVM.04L
5	203TI.05R	203.05R	203LVM.05R	5	203TI.05L	203.05L	203LVM.05L
6	203TI.06R	203.06R	203LVM.06R	6	203TI.06L	203.06L	203LVM.06L
7	203TI.07R	203.07R	203LVM.07R	7	203TI.07L	203.07L	203LVM.07L
8	203TI.08R	203.08R	203LVM.08R	8	203TI.08L	203.08L	203LVM.08L
9	203TI.09R	203.09R	203LVM.09R	9	203TI.09L	203.09L	203LVM.09L
10	203TI.10R	203.10R	203LVM.10R	10	203TI.10L	203.10L	203LVM.10L

Material : SS316L , Titanium , SS316LVM



One third locking plate 3.5mm

Sizes and reference codes

Sizes Hole				Sizes Hole			
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
5	204TI.05	204.05	204LVM.05	8	204TI.08	204.08	204LVM.08
6	204TI.06	204.06	204LVM.06	9	204TI.09	204.09	204LVM.09
7	204TI.07	204.07	204LVM.07	10	204TI.10	204.10	204LVM.10

Material : SS316L , Titanium , SS316LVM

Reconstruction locking plate round hole 3.5mm



Reconstruction locking plate combi hole 3.5mm



Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM
4	205TI.04	205.04	205LVM.04
5	205TI.05	205.05	205LVM.05
6	205TI.06	205.06	205LVM.06
7	205TI.07	205.07	205LVM.07
8	205TI.08	205.08	205LVM.08
9	205TI.09	205.09	205LVM.09
10	205TI.10	205.10	205LVM.10
11	205TI.11	205.11	205LVM.11
12	205TI.12	205.12	205LVM.12
13	205TI.13	205.13	205LVM.13
14	205TI.14	205.14	205LVM.14
15	205TI.15	205.15	205LVM.15
16	205TI.16	205.16	205LVM.16
17	205TI.17	205.17	205LVM.17
18	205TI.18	205.18	205LVM.18
19	205TI.19	205.19	205LVM.19
20	205TI.20	205.20	205LVM.20
22	205TI.22	205.22	205LVM.22
24	205TI.24	205.24	205LVM.24

Sizes Hole	Titanium	SS316L	SS316LVM
4	206TI.04	206.04	206LVM.04
5	206TI.05	206.05	206LVM.05
6	206TI.06	206.06	206LVM.06
7	206TI.07	206.07	206LVM.07
8	206TI.08	206.08	206LVM.08
9	206TI.09	206.09	206LVM.09
10	206TI.10	206.10	206LVM.10
11	206TI.11	206.11	206LVM.11
12	206TI.12	206.12	206LVM.12
13	206TI.13	206.13	206LVM.13
14	206TI.14	206.14	206LVM.14
15	206TI.15	206.15	206LVM.15
16	206TI.16	206.16	206LVM.16
17	206TI.17	206.17	206LVM.17
18	206TI.18	206.18	206LVM.18
19	206TI.19	206.19	206LVM.19
20	206TI.20	206.20	206LVM.20
22	206TI.22	206.22	206LVM.22
24	206TI.24	206.24	206LVM.24

Material : SS316L , Titanium , SS316LVM

Proximal humerus (philos) locking plate 3.5mm



Sizes and reference codes

Short				Long				Long			
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	207TI.03	207.03	207LVM.03	5	208TI.05	208.05	208LVM.05	8	208TI.08	208.08	208LVM.08
4	207TI.04	207.04	207LVM.04	6	208TI.06	208.06	208LVM.06	9	208TI.09	208.09	208LVM.09
5	207TI.05	207.05	207LVM.05	7	208TI.07	208.07	208LVM.07	10	208TI.10	208.10	208LVM.10

Material : SS316L , Titanium , SS316LVM

Distal humerus locking plate 2.7mm/3.5mm - without lateral support



Sizes and reference codes

Right				Left			
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	209TI.03R	209.03R	209LVM.03R	3	209TI.03L	209.03L	209LVM.03L
5	209TI.05R	209.05R	209LVM.05R	5	209TI.05L	209.05L	209LVM.05L
7	209TI.07R	209.07R	209LVM.07R	7	209TI.07L	209.07L	209LVM.07L
9	209TI.09R	209.09R	209LVM.09R	9	209TI.09L	209.09L	209LVM.09L
11	209TI.11R	209.11R	209LVM.11R	11	209TI.11L	209.11L	209LVM.11L
14	209TI.14R	209.14R	209LVM.14R	14	209TI.14L	209.14L	209LVM.14L

Material : SS316L , Titanium , SS316LVM



Distal humerus locking plate 2.7mm/3.5mm
- with lateral support

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	210TI.03R	210.03R	210LVM.03R	3	210TI.03L	210.03L	210LVM.03L
5	210TI.05R	210.05R	210LVM.05R	5	210TI.05L	210.05L	210LVM.05L
7	210TI.07R	210.07R	210LVM.07R	7	210TI.07L	210.07L	210LVM.07L
9	210TI.09R	210.09R	210LVM.09R	9	210TI.09L	210.09L	210LVM.09L
11	210TI.11R	210.11R	210LVM.11R	11	210TI.11L	210.11L	210LVM.11L
14	210TI.14R	210.14R	210LVM.14R	14	210TI.14L	210.14L	210LVM.14L

Material : SS316L , Titanium , SS316LVM



Distal medial humerus locking plate 2.7mm/3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	211TI.03R	211.03R	211LVM.03R	3	211TI.03L	211.03L	211LVM.03L
5	211TI.05R	211.05R	211LVM.05R	5	211TI.05L	211.05L	211LVM.05L
7	211TI.07R	211.07R	211LVM.07R	7	211TI.07L	211.07L	211LVM.07L
9	211TI.09R	211.09R	211LVM.09R	9	211TI.09L	211.09L	211LVM.09L

Material : SS316L , Titanium , SS316LVM



Extra - articular Distal humerus locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
4	212TI.04R	212.04R	212LVM.04R	4	212TI.04L	212.04L	212LVM.04L
6	212TI.06R	212.06R	212LVM.06R	6	212TI.06L	212.06L	212LVM.06L
8	212TI.08R	212.08R	212LVM.08R	8	212TI.08L	212.08L	212LVM.08L
10	212TI.10R	212.10R	212LVM.10R	10	212TI.10L	212.10L	212LVM.10L
12	212TI.12R	212.12R	212LVM.12R	12	212TI.12L	212.12L	212LVM.12L
14	212TI.14R	212.14R	212LVM.14R	14	212TI.14L	212.14L	212LVM.14L

Material : SS316L , Titanium , SS316LVM



Distal medial humerus locking plate metaphyseal 3.5mm

Sizes and reference codes

Sizes Hole				Sizes Hole			
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
7	213TI.07	213.07	213LVM.07	11	213TI.11	213.11	213LVM.11
8	213TI.08	213.08	213LVM.08	13	213TI.13	213.13	213LVM.13
9	213TI.09	213.09	213LVM.09	15	213TI.15	213.15	213LVM.15

Material : SS316L , Titanium , SS316LVM

Olecranon locking plate 3.5mm



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
2	214TI.02R	214.02R	214LVM.02R	2	214TI.02L	214.02L	214LVM.02L
4	214TI.04R	214.04R	214LVM.04R	4	214TI.04L	214.04L	214LVM.04L
6	214TI.06R	214.06R	214LVM.06R	6	214TI.06L	214.06L	214LVM.06L
8	214TI.08R	214.08R	214LVM.08R	8	214TI.08L	214.08L	214LVM.08L
10	214TI.10R	214.10R	214LVM.10R	10	214TI.10L	214.10L	214LVM.10L
12	214TI.12R	214.12R	214LVM.12R	12	214TI.12L	214.12L	214LVM.12L
14	214TI.14R	214.14R	214LVM.14R	14	214TI.14L	214.14L	214LVM.14L

Material : SS316L , Titanium , SS316LVM

Distal tibia locking plate 3.5mm



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
4	215TI.04R	215.04R	215LVM.04R	4	215TI.04L	215.04L	215LVM.04L
6	215TI.06R	215.06R	215LVM.06R	6	215TI.06L	215.06L	215LVM.06L
8	215TI.08R	215.08R	215LVM.08R	8	215TI.08L	215.08L	215LVM.08L
10	215TI.10R	215.10R	215LVM.10R	10	215TI.10L	215.10L	215LVM.10L

Material : SS316L , Titanium , SS316LVM



Distal medial tibia locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
4	216TI.04R	216.04R	216LVM.04R	4	216TI.04L	216.04L	216LVM.04L
6	216TI.06R	216.06R	216LVM.06R	6	216TI.06L	216.06L	216LVM.06L
8	216TI.08R	216.08R	216LVM.08R	8	216TI.08L	216.08L	216LVM.08L
10	216TI.10R	216.10R	216LVM.10R	10	216TI.10L	216.10L	216LVM.10L
12	216TI.12R	216.12R	216LVM.12R	12	216TI.12L	216.12L	216LVM.12L
14	216TI.14R	216.14R	216LVM.14R	14	216TI.14L	216.14L	216LVM.14L

Material : SS316L , Titanium , SS316LVM



Distal fibula locking plate 3.5mm

Sizes and reference codes

Sizes Hole				Sizes Hole			
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	217TI.03	217.03	217LVM.03	6	217TI.06	217.06	217LVM.06
4	217TI.04	217.04	217LVM.04	7	217TI.07	217.07	217LVM.07
5	217TI.05	217.05	217LVM.05	8	217TI.08	217.08	217LVM.08

Material : SS316L , Titanium , SS316LVM



Anterolateral distal tibia locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
5	218TI.05R	218.05R	218LVM.05R	5	218TI.05L	218.05L	218LVM.05L
7	218TI.07R	218.07R	218LVM.07R	7	218TI.07L	218.07L	218LVM.07L
9	218TI.09R	218.09R	218LVM.09R	9	218TI.09L	218.09L	218LVM.09L
11	218TI.11R	218.11R	218LVM.11R	11	218TI.11L	218.11L	218LVM.11L
13	218TI.13R	218.13R	218LVM.13R	13	218TI.13L	218.13L	218LVM.13L
15	218TI.15R	218.15R	218LVM.15R	15	218TI.15L	218.15L	218LVM.15L

Material : SS316L , Titanium , SS316LVM



Proximal tibia locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
4	219TI.04R	219.04R	219LVM.04R	4	219TI.04L	219.04L	219LVM.04L
6	219TI.06R	219.06R	219LVM.06R	6	219TI.06L	219.06L	219LVM.06L
8	219TI.08R	219.08R	219LVM.08R	8	219TI.08L	219.08L	219LVM.08L
10	219TI.10R	219.10R	219LVM.10R	10	219TI.10L	219.10L	219LVM.10L

Material : SS316L , Titanium , SS316LVM

Calcaneal locking plate 3.5mm



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
64	220TI.64R	220.64R	220LVM.64R	64	220TI.64L	220.64L	220LVM.64L
69	220TI.69R	220.69R	220LVM.69R	69	220TI.69L	220.69L	220LVM.69L
76	220TI.76R	220.76R	220LVM.76R	76	220TI.76L	220.76L	220LVM.76L
81	220TI.81R	220.81R	220LVM.81R	81	220TI.81L	220.81L	220LVM.81L

Material : SS316L , Titanium , SS316LVM



Proximal medial tibia locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
4	221TI.04R	221.04R	221LVM.04R	4	221TI.04L	221.04L	221LVM.04L
5	221TI.05R	221.05R	221LVM.05R	5	221TI.05L	221.05L	221LVM.05L
6	221TI.06R	221.06R	221LVM.06R	6	221TI.06L	221.06L	221LVM.06L
7	221TI.07R	221.07R	221LVM.07R	7	221TI.07L	221.07L	221LVM.07L
8	221TI.08R	221.08R	221LVM.08R	8	221TI.08L	221.08L	221LVM.08L
9	221TI.09R	221.09R	221LVM.09R	9	221TI.09L	221.09L	221LVM.09L
10	221TI.10R	221.10R	221LVM.10R	10	221TI.10L	221.10L	221LVM.10L

Material : SS316L , Titanium , SS316LVM



Clavicle hook locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
Hook Height = 12mm							
4	222TI.12.04R	222.12.04R	222LVM.12.04R	4	222TI.12.04L	222.12.04L	222LVM.12.04L
5	222TI.12.05R	222.12.05R	222LVM.12.05R	5	222TI.12.05L	222.12.05L	222LVM.12.05L
6	222TI.12.06R	222.12.06R	222LVM.12.06R	6	222TI.12.06L	222.12.06L	222LVM.12.06L
7	222TI.12.07R	222.12.07R	222LVM.12.07R	7	222TI.12.07L	222.12.07L	222LVM.12.07L
Hook Height = 15mm							
4	222TI.15.04R	222.15.04R	222LVM.15.04R	4	222TI.15.04L	222.15.04L	222LVM.15.04L
5	222TI.15.05R	222.15.05R	222LVM.15.05R	5	222TI.15.05L	222.15.05L	222LVM.15.05L
6	222TI.15.06R	222.15.06R	222LVM.15.06R	6	222TI.15.06L	222.15.06L	222LVM.15.06L
7	222TI.15.07R	222.15.07R	222LVM.15.07R	7	222TI.15.07L	222.15.07L	222LVM.15.07L
Hook Height = 18mm							
4	222TI.18.04R	222.18.04R	222LVM.18.04R	4	222TI.18.04L	222.18.04L	222LVM.18.04L
5	222TI.18.05R	222.18.05R	222LVM.18.05R	5	222TI.18.05L	222.18.05L	222LVM.18.05L
6	222TI.18.06R	222.18.06R	222LVM.18.06R	6	222TI.18.06L	222.18.06L	222LVM.18.06L
7	222TI.18.07R	222.18.07R	222LVM.18.07R	7	222TI.18.07L	222.18.07L	222LVM.18.07L

Material : SS316L , Titanium , SS316LVM

Superior anterior clavicle locking plate 3.5mm



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
5	223TI.05R	223.05R	223LVM.05R	5	223TI.05L	223.05L	223LVM.05L
6	223TI.06R	223.06R	223LVM.06R	6	223TI.06L	223.06L	223LVM.06L
7	223TI.07R	223.07R	223LVM.07R	7	223TI.07L	223.07L	223LVM.07L
8	223TI.08R	223.08R	223LVM.08R	8	223TI.08L	223.08L	223LVM.08L
9	223TI.09R	223.09R	223LVM.09R	9	223TI.09L	223.09L	223LVM.09L

Material : SS316L , Titanium , SS316LVM

Superior anterior clavicle locking plate 2.7mm/3.5mm with lateral extension



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	224TI.03R	224.03R	224LVM.03R	3	224TI.03L	224.03L	224LVM.03L
4	224TI.04R	224.04R	224LVM.04R	4	224TI.04L	224.04L	224LVM.04L
5	224TI.05R	224.05R	224LVM.05R	5	224TI.05L	224.05L	224LVM.05L
6	224TI.06R	224.06R	224LVM.06R	6	224TI.06L	224.06L	224LVM.06L
7	224TI.07R	224.07R	224LVM.07R	7	224TI.07L	224.07L	224LVM.07L
8	224TI.08R	224.08R	224LVM.08R	8	224TI.08L	224.08L	224LVM.08L

Material : SS316L , Titanium , SS316LVM



Posterior medial proximal tibia locking plate 3.5mm

Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
1	225TI.01	225.01	225LVM.01	6	225TI.06	225.06	225LVM.06
2	225TI.02	225.02	225LVM.02	8	225TI.08	225.08	225LVM.08
4	225TI.04	225.04	225LVM.04	10	225TI.10	225.10	225LVM.10

Material : SS316L , Titanium , SS316LVM



Narrow locking plate 4.5mm

Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
4	226TI.04	226.04	226LVM.04	9	226TI.09	226.09	226LVM.09
5	226TI.05	226.05	226LVM.05	10	226TI.10	226.10	226LVM.10
6	226TI.06	226.06	226LVM.06	12	226TI.12	226.12	226LVM.12
7	226TI.07	226.07	226LVM.07	13	226TI.13	226.13	226LVM.13
8	226TI.08	226.08	226LVM.08	14	226TI.14	226.14	226LVM.14

Material : SS316L , Titanium , SS316LVM

Broad locking plate 4.5mm



Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
4	227TI.04	227.04	227LVM.04	9	227TI.09	227.09	227LVM.09
5	227TI.05	227.05	227LVM.05	10	227TI.10	227.10	227LVM.10
6	227TI.06	227.06	227LVM.06	12	227TI.12	227.12	227LVM.12
7	227TI.07	227.07	227LVM.07	13	227TI.13	227.13	227LVM.13
8	227TI.08	227.08	227LVM.08	14	227TI.14	227.14	227LVM.14

Material : SS316L , Titanium , SS316LVM


T - locking plate 4.5mm



Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
4	228TI.04	228.04	228LVM.04	9	228TI.09	228.09	228LVM.09
5	228TI.05	228.05	228LVM.05	10	228TI.10	228.10	228LVM.10
6	228TI.06	228.06	228LVM.06	12	228TI.12	228.12	228LVM.12
7	228TI.07	228.07	228LVM.07	13	228TI.13	228.13	228LVM.13
8	228TI.08	228.08	228LVM.08	14	228TI.14	228.14	228LVM.14

Material : SS316L , Titanium , SS316LVM



T - buttress locking plate

Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	229TI.03	229.03	229LVM.03	8	229TI.08	229.08	229LVM.08
4	229TI.04	229.04	229LVM.04	9	229TI.09	229.09	229LVM.09
5	229TI.05	229.05	229LVM.05	10	229TI.10	229.10	229LVM.10
6	229TI.06	229.06	229LVM.06	11	229TI.11	229.11	229LVM.11
7	229TI.07	229.07	229LVM.07	12	229TI.12	229.12	229LVM.12

Material : SS316L , Titanium , SS316LVM



L - buttress locking plate

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	230TI.03R	230.03R	230LVM.03R	3	230TI.03L	230.03L	230LVM.03L
4	230TI.04R	230.04R	230LVM.04R	4	230TI.04L	230.04L	230LVM.04L
5	230TI.05R	230.05R	230LVM.05R	5	230TI.05L	230.05L	230LVM.05L
6	230TI.06R	230.06R	230LVM.06R	6	230TI.06L	230.06L	230LVM.06L
7	230TI.07R	230.07R	230LVM.07R	7	230TI.07L	230.07L	230LVM.07L
8	230TI.08R	230.08R	230LVM.08R	8	230TI.08L	230.08L	230LVM.08L
9	230TI.09R	230.09R	230LVM.09R	9	230TI.09L	230.09L	230LVM.09L
10	230TI.10R	230.10R	230LVM.10R	10	230TI.10L	230.10L	230LVM.10L

Material : SS316L , Titanium , SS316LVM



Metaphyseal locking plate

Sizes and reference codes

Sizes Hole				Sizes Hole			
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	231TI.03	231.03	231LVM.03	7	231TI.07	231.07	231LVM.07
4	231TI.04	231.04	231LVM.04	8	231TI.08	231.08	231LVM.08
5	231TI.05	231.05	231LVM.05	9	231TI.09	231.09	231LVM.09
6	231TI.06	231.06	231LVM.06	10	231TI.10	231.10	231LVM.10

Material : SS316L , Titanium , SS316LVM



Lateral tibia locking plate

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	232TI.03R	232.03R	232LVM.03R	3	232TI.03L	232.03L	232LVM.03L
4	232TI.04R	232.04R	232LVM.04R	4	232TI.04L	232.04L	232LVM.04L
5	232TI.05R	232.05R	232LVM.05R	5	232TI.05L	232.05L	232LVM.05L
6	232TI.06R	232.06R	232LVM.06R	6	232TI.06L	232.06L	232LVM.06L
7	232TI.07R	232.07R	232LVM.07R	7	232TI.07L	232.07L	232LVM.07L
8	232TI.08R	232.08R	232LVM.08R	8	232TI.08L	232.08L	232LVM.08L
9	232TI.09R	232.09R	232LVM.09R	9	232TI.09L	232.09L	232LVM.09L
10	232TI.10R	232.10R	232LVM.10R	10	232TI.10L	232.10L	232LVM.10L
11	232TI.11R	232.11R	232LVM.11R	11	232TI.11L	232.11L	232LVM.11L
12	232TI.12R	232.12R	232LVM.12R	12	232TI.12L	232.12L	232LVM.12L
13	232TI.13R	232.13R	232LVM.13R	13	232TI.13L	232.13L	232LVM.13L

Material : SS316L , Titanium , SS316LVM



Distal femur locking plate

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
5	233TI.05R	233.05R	233LVM.05R	5	233TI.05L	233.05L	233LVM.05L
6	233TI.06R	233.06R	233LVM.06R	6	233TI.06L	233.06L	233LVM.06L
7	233TI.07R	233.07R	233LVM.07R	7	233TI.07L	233.07L	233LVM.07L
8	233TI.08R	233.08R	233LVM.08R	8	233TI.08L	233.08L	233LVM.08L
9	233TI.09R	233.09R	233LVM.09R	9	233TI.09L	233.09L	233LVM.09L
10	233TI.10R	233.10R	233LVM.10R	10	233TI.10L	233.10L	233LVM.10L
11	233TI.11R	233.11R	233LVM.11R	11	233TI.11L	233.11L	233LVM.11L
12	233TI.12R	233.12R	233LVM.12R	12	233TI.12L	233.12L	233LVM.12L
13	233TI.13R	233.13R	233LVM.13R	13	233TI.13L	233.13L	233LVM.13L
15	233TI.15R	233.15R	233LVM.15R	15	233TI.15L	233.15L	233LVM.15L

Material : SS316L , Titanium , SS316LVM

Medial high tibia locking plate



Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
2	234TI.02	234.02	234LVM.02	5	234TI.05	234.05	234LVM.05
3	234TI.03	234.03	234LVM.03	6	234TI.06	234.06	234LVM.06
4	234TI.04	234.04	234LVM.04	7	234TI.07	234.07	234LVM.07

Material : SS316L , Titanium , SS316LVM

Proximal femur locking plate



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
2	235TI.02R	235.02R	235LVM.02R	2	235TI.02L	235.02L	235LVM.02L
4	235TI.04R	235.04R	235LVM.04R	4	235TI.04L	235.04L	235LVM.04L
6	235TI.06R	235.06R	235LVM.06R	6	235TI.06L	235.06L	235LVM.06L
8	235TI.08R	235.08R	235LVM.08R	8	235TI.08L	235.08L	235LVM.08L
10	235TI.10R	235.10R	235LVM.10R	10	235TI.10L	235.10L	235LVM.10L
12	235TI.12R	235.12R	235LVM.12R	12	235TI.12L	235.12L	235LVM.12L

Material : SS316L , Titanium , SS316LVM



D.H.S locking plates (25mm barrel / 38mm barrel)
125°, 130°

Sizes and reference codes

Short barrel				125°	Long barrel		
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	236TI.03SB	236.03SB	236LVM.03SB	3	236TI.03LB	236.03LB	236LVM.03LB
4	236TI.04SB	236.04SB	236LVM.04SB	4	236TI.04LB	236.04LB	236LVM.04LB
5	236TI.05SB	236.05SB	236LVM.05SB	5	236TI.05LB	236.05LB	236LVM.05LB
6	236TI.06SB	236.06SB	236LVM.06SB	6	236TI.06LB	236.06LB	236LVM.06LB
7	236TI.07SB	236.07SB	236LVM.07SB	7	236TI.07LB	236.07LB	236LVM.07LB
8	236TI.08SB	236.08SB	236LVM.08SB	8	236TI.08LB	236.08LB	236LVM.08LB
9	236TI.09SB	236.09SB	236LVM.09SB	9	236TI.09LB	236.09LB	236LVM.09LB
10	236TI.10SB	236.10SB	236LVM.10SB	10	236TI.10LB	236.10LB	236LVM.10LB
12	236TI.12SB	236.12SB	236LVM.12SB	12	236TI.12LB	236.12LB	236LVM.12LB

Short barrel				130°	Long barrel		
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	237TI.03SB	237.03SB	237LVM.03SB	3	237TI.03LB	237.03LB	237LVM.03LB
4	237TI.04SB	237.04SB	237LVM.04SB	4	237TI.04LB	237.04LB	237LVM.04LB
5	237TI.05SB	237.05SB	237LVM.05SB	5	237TI.05LB	237.05LB	237LVM.05LB
6	237TI.06SB	237.06SB	237LVM.06SB	6	237TI.06LB	237.06LB	237LVM.06LB
7	237TI.07SB	237.07SB	237LVM.07SB	7	237TI.07LB	237.07LB	237LVM.07LB
8	237TI.08SB	237.08SB	237LVM.08SB	8	237TI.08LB	237.08LB	237LVM.08LB
9	237TI.09SB	237.09SB	237LVM.09SB	9	237TI.09LB	237.09LB	237LVM.09LB
10	237TI.10SB	237.10SB	237LVM.10SB	10	237TI.10LB	237.10LB	237LVM.10LB
12	237TI.12SB	237.12SB	237LVM.12SB	12	237TI.12LB	237.12LB	237LVM.12LB

Material : SS316L , Titanium , SS316LVM



D.H.S locking plates (25mm barrel / 38mm barrel)
135°, 140°

Sizes and reference codes

Short barrel				135°	Long barrel		
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	238TI.03SB	238.03SB	238LVM.03SB	3	238TI.03LB	238.03LB	238LVM.03LB
4	238TI.04SB	238.04SB	238LVM.04SB	4	238TI.04LB	238.04LB	238LVM.04LB
5	238TI.05SB	238.05SB	238LVM.05SB	5	238TI.05LB	238.05LB	238LVM.05LB
6	238TI.06SB	238.06SB	238LVM.06SB	6	238TI.06LB	238.06LB	238LVM.06LB
7	238TI.07SB	238.07SB	238LVM.07SB	7	238TI.07LB	238.07LB	238LVM.07LB
8	238TI.08SB	238.08SB	238LVM.08SB	8	238TI.08LB	238.08LB	238LVM.08LB
9	238TI.09SB	238.09SB	238LVM.09SB	9	238TI.09LB	238.09LB	238LVM.09LB
10	238TI.10SB	238.10SB	238LVM.10SB	10	238TI.10LB	238.10LB	238LVM.10LB
12	238TI.12SB	238.12SB	238LVM.12SB	12	238TI.12LB	238.12LB	238LVM.12LB

Short barrel				140°	Long barrel		
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	239TI.03SB	239.03SB	239LVM.03SB	3	239TI.03LB	239.03LB	239LVM.03LB
4	239TI.04SB	239.04SB	239LVM.04SB	4	239TI.04LB	239.04LB	239LVM.04LB
5	239TI.05SB	239.05SB	239LVM.05SB	5	239TI.05LB	239.05LB	239LVM.05LB
6	239TI.06SB	239.06SB	239LVM.06SB	6	239TI.06LB	239.06LB	239LVM.06LB
7	239TI.07SB	239.07SB	239LVM.07SB	7	239TI.07LB	239.07LB	239LVM.07LB
8	239TI.08SB	239.08SB	239LVM.08SB	8	239TI.08LB	239.08LB	239LVM.08LB
9	239TI.09SB	239.09SB	239LVM.09SB	9	239TI.09LB	239.09LB	239LVM.09LB
10	239TI.10SB	239.10SB	239LVM.10SB	10	239TI.10LB	239.10LB	239LVM.10LB
12	239TI.12SB	239.12SB	239LVM.12SB	12	239TI.12LB	239.12LB	239LVM.12LB

Material : SS316L , Titanium , SS316LVM



D.H.S locking plates (25mm barrel / 38mm barrel)
145°, 150°

Sizes and reference codes

Short barrel				145°	Long barrel		
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	240TI.03SB	240.03SB	240LVM.03SB	3	240TI.03LB	240.03LB	240LVM.03LB
4	240TI.04SB	240.04SB	240LVM.04SB	4	240TI.04LB	240.04LB	240LVM.04LB
5	240TI.05SB	240.05SB	240LVM.05SB	5	240TI.05LB	240.05LB	240LVM.05LB
6	240TI.06SB	240.06SB	240LVM.06SB	6	240TI.06LB	240.06LB	240LVM.06LB
7	240TI.07SB	240.07SB	240LVM.07SB	7	240TI.07LB	240.07LB	240LVM.07LB
8	240TI.08SB	240.08SB	240LVM.08SB	8	240TI.08LB	240.08LB	240LVM.08LB
9	240TI.09SB	240.09SB	240LVM.09SB	9	240TI.09LB	240.09LB	240LVM.09LB
10	240TI.10SB	240.10SB	240LVM.10SB	10	240TI.10LB	240.10LB	240LVM.10LB
12	240TI.12SB	240.12SB	240LVM.12SB	12	240TI.12LB	240.12LB	240LVM.12LB

Short barrel				150°	Long barrel		
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	241TI.03SB	241.03SB	241LVM.03SB	3	241TI.03LB	241.03LB	241LVM.03LB
4	241TI.04SB	241.04SB	241LVM.04SB	4	241TI.04LB	241.04LB	241LVM.04LB
5	241TI.05SB	241.05SB	241LVM.05SB	5	241TI.05LB	241.05LB	241LVM.05LB
6	241TI.06SB	241.06SB	241LVM.06SB	6	241TI.06LB	241.06LB	241LVM.06LB
7	241TI.07SB	241.07SB	241LVM.07SB	7	241TI.07LB	241.07LB	241LVM.07LB
8	241TI.08SB	241.08SB	241LVM.08SB	8	241TI.08LB	241.08LB	241LVM.08LB
9	241TI.09SB	241.09SB	241LVM.09SB	9	241TI.09LB	241.09LB	241LVM.09LB
10	241TI.10SB	241.10SB	241LVM.10SB	10	241TI.10LB	241.10LB	241LVM.10LB
12	241TI.12SB	241.12SB	241LVM.12SB	12	241TI.12LB	241.12LB	241LVM.12LB

Material : SS316L , Titanium , SS316LVM



D.H.S locking plates 95° D.C Hole

Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3	242TI.03	242.03	242LVM.03	8	242TI.08	242.08	242LVM.08
4	242TI.04	242.04	242LVM.04	9	242TI.09	242.09	242LVM.09
5	242TI.05	242.05	242LVM.05	10	242TI.10	242.10	242LVM.10
6	242TI.06	242.06	242LVM.06	12	242TI.12	242.12	242LVM.12
7	242TI.07	242.07	242LVM.07				

Material : SS316L , Titanium , SS316LVM



Distal radius locking plate straight

Sizes and reference codes

Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
5	243TI.05	243.05	243LVM.05	6	243TI.06	243.06	243LVM.06

Material : SS316L , Titanium , SS316LVM

L - distal radius locking plate



Sizes and reference codes

Right				Left			
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3/2	244TI.3.2R	244.3.2R	244LVM.3.2R	3/2	244TI.3.2L	244.3.2L	244LVM.3.2L
4/2	244TI.4.2R	244.4.2R	244LVM.4.2R	4/2	244TI.4.2L	244.4.2L	244LVM.4.2L
3/3	244TI.3.3R	244.3.3R	244LVM.3.3R	3/3	244TI.3.3L	244.3.3L	244LVM.3.3L
4/3	244TI.4.3R	244.4.3R	244LVM.4.3R	4/4	244TI.4.3L	244.4.3L	244LVM.4.3L

Material : SS316L , Titanium , SS316LVM

L - distal radius oblique locking plate



Sizes and reference codes

Right				Left			
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
3/3	245TI.3.3R	245.3.3R	245LVM.3.3R	3/2	245TI.3.3L	245.3.3L	245LVM.3.3L
4/3	245TI.4.3R	245.4.3R	245LVM.4.3R	4/2	245TI.4.3L	245.4.3L	245LVM.4.3L

Material : SS316L , Titanium , SS316LVM

T - distal radius locking plate straight



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3	246TI.03	246.03	246LVM.03	4	246TI.04	246.04	246LVM.04

Material : SS316L , Titanium , SS316LVM

Distal radius locking plate



Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3/5	247TI.3.5R	247.3.5R	247LVM.3.5R	3/5	247TI.3.5L	247.3.5L	247LVM.3.5L
4/5	247TI.4.5R	247.4.5R	247LVM.4.5R	4/5	247TI.4.5L	247.4.5L	247LVM.4.5L
5/5	247TI.5.5R	247.5.5R	247LVM.5.5R	5/5	247TI.5.5L	247.5.5L	247LVM.5.5L

Material : SS316L , Titanium , SS316LVM



Distal radius buttress locking plate

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3/5	248TI.3.5R	248.3.5R	248LVM.3.5R	3/5	248TI.3.5L	248.3.5L	248LVM.3.5L
4/5	248TI.4.5R	248.4.5R	248LVM.4.5R	4/5	248TI.4.5L	248.4.5L	248LVM.4.5L
5/5	248TI.5.5R	248.5.5R	248LVM.5.5R	5/5	248TI.5.5L	248.5.5L	248LVM.5.5L

Material : SS316L , Titanium , SS316LVM



Distal radius locking plate extra - articular

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
3/5	249TI.3.5R	249.3.5R	249LVM.3.5R	3/5	249TI.3.5L	249.3.5L	249LVM.3.5L
5/5	249TI.5.5R	249.5.5R	249LVM.5.5R	5/5	249TI.5.5L	249.5.5L	249LVM.5.5L
3/4	249TI.3.4R	249.3.4R	249LVM.3.4R	3/4	249TI.3.4L	249.3.4L	249LVM.3.4L
5/4	249TI.5.4R	249.5.4R	249LVM.5.4R	5/4	249TI.5.4L	249.5.4L	249LVM.5.4L

Material : SS316L , Titanium , SS316LVM



Distal radius locking plate variable angle

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
2	250TI.02R	250.02R	250LVM.02R	2	250TI.02L	250.02L	250LVM.02L
3	250TI.03R	250.03R	250LVM.03R	3	250TI.03L	250.03L	250LVM.03L
4	250TI.04R	250.04R	250LVM.04R	4	250TI.04L	250.04L	250LVM.04L
5	250TI.05R	250.05R	250LVM.05R	5	250TI.05L	250.05L	250LVM.05L

Material : SS316L , Titanium , SS316LVM



Distal radius kopis locking plate standard

Sizes and reference codes

Sizes Hole	Right			Sizes Hole	Left		
	Titanium	SS316L	SS316LVM		Titanium	SS316L	SS316LVM
2	251TI.02R	251.02R	251LVM.02R	2	251TI.02L	251.02L	251LVM.02L
3	251TI.03R	251.03R	251LVM.03R	3	251TI.03L	251.03L	251LVM.03L
4	251TI.04R	251.04R	251LVM.04R	4	251TI.04L	251.04L	251LVM.04L
5	251TI.05R	251.05R	251LVM.05R	5	251TI.05L	251.05L	251LVM.05L
6	251TI.06R	251.06R	251LVM.06R	6	251TI.06L	251.06L	251LVM.06L
7	251TI.07R	251.07R	251LVM.07R	7	251TI.07L	251.07L	251LVM.07L
8	251TI.08R	251.08R	251LVM.08R	8	251TI.08L	251.08L	251LVM.08L

Material : SS316L , Titanium , SS316LVM



Distal radius kopis locking plate wide

Sizes and reference codes

Right				Left			
Sizes Hole	Titanium	SS316L	SS316LVM	Sizes Hole	Titanium	SS316L	SS316LVM
2	252TI/.02R	252.02R	252LVM.02R	2	252TI.02L	252.02L	252LVM.02L
3	252TI.03R	252.03R	252LVM.03R	3	252TI.03L	252.03L	252LVM.03L
4	252TI.04R	252.04R	252LVM.04R	4	252TI.04L	252.04L	252LVM.04L
5	252TI.05R	252.05R	252LVM.05R	5	252TI.05L	252.05L	252LVM.05L
6	252TI.06R	252.06R	252LVM.06R	6	252TI.06L	252.06L	252LVM.06L
7	252TI.07R	252.07R	252LVM.07R	7	252TI.07L	252.07L	252LVM.07L
8	252TI.08R	252.08R	252LVM.08R	8	252TI.08L	252.08L	252LVM.08L

Material : SS316L , Titanium , SS316LVM

2.7mm locking screw self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	301TI.10	301.10	301LVM.10	32	301TI.32	301.32	301LVM.32
12	301TI.12	301.12	301LVM.12	34	301TI.34	301.34	301LVM.34
14	301TI.14	301.14	301LVM.14	36	301TI.36	301.36	301LVM.36
16	301TI.16	301.16	301LVM.16	38	301TI.38	301.38	301LVM.38
18	301TI.18	301.18	301LVM.18	40	301TI.40	301.40	301LVM.40
20	301TI.20	301.20	301LVM.20	42	301TI.42	301.42	301LVM.42
22	301TI.22	301.22	301LVM.22	44	301TI.44	301.44	301LVM.44
24	301TI.24	301.24	301LVM.24	46	301TI.46	301.46	301LVM.46
26	301TI.26	301.26	301LVM.26	48	301TI.48	301.48	301LVM.48
28	301TI.28	301.28	301LVM.28	50	301TI.50	301.50	301LVM.50
30	301TI.30	301.30	301LVM.30				

Material : SS316L , Titanium , SS316LVM

3.5mm locking screw self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	302TI.10	302.10	302LVM.10	36	302TI.36	302.36	302LVM.36
12	302TI.12	302.12	302LVM.12	38	302TI.38	302.38	302LVM.38
14	302TI.14	302.14	302LVM.14	40	302TI.40	302.40	302LVM.40
16	302TI.16	302.16	302LVM.16	42	302TI.42	302.42	302LVM.42
18	302TI.18	302.18	302LVM.18	44	302TI.44	302.44	302LVM.44
20	302TI.20	302.20	302LVM.20	46	302TI.46	302.46	302LVM.46
22	302TI.22	302.22	302LVM.22	48	302TI.48	302.48	302LVM.48
24	302TI.24	302.24	302LVM.24	50	302TI.50	302.50	302LVM.50
26	302TI.26	302.26	302LVM.26	52	302TI.52	302.52	302LVM.52
28	302TI.28	302.28	302LVM.28	54	302TI.54	302.54	302LVM.54
30	302TI.30	302.30	302LVM.30	56	302TI.56	302.56	302LVM.56
32	302TI.32	302.32	302LVM.32	58	302TI.58	302.58	302LVM.58
34	302TI.34	302.34	302LVM.34	60	302TI.60	302.60	302LVM.60

Material : SS316L , Titanium , SS316LVM

5.0mm locking screw self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	303TI.10	303.10	303LVM.10	44	303TI.44	303.44	303LVM.44
12	303TI.12	303.12	303LVM.12	46	303TI.46	303.46	303LVM.46
14	303TI.14	303.14	303LVM.14	48	303TI.48	303.48	303LVM.48
16	303TI.16	303.16	303LVM.16	50	303TI.50	303.50	303LVM.50
18	303TI.18	303.18	303LVM.18	52	303TI.52	303.52	303LVM.52
20	303TI.20	303.20	303LVM.20	54	303TI.54	303.54	303LVM.54
22	303TI.22	303.22	303LVM.22	56	303TI.56	303.56	303LVM.56
24	303TI.24	303.24	303LVM.24	58	303TI.58	303.58	303LVM.58
26	303TI.26	303.26	303LVM.26	60	303TI.60	303.60	303LVM.60
28	303TI.28	303.28	303LVM.28	62	303TI.62	303.62	303LVM.62
30	303TI.30	303.30	303LVM.30	64	303TI.64	303.64	303LVM.64
32	303TI.32	303.32	303LVM.32	66	303TI.66	303.66	303LVM.66
34	303TI.34	303.34	303LVM.34	68	303TI.68	303.68	303LVM.68
36	303TI.36	303.36	303LVM.36	70	303TI.70	303.70	303LVM.70
38	303TI.38	303.38	303LVM.38	75	303TI.75	303.75	303LVM.75
40	303TI.40	303.40	303LVM.40	80	303TI.80	303.80	303LVM.80
42	303TI.42	303.42	303LVM.42				

Material : SS316L , Titanium , SS316LVM

3.5mm Cancellous locking screw self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	304TI.25	304.25	304LVM.25	60	304TI.60	304.60	304LVM.60
30	304TI.30	304.30	304LVM.30	65	304TI.65	304.65	304LVM.65
35	304TI.35	304.35	304LVM.35	70	304TI.70	304.70	304LVM.70
40	304TI.40	304.40	304LVM.40	75	304TI.75	304.75	304LVM.75
45	304TI.45	304.45	304LVM.45	80	304TI.80	304.80	304LVM.80
50	304TI.50	304.50	304LVM.50	85	304TI.85	304.85	304LVM.85
55	304TI.55	304.55	304LVM.55	90	304TI.90	304.90	304LVM.90

Material : SS316L , Titanium , SS316LVM

5.0mm Cancellous locking screw self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	305TI.25	305.25	305LVM.25	60	305TI.60	305.60	305LVM.60
30	305TI.30	305.30	305LVM.30	65	305TI.65	305.65	305LVM.65
35	305TI.35	305.35	305LVM.35	70	305TI.70	305.70	305LVM.70
40	305TI.40	305.40	305LVM.40	75	305TI.75	305.75	305LVM.75
45	305TI.45	305.45	305LVM.45	80	305TI.80	305.80	305LVM.80
50	305TI.50	305.50	305LVM.50	85	305TI.85	305.85	305LVM.85
55	305TI.55	305.55	305LVM.55	90	305TI.90	305.90	305LVM.90

Material : SS316L , Titanium , SS316LVM

Spacer



Wire mount



Sizes and reference codes

Spacer				Wire mount			
Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
3.5	306TI.3.5	306.3.5	306LVM.3.5	3.5	307TI.3.5	307.3.5	307LVM.3.5
5.0	306TI.5.0	306.5.0	306LVM.5.0	5.0	307TI.5.0	307.5.0	307LVM.5.0

Material : SS316L , Titanium , SS316LVM

We are all about

QUALITY YOU CAN TRUST



Notes

powered by

RK ENTERPRISES | Manufacturer and exporter of orthopedic implants



Plot No. 543, Ground Floor, G.I.D.C. Estate, Wagodia G.I.D.C.,
Wagodia, Vadodara - 391760, Gujarat (India)

02668 - 297543 | +91 90 8231 5030

www.rkortho.in | info@rkortho.in



Point your camera at the QR Code on the left and **save our contact** details in **one click**.
make sure you have an active internet connection
