



a premium range of
CDSCO medical device approved

trauma implants

non - locking screws system

TRAUMA IMPLANTS MANUFACTURING IN INDIA

**SINCE
1985**



R.K. ENTERPRISES

Leveraging science and technology in the manufacturing of orthopaedic implants and Instruments, R.K. Enterprises has been a promoter of wellness and global health since its inception.

The company established in 1985, located in Vadodara, Gujarat was ignited with the vision of young entrepreneur Mr. Rajesh Parmar who wanted to contribute to global healthcare with his knowledge and skills and produce premium range of quality products at an affordable cost. With over 30 years of experience, R.K. Enterprises is now one of the most preferred and trusted brands by healthcare experts and vendors across the world.

To produce diligent quality of products we use best in market SS316L, SS316LVM and Titanium material. Our production and validation procedures ensure robust, safe to use products which are reliable for many years. Till date we have produced and provided countless products worldwide enabling freedom of movement to numerous lives.

"I have dedicated my life to producing affordable and quality ortho products in India. I will continue to thrive for the rest of my life excelling this art and to keep marking a global benchmark with our products."



Director - Mr. Rajesh Parmar



2.7mm Cortical screw self tapping

Sizes and reference codes



Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	101TI.10	101.10	101LVM.10	26	101TI.26	101.26	101LVM.26
12	101TI.12	101.12	101LVM.12	28	101TI.28	101.28	101LVM.28
14	101TI.14	101.14	101LVM.14	30	101TI.30	101.30	101LVM.30
16	101TI.16	101.16	101LVM.16	32	101TI.32	101.32	101LVM.32
18	101TI.18	101.18	101LVM.18	34	101TI.34	101.34	101LVM.34
20	101TI.20	101.20	101LVM.20	36	101TI.36	101.36	101LVM.36
22	101TI.22	101.22	101LVM.22	38	101TI.38	101.38	101LVM.38
24	101TI.24	101.24	101LVM.24	40	101TI.40	101.40	101LVM.40

Material : SS316L,Titanium,SS316LVM

3.5mm Cortical screw 14 TPI self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	102TI.10	102.10	102LVM.10	32	102TI.32	102.32	102LVM.32
12	102TI.12	102.12	102LVM.12	34	102TI.34	102.34	102LVM.34
14	102TI.14	102.14	102LVM.14	36	102TI.36	102.36	102LVM.36
16	102TI.16	102.16	102LVM.16	38	102TI.38	102.38	102LVM.38
18	102TI.18	102.18	102LVM.18	40	102TI.40	102.40	102LVM.40
20	102TI.20	102.20	102LVM.20	42	102TI.42	102.42	102LVM.42
22	102TI.22	102.22	102LVM.22	44	102TI.44	102.44	102LVM.44
24	102TI.24	102.24	102LVM.24	46	102TI.46	102.46	102LVM.46
26	102TI.26	102.26	102LVM.26	48	102TI.48	102.48	102LVM.48
28	102TI.28	102.28	102LVM.28	50	102TI.50	102.50	102LVM.50
30	102TI.30	102.30	102LVM.30				

Material : SS316L,Titanium,SS316LVM

3.5mm Cortical screw 20 TPI self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	103TI.10	103.10	103LVM.10	32	103TI.32	103.32	103LVM.32
12	103TI.12	103.12	103LVM.12	34	103TI.34	103.34	103LVM.34
14	103TI.14	103.14	103LVM.14	36	103TI.36	103.36	103LVM.36
16	103TI.16	103.16	103LVM.16	38	103TI.38	103.38	103LVM.38
18	103TI.18	103.18	103LVM.18	40	103TI.40	103.40	103LVM.40
20	103TI.20	103.20	103LVM.20	42	103TI.42	103.42	103LVM.42
22	103TI.22	103.22	103LVM.22	44	103TI.44	103.44	103LVM.44
24	103TI.24	103.24	103LVM.24	46	103TI.46	103.46	103LVM.46
26	103TI.26	103.26	103LVM.26	48	103TI.48	103.48	103LVM.48
28	103TI.28	103.28	103LVM.28	50	103TI.50	103.50	103LVM.50
30	103TI.30	103.30	103LVM.30				

Material : SS316L,Titanium,SS316LVM

4.5mm Cortical screw self tapping



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
12	104TI.12	104.12	104LVM.12	38	104TI.38	104.38	104LVM.38
14	104TI.14	104.14	104LVM.14	40	104TI.40	104.40	104LVM.40
16	104TI.16	104.16	104LVM.16	42	104TI.42	104.42	104LVM.42
18	104TI.18	104.18	104LVM.18	44	104TI.44	104.44	104LVM.44
20	104TI.20	104.20	104LVM.20	46	104TI.46	104.46	104LVM.46
22	104TI.22	104.22	104LVM.22	48	104TI.48	104.48	104LVM.48
24	104TI.24	104.24	104LVM.24	50	104TI.50	104.50	104LVM.50
26	104TI.26	104.26	104LVM.26	52	104TI.52	104.52	104LVM.52
28	104TI.28	104.28	104LVM.28	54	104TI.54	104.54	104LVM.54
30	104TI.30	104.30	104LVM.30	56	104TI.56	104.56	104LVM.56
32	104TI.32	104.32	104LVM.32	58	104TI.58	104.58	104LVM.58
34	104TI.34	104.34	104LVM.34	60	104TI.60	104.60	104LVM.60
36	104TI.36	104.36	104LVM.36				

Material : SS316L,Titanium,SS316LVM

4.0mm Cancellous screw 16 thread



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	105TI.10	105.10	105LVM.10	28	105TI.28	105.28	105LVM.28
12	105TI.12	105.12	105LVM.12	30	105TI.30	105.30	105LVM.30
14	105TI.14	105.14	105LVM.14	35	105TI.35	105.35	105LVM.35
16	105TI.16	105.16	105LVM.16	40	105TI.40	105.40	105LVM.40
18	105TI.18	105.18	105LVM.18	45	105TI.45	105.45	105LVM.45
20	105TI.20	105.20	105LVM.20	50	105TI.50	105.50	105LVM.50
22	105TI.22	105.22	105LVM.22	55	105TI.55	105.55	105LVM.55
24	105TI.24	105.24	105LVM.24	60	105TI.60	105.60	105LVM.60
26	105TI.26	105.26	105LVM.26				

Material : SS316L, Titanium, SS316LVM

4.0mm Cancellous screw full thread



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	106TI.10	106.10	106LVM.10	28	106TI.28	106.28	106LVM.28
12	106TI.12	106.12	106LVM.12	30	106TI.30	106.30	106LVM.30
14	106TI.14	106.14	106LVM.14	35	106TI.35	106.35	106LVM.35
16	106TI.16	106.16	106LVM.16	40	106TI.40	106.40	106LVM.40
18	106TI.18	106.18	106LVM.18	45	106TI.45	106.45	106LVM.45
20	106TI.20	106.20	106LVM.20	50	106TI.50	106.50	106LVM.50
22	106TI.22	106.22	106LVM.22	55	106TI.55	106.55	106LVM.55
24	106TI.24	106.24	106LVM.24	60	106TI.60	106.60	106LVM.60
26	106TI.26	106.26	106LVM.26				

Material : SS316L,Titanium,SS316LVM

6.5mm Cancellous screw 16 thread




Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	107TI.25	107.25	107LVM.25	65	107TI.65	107.65	107LVM.65
30	107TI.30	107.30	107LVM.30	70	107TI.70	107.70	107LVM.70
35	107TI.35	107.35	107LVM.35	75	107TI.75	107.75	107LVM.75
40	107TI.40	107.40	107LVM.40	80	107TI.80	107.80	107LVM.80
45	107TI.45	107.45	107LVM.45	85	107TI.85	107.85	107LVM.85
50	107TI.50	107.50	107LVM.50	90	107TI.90	107.90	107LVM.90
55	107TI.55	107.55	107LVM.55	95	107TI.95	107.95	107LVM.95
60	107TI.60	107.60	107LVM.60	100	107TI.100	107.100	107LVM.100

Material : SS316L,Titanium,SS316LVM

6.5mm Cancellous screw 32 thread




Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	108TI.25	108.25	108LVM.25	65	108TI.65	108.65	108LVM.65
30	108TI.30	108.30	108LVM.30	70	108TI.70	108.70	108LVM.70
35	108TI.35	108.35	108LVM.35	75	108TI.75	108.75	108LVM.75
40	108TI.40	108.40	108LVM.40	80	108TI.80	108.80	108LVM.80
45	108TI.45	108.45	108LVM.45	85	108TI.85	108.85	108LVM.85
50	108TI.50	108.50	108LVM.50	90	108TI.90	108.90	108LVM.90
55	108TI.55	108.55	108LVM.55	95	108TI.95	108.95	108LVM.95
60	108TI.60	108.60	108LVM.60	100	108TI.100	108.100	108LVM.100

Material : SS316L,Titanium,SS316LVM

6.5mm Cancellous screw full thread



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	109TI.25	109.25	109LVM.25	65	109TI.65	109.65	109LVM.65
30	109TI.30	109.30	109LVM.30	70	109TI.70	109.70	109LVM.70
35	109TI.35	109.35	109LVM.35	75	109TI.75	109.75	109LVM.75
40	109TI.40	109.40	109LVM.40	80	109TI.80	109.80	109LVM.80
45	109TI.45	109.45	109LVM.45	85	109TI.85	109.85	109LVM.85
50	109TI.50	109.50	109LVM.50	90	109TI.90	109.90	109LVM.90
55	109TI.55	109.55	109LVM.55	95	109TI.95	109.95	109LVM.95
60	109TI.60	109.60	109LVM.60	100	109TI.100	109.100	109LVM.100

Material : SS316L,Titanium,SS316LVM

4.0mm Cannulated Cancellous screw 16 thread



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	110TI.10	110.10	110LVM.10	35	110TI.35	110.35	110LVM.35
12	110TI.12	110.12	110LVM.12	40	110TI.40	110.40	110LVM.40
14	110TI.14	110.14	110LVM.14	45	110TI.45	110.45	110LVM.45
16	110TI.16	110.16	110LVM.16	50	110TI.50	110.50	110LVM.50
18	110TI.18	110.18	110LVM.18	55	110TI.55	110.55	110LVM.55
20	110TI.20	110.20	110LVM.20	60	110TI.60	110.60	110LVM.60
22	110TI.22	110.22	110LVM.22	65	110TI.65	110.65	110LVM.65
24	110TI.24	110.24	110LVM.24	70	110TI.70	110.70	110LVM.70
26	110TI.26	110.26	110LVM.26	75	110TI.75	110.75	110LVM.75
28	110TI.28	110.28	110LVM.28	80	110TI.80	110.80	110LVM.80
30	110TI.30	110.30	110LVM.30				

Material : SS316L,Titanium,SS316LVM

4.0mm Cannulated Cancellous screw full thread



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	111TI.10	111.10	111LVM.10	35	111TI.35	111.35	111LVM.35
12	111TI.12	111.12	111LVM.12	40	111TI.40	111.40	111LVM.40
14	111TI.14	111.14	111LVM.14	45	111TI.45	111.45	111LVM.45
16	111TI.16	111.16	111LVM.16	50	111TI.50	111.50	111LVM.50
18	111TI.18	111.18	111LVM.18	55	111TI.55	111.55	111LVM.55
20	111TI.20	111.20	111LVM.20	60	111TI.60	111.60	111LVM.60
22	111TI.22	111.22	111LVM.22	65	111TI.65	111.65	111LVM.65
24	111TI.24	111.24	111LVM.24	70	111TI.70	111.70	111LVM.70
26	111TI.26	111.26	111LVM.26	75	111TI.75	111.75	111LVM.75
28	111TI.28	111.28	111LVM.28	80	111TI.80	111.80	111LVM.80
30	111TI.30	111.30	111LVM.30				

Material : SS316L,Titanium,SS316LVM

6.5mm Cannulated Cancellous screw 16 thread



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	112TI.25	112.25	112LVM.25	65	112TI.65	112.65	112LVM.65
30	112TI.30	112.30	112LVM.30	70	112TI.70	112.70	112LVM.70
35	112TI.35	112.35	112LVM.35	75	112TI.75	112.75	112LVM.75
40	112TI.40	112.40	112LVM.40	80	112TI.80	112.80	112LVM.80
45	112TI.45	112.45	112LVM.45	85	112TI.85	112.85	112LVM.85
50	112TI.50	112.50	112LVM.50	90	112TI.90	112.90	112LVM.90
55	112TI.55	112.55	112LVM.55	95	112TI.95	112.95	112LVM.95
60	112TI.60	112.60	112LVM.60	100	112TI.100	112.100	112LVM.100

Material : SS316L,Titanium,SS316LVM

6.5mm Cannulated Cancellous screw 32 thread




Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	113TI.25	113.25	113LVM.25	65	113TI.65	113.65	113LVM.65
30	113TI.30	113.30	113LVM.30	70	113TI.70	113.70	113LVM.70
35	113TI.35	113.35	113LVM.35	75	113TI.75	113.75	113LVM.75
40	113TI.40	113.40	113LVM.40	80	113TI.80	113.80	113LVM.80
45	113TI.45	113.45	113LVM.45	85	113TI.85	113.85	113LVM.85
50	113TI.50	113.50	113LVM.50	90	113TI.90	113.90	113LVM.90
55	113TI.55	113.55	113LVM.55	95	113TI.95	113.95	113LVM.95
60	113TI.60	113.60	113LVM.60	100	113TI.100	113.100	113LVM.100

Material : SS316L,Titanium,SS316LVM

6.5mm Cannulated Cancellous screw full thread



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	114TI.25	114.25	114LVM.25	65	114TI.65	114.65	114LVM.65
30	114TI.30	114.30	114LVM.30	70	114TI.70	114.70	114LVM.70
35	114TI.35	114.35	114LVM.35	75	114TI.75	114.75	114LVM.75
40	114TI.40	114.40	114LVM.40	80	114TI.80	114.80	114LVM.80
45	114TI.45	114.45	114LVM.45	85	114TI.85	114.85	114LVM.85
50	114TI.50	114.50	114LVM.50	90	114TI.90	114.90	114LVM.90
55	114TI.55	114.55	114LVM.55	95	114TI.95	114.95	114LVM.95
60	114TI.60	114.60	114LVM.60	100	114TI.100	114.100	114LVM.100

Material : SS316L,Titanium,SS316LVM

4.5mm Malleolar screw



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
25	115TI.25	115.25	115LVM.25	55	115TI.55	115.55	115LVM.55
30	115TI.30	115.30	115LVM.30	60	115TI.60	115.60	115LVM.60
35	115TI.35	115.35	115LVM.35	65	115TI.65	115.65	115LVM.65
40	115TI.40	115.40	115LVM.40	70	115TI.70	115.70	115LVM.70
45	115TI.45	115.45	115LVM.45	75	115TI.75	115.75	115LVM.75
50	115TI.50	115.50	115LVM.50	80	115TI.80	115.80	115LVM.80

Material : SS316L,Titanium,SS316LVM

Herbert screw



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
10	116TI.10	116.10	116LVM.10	32	116TI.32	116.32	116LVM.32
12	116TI.12	116.12	116LVM.12	34	116TI.34	116.34	116LVM.34
14	116TI.14	116.14	116LVM.14	36	116TI.36	116.36	116LVM.36
16	116TI.16	116.16	116LVM.16	38	116TI.38	116.38	116LVM.38
18	116TI.18	116.18	116LVM.18	40	116TI.40	116.40	116LVM.40
20	116TI.20	116.20	116LVM.20	42	116TI.42	116.42	116LVM.42
22	116TI.22	116.22	116LVM.22	44	116TI.44	116.44	116LVM.44
24	116TI.24	116.24	116LVM.24	46	116TI.46	116.46	116LVM.46
26	116TI.26	116.26	116LVM.26	48	116TI.48	116.48	116LVM.48
28	116TI.28	116.28	116LVM.28	50	116TI.50	116.50	116LVM.50
30	116TI.30	116.30	116LVM.30				

Material : SS316L,Titanium,SS316LVM

DHS screw 12.5mm



Sizes and reference codes

Length mm	Titanium	SS316L	SS316LVM	Length mm	Titanium	SS316L	SS316LVM
50	117TI.50	117.50	117LVM.50	85	117TI.85	117.85	117LVM.85
55	117TI.55	117.55	117LVM.55	90	117TI.90	117.90	117LVM.90
60	117TI.60	117.60	117LVM.60	95	117TI.95	117.95	117LVM.95
65	117TI.65	117.65	117LVM.65	100	117TI.100	117.100	117LVM.100
70	117TI.70	117.70	117LVM.70	105	117TI.105	117.105	117LVM.105
75	117TI.75	117.75	117LVM.75	110	117TI.110	117.110	117LVM.110
80	117TI.80	117.80	117LVM.80	120	117TI.120	117.120	117LVM.120

Material : SS316L,Titanium,SS316LVM

Washer for screws



Sizes and reference codes

Dia. mm	Titanium	SS316L	SS316LVM	Dia. mm	Titanium	SS316L	SS316LVM
4.0	118TI.04	118.04	118LVM.04	6.5	118TI.6.5	118.6.5	118LVM.6.5

Material : SS316L,Titanium,SS316LVM

We are all about

QUALITY YOU CAN TRUST

Notes

powered by



RK ENTERPRISES | Manufacturer and exporter of orthopedic implants

Plot No. 543, Ground Floor, G.I.D.C. Estate, Wagodia G.I.D.C.,
Wagodia, Vadodara - 391760, Gujarat (India)

02668 - 297543 | +91 90 8231 5030

www.rkortho.in | info@rkortho.in



Point your camera at the QR Code on the left and **save our contact** details in **one click**.
make sure you have an active internet connection
