

**Committed to better
veterinary healthcare.....**



**SANKUR
PHARMACEUTICALS**

Anti Inflammatory Analgesic Drugs

A Complete range of veterinary Products



DICLOSAN-NP INJ.



Indication

- Musculoskeletal Disorder
- Mastitis
- Pyrexia of Unknown Origin
- Lameness
- Fever and other Pyrexinc conditions
- Myositis

Each ml contains :

Nimesulide	B.P.	100 mg.
Paracetamol	I.P.	150 mg.
Propylene glycol	I.P.L	q.s.

Presentation : 30ml., 50ml., 100 ml.



DICLOSAN-NP BOLUS

DICLOSAN-NP has all major factor for controlling acute and chronic inflammation, pain and fever

DICLOSAN-NP is a selective cox-2 inhibitor and having the negligible effect on cox-1 as compare to other NSAIDS

DICLOSAN-NP reduces gastrointestinal side effects including dyspepsia diarrhoea & abdominal pain

DICLOSAN-NP is long Acting Anti-inflammatory Analgesic along with excellent antipyretic response

DICLOSAN-NP is rapid onset of action within 15 minutes from drug intake

DICLOSAN-NP has controlled effect and constant rate of absorption for desired period of time, ensures maintains the degree of bioavailability

Each uncoated bolus contains :

Nimesulide	B.P.	400 mg.
Paracetamol	I.P.	1500 mg.
Excipient		q.s.

Packing : 12x4 Bolus



DICLOSAN-P INJ.

DICLOSAN-P INJ is having propylene glycol, which adsorb the water from tissue due to that bacteria kills.

DICLOSAN-P INJ also makes maximum contact with tissue.

DICLOSAN-P INJ convenient and least painful intramuscular administration due to local anaesthetic, i.e. lignocaine.

DICLOSAN-P INJ synergistic combination of Meloxicam and Paracetamol, provides Excellent Antipyretic anti-inflammatory and Analgesic Effect without unwanted side effects on G.I. Renal and Circulatory System

DICLOSAN-P INJ sharp decline in temperature in just two hours along with excellent anti-inflammation and Analgesic.

DICLOSAN-P INJ safe in pregnant and young animals also.

DICLOSAN-P INJ long acting Anti-inflammatory analgesic with outstanding, antipyretic response.

DICLOSAN-P INJ excellent anti exudative action, Rapid on set of action.

Each ml contains :

Meloxicam	B.P.	5 mg.
Paracetamol	I.P.	150 mg.
Banzyl Alcohol	B.P.	1% w/v
Lignocaine HCl	I.P.	1% w/v

PACKING : 30 ml. & 100 ml.



DICLOSAN-P BOLUS

Indication

- Fever and other Pyrexia condition
- Myositis
- Prolapse of Uterus
- Mastitis
- Musculoskeletal disorder
- Lameness
- Pneumonia

Each Diclosan-P Bolus contains :

Meloxicam	B.P.	100 mg.
Paracetamol	I.P.	1500 mg.

DOSE : One Bolus B.I.D. for 4 days.

Packing : 12x4 Bolus



KILLER-M MELOXICAM BOLUS

Indication

- Non teratogenic - No effect on fertility - Offers good tolerability
- Non-carcinogenic and non-mutagenic
- Rapid onset of action, long acting advantage and usefulness as a logicals partner to antibiotic therapy.

THE MOST POWERFUL NSAID REMARKABLE ANTI-INFLAMMATORY & ANALGESIC EFFICACY

DOSE : Large Animals : 2 bolus
Small animals : ½ to 1 bolus

PACKING : 8x4 Bolus



KILLER-M MELOXICAM INJ.

Indication

- Non-teratogenic.
- No effect on fertility
- Offers good tolerability.
- Non-carcinogenic and non-mutagenic.
- Rapid onset of action, long acting advantage and - usefulness as a logical partner to antibiotic therapy.

THE MOST POWERFUL NSAID REMARKABLE ANTI-INFLAMMATORY & ANALGESIC EFFICACY

DOSE : Cow, Buffalo, Horse, Sheep & Goat
1 ml./10 Kg. bwt (respiratory inflammation & Prolapse)
1 ml./25 kg. bwt (other conditions) Sheep, Goat, Dog : 1ml/10 kg. bwt

PACKING : 30 ml. & 100 ml.

SANKAR PHARMACEUTICAL

Dewormers



SANVECT BOLUS

A PERFECT DOSE WITH MOST ECONOMICAL PRICE

Sanvect bolus is perfectly works against all type of ecto parasites.

Each bolus contains :
Ivermectin I.P. 100 mg.
PACKING : 10 X 4 BOLUS



SANVECT INJ.

Each ml contains :

Ivermectin	B.P.	10 mg.
Benzyl Alcohol	I.P.	15 mg.
Propylene Glycol	I.P.	q.s.

Sanvect for treatment and control of internal & external parasites.

DOSE : 1ml / 50 mg. B/W **PACKING :** 10 ml., 50 ml.



FLUKSAZ BOLUS A PERFECT ANTHELEMENTIC WITH PERFECT DOSE.

Indication

Oxyclozamide is effective against Faciolisheptica for which Facialis caused
Albendazole is effective against all type of Round worms, Loung worms, Tape Worms.
Therefore FLUKSAZ is a complete broad spectrum dewormer for the treatment of worms.

Each ml contains :

Oxyclozamide I.P.	3 gm.
Albendazole I.P.	3 gm.

PACKING : Single pack of 6gm. bolus



SAZ SUSP.

Indication

Kills worms at all stage of its life cycle.
Protects against the risk of reinfection.
In many cases like Hook Worm, Ascasis & Enterobiasis.
Offers broader spectrum of activity than Mebendazole.

Each ml contains :

Albendazole 25 mg.

DOSE : Cattle : 7.5 -15 mg/kg body wt. Sheep & Goat : 5-7.5 mg./kg body wt.

PACKING : 30 ml., 120 ml. & 1000 ml.



SAZ -3 BOLUS

A BROAD SPECTRUM ANTIHELMENTHIC

SAZ is effective in all stages of round worms, lung worms, tape worms & liver flukes.

SAZ help cattle and buffaloes to achieve maximum milk production.

Each bolus contains :

Albendazole I.P. 3000 mg.

PACKING : Single pack of 3 gm bolus with 3 tab. of SAZ 150 mg.

SANZOLE FORTE Bolus

Composition :

Calcium Phosphate	4.8 gms.	Cobalt Chloride	100 mg.
Vitamin D3	44000 I.U.	Vitamin A	72000 I.U.
Vitamin B12	220 mcg.	Vitamin E	288 mcg.
Leptadaenia Reticulate	300 mg.		

Why Bolus ?

- Economical Convenient Packing
- Easy in Dispensing
- Convenient feeding
- Avoiding Possibility of the breakage
- Dose uniformity
- Easy handling

Indications

- Prevents milk fever.
- Emaciation & general debility.
- Improves quality & quantity of milk.
- Useful in Pre & Post deworming period.
- Supportive therapy in pregnancy & Pice.
- Ideal tonic & growth Stimulant.
- Anaemia, Prevents rickets.

SANZOLE FORTE

- Ensure proper growth of neuro muscular system milk synthesis and Egg shell formation
- Regularises body functions & early puberty.
- Essential Vitamins Enhances body metabolism and absorption of minerals.
- Ensure proper blood formation & growth.
- Stimulates Genitomammary system.
- Safe and Powerful Galactogogue & Lactogogue.
- Make animals healthy & economical .
- For early puberty & Egg formatting for proper pregnancy.
- Better milk yield.
- More milk products
- Economical, easy to administer & easy to handle



There is no need to mix vitamins



“ब मिलावा , न हिलाना, न पिलाना सिर्फ सेबजॉल फोर्ट ही खिलाना और दूध ही दूध पाना”

Single Answer for Complete Treatment at NO EXTRA COST



Antibiotics



AMPISAN-C PLUS INJ.

Ampisan-C Plus effective in :

- Respiratory Tract Infection
- Urinogenital Tract Infection
- Post surgical wounds
- Mastitis and Metritis
- Wounds Infection
- Other single or mixed infection
- Haemorrhagic septicaemia, foot rot

Each vial contains :

Ampicillin Sodium I.P.	1.5 gm.
Equivalent to Anhydrous Ampicillin	
Cloxacillin Sodium I.P.	1.5 gm.
Equivalent to Anhydrous Cloxacillin	



ENKUR INJ. THE 21ST CENTURY MOST PREFERRED ANTIBACTERIAL

INDICATIONS :

- Mycoplasmosis.
- Infections Coryza.
- Salmonellosis.
- Campylobacter Infection
- Colibacillosis.
- Pasteurellosis
- Staphyococcal Infection
- Mixed bacterial Infection.

Each ml. contains :

Enrofloxacin	100mg.
Benzyl Alcohol I.P.	1.5% v/v

DOSE & ADMINISTRATIONS : Administer at the rate of 1ml/20kg body wt. intramuscularly for 3-5 days for effective treatment of infection

PACKING : 15 ml., 30 ml. 100 ml.



ENKUR SOLUTION

Each ml. contains :

Enrofloxacin	100 mg.
Aqueous base	Q.S.

DOSE : As directed by the veterinarian

PACKING : 100 ml. & 500 ml.



SANCOPRIM BOLUS TWO EYES ARE NEEDED FOR PERFECT VISION

Bacterial infection of alimentary, respiratory, urinary and genital tract such as :

- Diarrhoea
- Enteritis
- Calf diptheria
- Pneumonia
- Bronchitis
- Metritis
- Pyometra
- Abortion
- Retention of placenta.
- Dystocia

Each vial contains :

Sulphamethoxazole I.P.	2.0 gm.
Trimethoprim I.P.	0.4 gm.



SANTRIM BOLUS ANTIBACTERIAL DRUG

INDICATIONS :

- Used in Urinary tract infection
- Calf Scours
- Neonatal Septicaemia
- Respiratory tract infection
- Neonatal Septicaemia
- Non-specific enteritis.

SANTRIM BOLUS cover gram positive & gram negative bacteria. It is used in renal disorder. Protein binding of SANTRIM is 58%

Each bolus contains :

Salphadiazine I.P.	2.0gm.
Trimethoprim I.P.	0.4 gm.

DOSE : Cow, Buffalo, Horse : 2 bolus
Small Animals : 1 bolus



Oxysan INJ.

Each ml. contains :

Oxytetracycline Hydrochloride I.P.	50 mg.
Propylene Glycol I.P.	Q.S.

DOSE : As directed by the veterinarian

PACKING : 30 ml. 100 ml. vials

Antibiotics



SANCEF-3 INJ.

INDICATIONS :

SANCEF-3 is useful in H.S. Pneumonia, Broncho Pneumonia.
SANCEF-3 is useful in bacterial septicemia serous bone & joint infections, Intra abdominal infections some lower R.T.I. & soft tissue infections.
SANCEF-3 is useful in Metritis, Mastitis, Pyometra, Cystitis & many other severe diseases

Each vial contains :

Ceftriaxone Sodium U.S.P.(Sterile)
 E.Q. to Ceftriaxone 3 gm.

DOSE & ADMINISTRATIONS : 5/10mg/kg body wt. daily by intramuscular I.V./I.M or SC route.. Dosage also depends upon type, site & severity of infections

PACKING : 3 gm. vial with 10 ml. sterile water for injections in single pack



SANCEF-4 INJ.

INDICATIONS :

SANCEF-4 is useful in H.S. Pneumonia, Broncho Pneumonia.
SANCEF-4 is useful in bacterial septicemia serous bone & joint infections, Intra abdominal infections some lower R.T.I. & soft tissue infections.
SANCEF-4 is useful in Metritis, Mastitis, Pyometra, Cystitis & many other severe diseases

Each vial contains :

Ceftriaxone Sodium U.S.P.(Sterile)
 E.Q. to Ceftriaxone 4 gm.

DOSE & ADMINISTRATIONS : 5/10mg/kg body wt. daily by intramuscular I.V./I.M or SC route.. Dosage also depends upon type, site & severity of infections

PACKING : 4 gm. vial with 10 ml. sterile water for injections in single pack



Soxel Plus (3.5gm) INJ. MOST POWERFUL COMBINATION OF TWO STUBBORN BACTERIA

INDICATIONS :

- Mastitis, Metritis, Black, Quarter, Pneumonia Septicaemia, Enteritis scors Pyelonephritis
- Respiratory Tract Infection (R.T.I) - Urinary Tract Infection
- Skin & Soft Tissue Infection - Bone Infection
- Septicaemia, Bacterial Endocarditis, Brain Abscess & in Neonatal infections
- Retained Placenta, Brucellosis, Wound & E.Coil Infection

Each vial contains :

Amoxycillin Sodium e.q. to Amoxycillin I.P. 1.75 gm.
 Cloxacillin Sodium e.q. to Cloxacillin I.P. 1.75 gm.

DOSE : 5-10 mg/ kg. body wt.



Soxel S (4.5 G.) INJ.

INDICATIONS :

SOXEL-S is supreme combination to combat stubborn bacteria
SOXEL-S is a potent combination of two drugs Amoxycillin & Sulbactam.
SOXEL-S which contains Sul7bactam Tadded to Amoxycillin over come the bacterial resistance.
SOXEL-S is highly potent bactericidal antibiotic and kills 99% of pathogenic bacteria in tissue in single exposer.
SOXEL-S has broad spectrum activity against Gm+ve, Gm-ve and also effective against Beta-lactamases producing bacteria.
 Sulbactam in **SOXEL-S** is a potent Beta-lactamases inhibitor shows the synergistic effect with Amoxycillin and able to inhibit all type of bacteria therefore **SOXEL-S** shows higher penetration and spread in mastitis udder.
SOXEL-S penetrations mastitis udder is deeper and higher thus **SOXEL-S** able to reach upto orgaism hidden in udder in alveoli.

Each vial contains :

Sterile Amoxycillin Sodium I.P. eq. to Amoxycillin 3 gm.

Sterile Sulbactam Sodium U.S.P. eq. to Sulbactam 1.5gm.



Soxel S (3G.) INJ.

INDICATIONS :

SOXEL-S is supreme combination to combat stubborn bacteria
SOXEL-S is a potent combination of two drugs Amoxycillin & Sulbactam.
SOXEL-S which contains Sul7bactam Tadded to Amoxycillin over come the bacterial resistance.
SOXEL-S is highly potent bactericidal antibiotic and kills 99% of pathogenic bacteria in tissue in single exposer.
SOXEL-S has broad spectrum activity against Gm+ve, Gm-ve and also effective against Beta-lactamases producing bacteria.
 Sulbactam in **SOXEL-S** is a potent Beta-lactamases inhibitor shows the synergistic effect with Amoxycillin and able to inhibit all type of bacteria therefore **SOXEL-S** shows higher penetration and spread in mastitis udder.
SOXEL-S penetrations mastitis udder is deeper and higher thus **SOXEL-S** able to reach upto orgaism hidden in udder in alveoli.

Each vial contains :

Sterile Amoxycillin Sodium I.P. eq. to Amoxycillin 2 gm.

Sterile Sulbactam Sodium U.S.P. eq. to Sulbactam 1gm.



Others



SANVIRUM BOLUS

SANVIRUM BOLUS is setial indigestion and to activate appetite quickly.
SANVIRUM BOLUS is to use dyspepsia, anorexia, simple indigestion etc.

Each bolus contains :
Antimony Potassium Tartrate U.S.P. 2.0gm.
Ferrous Sulphate I.P. 2.0 gm.
Cobalt chloride I.P. 100 mg.
Copper Sulphate I.P. 66.5 mg.

DOSE : 2 to 4 bolus daily for 3 to 4 days.

PRESENTATION : 12 x 4 bolus



LIVSAN INJ.

LIVSAN INJ. Protects the liver, or liver disorders & improves the body resistance.

LIVSAN INJ. corrects anorexia & treat G.I. atony & fatty liver.

LIVSAN INJ. improves appetite & reduces weakness & dability.

LIVSAN INJ. promotes carbohydrate, protein, energy metabolism & glucose.

LIVSAN INJ. improves feed conversion, milk, meat & egg production.

LIVSAN INJ. promotes amino acid utilisation, liver & enzyme function.

Each ml contains :
Thiamine Hydrochloride I.P. 10 gm.
Riboflavin I.P. 3 gm.
Niacinamide I.P. 100 mg.
Cyanocobalamin I.P. 10 mg.
Live Injection Crude I.P. 0.66ml.
(Having Vitamin B12 activity e.g. to 2 mcg. of Cyanocobalamin per ml.)

Benzyl Alcohol I.P. 1.5% w/v
Water for Injection I.P. q.s.

PACKING : 10 ml., 30 ml., 100 ml.



SANVIL INJ.

SANVIL provides immediately relief from all type of allergic manifestations.

SANVIL decreases the side effect or reaction of other drug.

SANVIL is used in dermatitis.

SANVIL reduces capillary permeability and Oedema formation.

Each ml contains :
Pheniramine I.P. 22.75 mg.
Maleate I.P. 0.135% w/v
Methyl Parahydroxy Benzoate I.P. 0.015% w/v
Propyl Parahydroxy Bezoate I.P. q.s.
Water for inj. q.s.

PACKING : 30 ml., 100 ml.



PRESAN DEPOT A RIGHT CHOICE FOR MASTITIS

PRESAN DEPOT is used in habitual abortion in early pregnancy in cattle and buffaloes.

PRESAN DEPOT is used in induction of oestrus in postpartum anoestrus condition in cattle and buffaloes.

PRESAN DEPOT used in repeat breeding.

PRESAN DEPOT is used in antepartum and postpartum prolapse of uterus.

Each 3 ml contains :
Hydroxy Progesterone Hexanoate I.P. 750 mg.
Oily Base q.s.



SANMIX FORTE POWDER (Mineral mixture)

- Improves both quality & quantity of milk.
- Prevents irregularity in lactation even causes failure of lactation.
- Used in general debility condition.
- Gives more & bigger eggs in poultry.
- Fulfills additional requirement of minerals in pregnancy period.
- Helps to recover debility weakness after pregnancy.
- Calcium with phosphorus, essential for calcification of bone & proper growth of muscles.
- Amino acid, promotes growth of animals.
- Minerals which are essential in function & all vital process of the body.

For proper dosage and to maintain efficacy Sanmix Forte provides 10 pouches of 100 gm. inside

DOSE : 20 to 30 gms. per dose for adult animals

PACKING : 10 pouch of 100 gm. in 1 kg. carry bag



Sanzole IM Calcium Injection

Composition :

Each ml contains :
Calcium Levulinat IP 76.4 mg
(equivalent to 10 mg ionic Calcium)
Cholecalciferol IP 5000 IU
Cyanocobalamin IP 50 mcg
Benzyl Alcohol IP 1.5% w/v
(as preservative)
Water for Injection IP q.s.

PACKING : 30 ml., 100 ml.

Our Contribution to Veterinary Field



SANGAN INJ.

IMMEDIATE ANSWER FOR BLOAT ANTISPASMODIC DRUG

Pitofenone Acts by powerful muscle relaxant action
Fenpiverinium Controls smooth muscles contractions.
Nimesulide Potentiates the action of antispasmodic drugs & provides the relief from pain & fever.

Each ml contains :

Nimesulide	B.P.	100 mg.
Pitofenone HCL		2.0 mg.
Fenpiverinium Bromide		0.02 mg.
Benzyl Alcohol I.P.		4.0% w/v
Water for inj. I.P.		Q.S.




SANGAN Bolus

SANGAN is useful in Dystocia.
SANGAN is useful Bloat condition.
SANGAN is useful for the treatment of Abdominal pains.
SANGAN relieves pain after manual removal of Retained placenta.
SANGAN is useful for prolapse of uterus, rectum or vagina.

Each uncoated bolus contains :

Nimesulide	I.P.	500 mg.
Pitofenone Hydrochloride		5 mg.
Fenpiverinium Bromide		0.1 mg.
Excipients		q.s.



TAXSAN-2 INJ.

TAXSAN-2 is very useful in R.T.I. U.T.I. Skin & soft tissue infection.
TAXSAN-2 is a drug of choice in pre & post surgery cases.
TAXSAN-2 is useful in treatment of mastitis.
TAXSAN-2 is useful in sepsis, endocarditis, meningitis prophylaxis, osteomyelitis.

Each vial contains :

Sterile cefotaxime sodium		
U.S.P. eq. to anhydrous		
Cefotaxime		2.0 gm

DOSE : Dosage, mode & frequency of administration depend upon severity of the infection.



LEVOSAN INJ.

Levosan is a 3rd generation fluoroquinolone antibiotic.
Levosan is a only fluoroquinolone antibiotic which is recommended by F.D.A. for the treatment of Pneumonia.
Levosan for the treatment of proven life threatening serious bacterial infection like, Pneumonia, H.S. Chronic Bronchitis.
Levosan is highly effective in complicated & uncomplicated U.T.I. infection.

Each ml contains :

Levofloxacin Hemihydrate	I.P.	100 mg.
Benzyl Alcohol	B.P.	1.5% W/W

Packing : 30 ml., 100 ml.

Dose : 1.5 mg. / BW I.M. for large animal
 5 mg. / BW I.V.



NT-Z BOLUS ONLY THREE WORDS CAN CHECK A DIARRHOEA I.e. NT-Z

NT-Z checks diarrhoea, dysentery.
NT-Z cure both specific & non-specific diarrhoea.
NT-Z is used in uro genital infections & G.I.T. infections.
NT-Z is used in amoebiasis, trichomoniasis, giardiasis and in anaerobic infection.



Each bolus contains :

Norflaxacin	I.P.	1200 mg.
Tinidazole	I.P.	1800 mg.

Dose : Large animal - 1 bolus B/D in acute disease
 1-2 Bolus B/D



FENDAZOLE PLUS Bolus ANTIHELMENTHICS

A unique & safe combination for complete treatment of external and internal parasites.

FENDAZOLE PLUS ensure proper growth, very effective in double & triple infections.
FENDAZOLE PLUS no remarkable side effects, highly safe & very easy to administer.
FENDAZOLE PLUS is highly effective in external parasites.

Each uncoated bolus contains :

Fenbendazole	I.P.	3 gm.
Ivermectin	I.P.	100 mg.



TAXSAN-S 4.5 INJ. First time in perfect dose with perfect combination for the treatment of MASTITIS and METRITIS.

TAXSAN-S has useful and broncho-Pneumonia, pneumonia.
TAXSAN-S is useful in UTI as Metritis, Nephritis, pyometra, Cystitis.
TAXSAN-S is useful in GIT as calf scours, enteritis, diarrhoea.
TAXSAN-S is useful in mastitis, meningitis, Skin & Soft tissue infections Pre & Post-operative surgery.

Each vial contains

Cefotaxime Sodium I.P. (Sterile)		
e.q. to Cefotaxime		3.0 gm.
Salbactam Sodium U.S.P. (Sterile)		
e.q. to Salbactam		1.5 gm.

DOSE : Dosage, mode & frequency of administration depend upon severity of the infection.



SAMAPT LIQUID

Samapt liquid is first Albendazole and Ivermectin combination in liquid form for complete treatment of external & internal parasites.

Each ml contains :

Albendazole I.P.	25mg.
Ivermectin I.P.	0.8 mg.

Dose : 90 ml. are single dose for large animal.

Packing : 90 ml.

NERVOSAN

INJ OF METHYLCOBALAMIN, PYRIDOXINE HCL & NICOTINAMIDE

INJECTION (VET)

Nervosan is containing methylcobalamin, pyridoxine & nicotinamide which are very much required for integrity for the nervous system and for normal liver functioning. **Nervosan** also act as a general tonic for animals.

METHYLCOBALAMIN

- * Methylcobalamin is superior over cynacobalamin, since cynacobalamin when administered the conversion in the liver is only partial. Methylcobalamin is better absorbed and stored in tissue.
- * Methylcobalamin (a synthetic version of vitamin B-12) is highly proven in treating and preventing following syndromes :-
 - (a) Chronic fatigue syndromes
 - (b) Protein carbohydrate, fat metabolism impairment
 - (c) Muscular dystrophy
 - (d) Peripheral neuropathy due to improper carbohydrate metabolism and other element.
 - (e) Improving t.cell function helping in immuno potentiating and boosting immunity.
 - (f) Regenerating R.B.C. by D.N.A. synthesis of all cells

PYRIDOXINE I.P.

- * After absorption pyridoxine is utilized as an aldehyde, helps in the formations of coenzymes. this enzymes are involved in the metabolism of proteins and amino acid.
- * Pyridoxine helps in multiplication of all cells
- * Deficiency of pyridoxine the muscle action is weak and poor nervous system occur
- * Due to Deficiency of pyridoxine anemia's are seen in pets.

NICOTINAMIDE

- * Nicotinamide is essential for formation of co enzyme I and coenzyme II which help in several oxidation process of metabolism and various chemical reaction.
- * The deficiency of nicotinamide causes gastro intestinal growth.
- * A shortage of nicotinamide also result in depression indigestion and Diarrhea.
- * Broadly nicotinamide helps in cell respiration and also helps in Preventing other sclerosis

INDICATION

- * **Nervosan** correct Neurological disorder e.g. nutritional neuritis dermatitis pregnancy and lactation.
- * **Nervosan** correct liver disorder like fatty liver and hepatitis.
- * **Nervosan** helps in R.B.C. formation and prevent all animals from anemia that's by Nervosan helps to improve milk production.
- * **Nervosan** improve proper multiplication of ruminal micro flora and to maintain the micro flora there by nervosan helps to over come from anorexia.
- * **Nervosan** help in hormone production there by nervosan helps to over come fertility problem and also maintaining good growth rate.
- * **Nervosan** helps in proper protein carbohydrate and fat metabolism.
- * **Nervosan** helps to fight diseases by boosting immunity.
- * **Nervosan** is a good supporting therapy in all debilitating diseases where animals journal health condition is to be maintained.

DOSAGE

Large animals 10 to 30 ml

Small animals 3 to 5 ml

Route of administration - Intramuscular / Intravenous

PRESENTATION

10 ML.

30 ML.



Our other products

Fertisan-Kit
(Clomifene + Copper Sulphate)

Sanzole Bolus

Flusksaz-T
(Oxyclozanide + Tetramesole)

Killi
(Cypermethrin)

Diclosan-CP Bolus
(Meloxicam Paracetamol
Chlorazozazone)

NTZ-I.U.
(Intera Utrine)

Closan -Inj.
(Closantel-50mg.
30ml, 100ml.)

For enquiry please contact :

SANKUR PHARMACEUTICALS

Subhash Street At & Post, NANA KALODRA 388630 Tal. Khambat, Distt. Anand (Guj.)

At : MPPL, Vill, Lalpur-263 148, Distt. U.S. Nagar (U.K.)

Ph. : 08979010701, 9997775260, 8171575555



• Visit us at : www.sankurpharma.com
• E-mail : sankurpharma@rediffmail.com