VISON LABS

Environmental Consultants & Analytical Services

Recognised by ISO/IEC 17025:2005 (NABL), MoEF & CC, FSSAI, NABET-QCI, ISO 9001 : 2015 & OHSAS 18001 : 2007.

## CERTIFICATE OF ANALYSIS

Issued To:		Issued Date	21.02.2019
Sri Gayathri Biotec.		Our Ref No	TC-506419000001118P
Near Ayyappa Swamy Temple,G.B.C road,Kattempudi, Ponnur-522124,Guntur Dt, Andhra Pradesh.		P.O No/Your Ref	As per discussion with Mr.Balaji
		PO Date/Ref date	13.02.2019
		Mode of Packing	Self Lock Cover
Sample description	Vermi Compost Batch No:22	Sample condition of testing	Found Ok
Appearance of the Sample Dark Brown to Black Color Powder		Sample Quantity	1.0 kg (Approxi)
Sample Collection Date	le Collection Date 13.02.2019		14.02.2019
Sample Registration Date and Time	13.02.2019 05.20 pm	Analysis Completion date	20.02.2019
Sample collected by Customer	Sent to Vison Labs	Sample	e Tested As Received Basis

## TEST RESULTS

S.No.	Characteristic	Units	Test Results	Specifications of Organic Fertilizers As per FCO -amended-2018	
1	Color		Dark Brown	Dark brown to Black	
2	Odor	IN LABS -VISON LA	Absence of foul odor	Absence of foul odor	
3	Particle size (On dry basis)	N LARS MISCEN LA N LARS THISCEN LA	95.2	Minimum 90% material should pass through 4.00mm IS sieve	
4 .	Bulk density	gr/cm <sup>2</sup>	0.82	0.7 - 0.9	
5	Moisture	ON LASS VISON LA	23.91	15.0-25.0	
6	Total Organic Carbon	percentage	19.35	18.0 minimum	
7	Total Nitrogen as N	by weight	1.71	1.0 minimum	
8	Total Phosphates as P <sub>2</sub> O <sub>5</sub>	IN LASS MISTERIA	1.08	0.8 minimum	
9	Total Potash as K <sub>2</sub> O	ONLATS VISINGLA	1.27	0.8 minimum	
10	Heavy Metals 1				
VISONU/ VISONU/ VISONU/ VISONU/	Cadmium as Cd	INULASS VISONILA	0.98	5.00 maximum	
	Chromium as Cr	mg/kg	12.54	50.00 maximum	
	Nickel as Ni	NIABS VISONILA	1.92	50.00 maximum	
	Lead as Pb	- MULARS MACHUA 1915 ASS MISONINA	6.79	100.00 maximum	

Note: 1. Analysis was done as per standard method prescribed by fertilizer control order 1985 and S.O.2803 (E) by ministry of agriculture, dated 03.11.2009. (As amended upto January 2018)

Checked by Sr. Chemist Authorized Signatory Page 01 of 01

## VL/QEHS/5. 10/TR

H.No. 16-11-23/37/A, Flat No. 205, 2nd Floor, Opp. R.T.A. Office, Musarambagh, Malakpet, Hyderabad - 500 036. Tel : 040-24544320, 24541338, Mob : 98491 10019 / 94408 41338, E-mail : Info@visonlabs.com, vison.labs@gmail.com NOTE : This Report is subject to the terms and conditions mentioned overleaf.