



HOSPITECH

Technology for Life

Improving Lives
with Innovation



HOSPILITE *Carina 4 Mobile*



HOSPILITE *Carina 4 Mobile*

Specification	Carina 4 Mobile
Light Intensity at 1 mtr. Distance	125000 Lux
Colour Temperature	4500 K
Colour Rendering Index (CRI)	95 to 97
Life of LED's	50000 Hours
Dimming Range	25 to 100%
Temp. rise in area of surgeon head	1°C
No. of LED's	48 Nos.
Operating Voltage	220v/50Hz



HOSPITECH
Technology for Life

HOSPILITE Carina / Orion Mobile O.T. Light

Mobile LED O.T. Light mounted on movable rugged stand. Integrated low voltage transformer in the base. Digital Intensity Controller mounted on dome & Remote Control.

- * Energy efficient, homogenous & shadow free light.
- * Long life cycle & high illumination of LED Light.
- * Streamline shape for minimum air resistance.
- * IR and UV free light for low heat generation.
- * Multi-lens matrix for optimum backlighting.
- * Focusing through central sterilizable handle.



HOSPILITE Orion 3 Mobile

Combination of white & warm white LED's


Technical Data:-

Specification	Orion 3 Mobile
Light Intensity at 1 mtr. Distance	1,00,000 Lux
Colour adjustable Temperature	3800~5000 K
Colour Rendering Index (CRI)	95 to 97
Life of LED's	50000 Hours
Dimming Range	20 to 100%
Temp. rise in area of surgeon head	1°C
No. of LED's	39 Nos.
Operating Voltage	230V/50Hz



(Remote Control)

HOSPILITE LED
LED Surgical Operating Lamp



HOSPILITE Orion 5 Mobile

Combination of white & warm white LED's

Technical Data:-

Specification	Orion 5 Mobile
Light Intensity at 1 mtr. Distance	1,60,000 Lux
Colour adjustable Temperature	3800~5000 K
Colour Rendering Index (CRI)	95 to 97
Life of LED's	50000 Hours
Dimming Range	20 to 100%
Temp. rise in area of surgeon head	1°C
No. of LED's	65 Nos.
Operating Voltage	230V/50Hz



(Remote Control)

**HOSPILITE Atria / Vega
Mobile O.T. Light**

Mobile LED O.T. Light mounted on movable rugged stand
Integrated low voltage transformer in the base.

- * Energy efficient, homogenous & shadow free light.
- * Long life cycle & high illumination of LED Light.
- * Streamline shape for minimum air resistance.
- * IR and UV free light for low heat generation.

HOSPILITE Atria Mobile

Technical Data:-

Specification	Atria Mobile
Light Intensity at 1 mtr. Distance	50,000 ~60,000 Lux
Colour Temperature	4500 K
Colour Rendering Index (CRI)	95 to 97
Life of LED's	50000 Hours
Dimming Range	25 to 100%
Temp. rise in area of surgeon head	1°C
No. of LED's each Dome	24 Nos.
Operating Voltage	220v/50Hz
Intensity Control Panel on dome & Remote Control	Yes

(Remote Control)



International Quality & Safety Standard :

'CE' Marked | ISO 9001 : 2015
| ISO 13485 : 2012 Certified

HOSPILITE Vega Mobile

Technical Data:-

Specification	Vega Mobile
Light Intensity at 1 mtr. Distance	30,000 Lux
Colour Temperature	4500 K
Colour Rendering Index (CRI)	95 to 97
Life of LED's	50000 Hours
Temp. rise in area of surgeon head	1°C
No. of LED's each Dome	11 Nos.
Operating Voltage	220v/50Hz

HOSPITECH INDUSTRIES

An ISO 9001:2015/ISO 13485 : 2012 Certified Company

Works : 85, Sector-26, Industrial Area, Bhiwani-127021 Ph. : 01664-329660, 246326, Cell : 9812136505

Display, Sales, Service

Delhi : C-101, Main Road Mayapuri, Phase-II, New Delhi-110064 Tel : 011-28117281, 28115283, 28114282

Cell: 98100-84104, 98106-97376 E-mail : hospitechindia@rediffmail.com, hospitechindia1@gmail.com

Bangalore : No-30, 17 th Cross, Vijaynagar Main Road, Bangalore-560040 Tel / Fax : 080-23141326 / 327 Cell : 98440-41853

E-mail : hospitech95@gmail.com

Mumbai : B-Wing, 702, Raj-Hill Apartment, Datta Pada Road, Near Ambe Mata Temple, Borivali East, Mumbai-400066

E-mail : hospitech92@gmail.com Cell : 9821376202 www.hospitechindustries.com

