



Rsm Enterprises

***Business
for
Sale!***

PRODUCTS WE DEAL IN



ABOUT OUR COMPANY

RSM Enterprises was incorporated in the year 2002 and is located at Chandigarh, India in 2008. Mr. Dipen is the CEO of the company under whose headship the company has scaled a new height in business of Pharmaceutical Bulk Drugs within a short span of time. There are several factors behind our success some of which are mentioned below:

Timely supply :

The medicine industry needs a very prompt supply of Pharma Ingredients so that the production may not be hindered any way. We always take care of the dead line given by the clients and ensure timely supply. We believe in keeping promises.

Experience :

The company along with its owner has a vast experience in the field. The owner of the company has been engaged in the business for last ten years. This has helped him to find out the best Active Pharma Ingredients, which give the medicines highest affectivity with least side effect. Consequently, we are one of the trusted Pharmaceutical Capsules Suppliers in India.

Well Spread Network:

We are a professionally managed company, which have a very good network. We always maintain good connection with our customers so that the supply chain can never be interrupted. Our network has enabled us timely and efficient delivery of the products.



Sildenafil Citrate 100mg

RSM Enterprises have created a strong foothold in the business of manufacturing and supplying Sildenafil Citrate 100mg (Sildigra). We manufacture Sildenafil Tablets for smooth muscle relaxation allows increased blood flow into certain areas of the penis, which leads to an erection which is the most efficient and result-oriented treatment of male impotence. Do not take more than once daily. These Sildenafil Citrate Pills can be used orally and can be taken in various dosages, through the mouth, and can be utilized in treating the health issues, these are different for different problems and contain various formulations in varying degree to cure or prevent a disease.



Some Facts about Sildenafil Citrate 100mg (Sildigra) :

Sildenafil Citrate 100mg is used to treat male sexual function problems (impotence or erectile dysfunction) by blocking a certain enzyme (phosphodiesterase-PDES) in the body. In combination with sexual stimulation, Sildenafil Citrate works by helping the blood flow into the penis to achieve and maintain an erection.

How to take Sildenafil Citrate 100mg (Sildigra) :

Take Sildenafil Citrate 100mg at least 30 minutes before, but not more than 4 hours before sexual activity (1 hour before is the most effective). While taking Sildigra (Sildenafil) you should avoid meals high in fat. Foods high in fat can slow down the effectiveness of Sildigra (Sildenafil).

Who should not take Sildenafil Citrate 100mg (Sildigra) :

Do not take Sildenafil Citrate 100mg, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Sildenafil Citrate 100mg :

Sildenafil Citrate 100mg is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Sildenafil Citrate 100mg (Sildigra) :

Sildenafil Citrate 100mg is highly effective pills to treat erectile dysfunction in men, but yet there some rare side effects have been recognized are headaches, stomach upset, diarrhea, flu-like symptoms and nausea, when the pills are overdosed. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Sildenafil Citrate 130mg

Our expertise in this domain has enabled us to bring forth effectual Sildenafil Citrate 130mg (Sildigra XL) which is used to treat pulmonary arterial hypertension and erectile dysfunctions. Most men who used Sildenafil Citrate Tablets had the ability to do better for an extended amount of time without concerns about losing their erections. Further, offered tablets are also used by sports athletes as they believe that this Viagra is effective for enhancing performance and opening blood vessels, which will enrich muscles. We have carved a niche as one of the leading Sildenafil Citrate manufacturers and suppliers in India.



Some Facts about Sildenafil Citrate 130mg (Sildigra XL) :

Sildenafil Citrate 130mg is used to treat male sexual function problems (impotence or erectile dysfunction) by blocking a certain enzyme (phosphodiesterase-PDES) in the body. In combination with sexual stimulation, Sildenafil Citrate works by helping the blood flow into the penis to achieve and maintain an erection.

How to take Sildenafil Citrate 130mg (Sildigra XL)

Take Sildenafil Citrate 130mg at least 30 minutes before, but not more than 4 hours before sexual activity (1 hour before is the most effective). While taking Sildigra XL (Sildenafil) you should avoid meals high in fat. Foods high in fat can slow down the effectiveness of Sildigra XL (Sildenafil).

Who should not take Sildenafil Citrate 130mg (Sildigra XL) :

Do not take Sildenafil Citrate 130mg, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Sildenafil Citrate 130mg :

Sildenafil Citrate 130mg is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Sildenafil Citrate 130mg (Sildigra XL) :

Sildenafil Citrate 130mg is highly effective pills to treat erectile dysfunction in men, but yet there some rare side effects have been recognized are headaches, stomach upset, diarrhea, flu-like symptoms and nausea, when the pills are overdosed. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Sildenafil Soft Chewable

The Sildenafil Soft Chewable Tablets (Sildigra CT 7) that are Manufactured, Exported as well as Supplied by RSM Enterprises are very popular amidst the clients in the treatment of erectile dysfunction and they don't pose any threat to general health due to nil side effects. These Sildenafil Chewable Tablets have very exclusively flavored and have sweet, minty and refreshing taste. It is formulated using high quality extracts and is available in a blister pack of 10 Tablets. Their easy accessibility at affordable prices has made them the first choice in the market.



Some Facts about Sildenafil Soft Chewable Tablets (Sildigra CT 7) :

Sildenafil Soft Chewable Tablets are used to treat male sexual function problems (impotence or erectile dysfunction) by blocking a certain enzyme (phosphodiesterase-PDES) in the body. In combination with sexual stimulation, Sildenafil Citrate works by helping the blood flow into the penis to achieve and maintain an erection.

How to take Sildenafil Soft Chewable Tablets (Sildigra CT 7) :

Take Sildenafil Soft Chewable Tablets at least 30 minutes before, but not more than 4 hours before sexual activity (1 hour before is the most effective). While taking Sildigra CT 7 (Sildenafil) you should avoid meals high in fat. Foods high in fat can slow down the effectiveness of Sildigra CT 7 (Sildenafil).

Who should not take Sildenafil Soft Chewable Tablets (Sildigra CT 7) :

Do not take Sildenafil Soft Chewable Tablets, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Sildenafil Soft Chewable Tablets :

Sildenafil Soft Chewable Tablets are a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Sildenafil Soft Chewable Tablets (Sildigra CT 7) :

Sildenafil Soft Chewable Tablets are highly effective pills to treat erectile dysfunction in men, but yet there some rare side effects have been recognized are headaches, stomach upset, diarrhea, flu-like symptoms and nausea, when the pills are overdosed. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Sildenafil + Dapoxetine

Sildenafil 100mg+Dapoxetine 60mg (Sildigra Super power) is the first product on the market which is designed to remedy two male dysfunctions in one. Commonly the Sildenafil 100mg+Dapoxetine 60mg Tablets are prescribed for male erectile dysfunction and premature ejaculation. We fabricate Dapoxetine-Sildenafil Tablets which is a combination of active ingredient Dapoxetine 100mg and Sildenafil 100mg. Premature dysfunction belongs to one of the most common sexual dysfunction disorders in men between 18 and 64. Men comes at the threshold of ED when their sexual organ i.e. The penis does not receive blood in sufficient amount. Sildenafil 100mg+Dapoxetine 60mg Pills are an effective, safe and well tolerated treatment for PE & ED and is likely to fulfill the treatment needs of most patients. We are counted among leading Manufacturers, Exporters and Suppliers of Sildenafil 100mg+Dapoxetine 60mg.



About Sildenafil 100mg+Dapoxetine 60mg Tablets (Sildigra Super power)

The Sildenafil 100mg+Dapoxetine 60mg Tablet is the highly recommended distinctive solution to get over the problem of premature ejaculation. The main objective of the drug is to delay the process of ejaculation resulting in enhanced sexual pleasures to a man suffering from the problem of pre-ejaculation. But this drug cannot be consumed directly without any prior consultation of your physician. Take doctors advised first if you are beginner Sildenafil 100mg+Dapoxetine 60mg consumer and do not try to change dose strength on your own decision.

How to take Sildenafil 100mg+Dapoxetine 60mg Tablets (Sildigra Super Power) ?

The Doctor's suggestion is always advisable before starting to consume this pill. Sildenafil 100mg+Dapoxetine 60mg is an oral tablet should be consumed with a glass of water for dissolving easily. Overdoses are always restricted and do not need to take this pill on a daily basis. It should be taken once in a day (in an interval of 24 hours). Take this pill one hour prior to love making session. Because it takes time to show effects against sexual dysfunction & premature ejaculation.

Sildenafil 100mg+Dapoxetine 60mg Tablets (Sildigra Super Power) Precautions :

These are the precautions to be remembered while taking Sildenafil 100mg+Dapoxetine 60mg. Sildenafil 100mg+Dapoxetine 60mg should be used only when your doctor prescribes it for you. Never take it without prescription. It is advisable to take this pill when you don't have any allergic problem from Sildenafil citrate and Dapoxetine. Try to avoid heavy meal before and after taking this pill otherwise it will lose the power to get harder and longer erection. Nitrates and Sildenafil 100mg+Dapoxetine 60mg are a very bad match and causes severe health hazards. Only men are liable for using Sildenafil 100mg+Dapoxetine 60mg.

Sildenafil 100mg+Dapoxetine 60mg Tablets (Sildigra Super Power) Side Effects :

Some of the rare side effects of Sildenafil 100mg+Dapoxetine 60mg are headache, diarrhea, nausea and dizziness. Only few users suffer from these side effects. These side effects are common in those people who consume even other drugs with Sildenafil 100mg+Dapoxetine 60mg. Increasing the dosage randomly without consulting a physician also may be a cause of the side effects.

Sildenafil Citrate + Tadalafil

Sildenafil Citrate & Tadalafil (Sildalist) manufactured by RSM Enterprises is packed with Tadalafil and Sildenafil citrate which can handle the most severe problem of erectile dysfunction. It increases blood flow in penis causes erection. By using Sildenafil Citrate & Tadalafil Tablet, most men are able to successfully achieve erections, and these erections are harder and last longer. It is administered orally to treat erectile dysfunction and impotency in men. These Sildenafil Citrate & Tadalafil Tablet are packed with the Red film coated rectangular shaped tablets with a pocket size blister strip of 6 tablets comes in tadalafil 20mg and Sildenafil citrate 100mg. Today, we have marked our presence as one of the prominent Manufacturers and Suppliers of Sildenafil Citrate & Tadalafil Pills from India.



Some Facts about Sildenafil Citrate & Tadalafil (Sildalist) :

Sildenafil Citrate & Tadalafil is used to treat male sexual function problems (impotence or erectile dysfunction) by blocking a certain enzyme (phosphodiesterase-PDES) in the body. In combination with sexual stimulation, Sildenafil Citrate works by helping the blood flow into the penis to achieve and maintain an erection.

How to take Sildenafil Citrate & Tadalafil (Sildalist) ?

Take Sildenafil Citrate & Tadalafil at least 30 minutes before, but not more than 4 hours before sexual activity (1 hour before is the most effective). While taking Sildalist (Sildenafil) you should avoid meals high in fat. Foods high in fat can slow down the effectiveness of Sildalist

Who should not take Sildenafil Citrate & Tadalafil (Sildalist) ?

Do not take Sildenafil Citrate & Tadalafil, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Sildenafil Citrate & Tadalafil (Sildalist) :

Sildenafil Citrate & Tadalafil is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Sildenafil Citrate & Tadalafil (Sildalist) :

Sildenafil Citrate & Tadalafil is highly effective pills to treat erectile dysfunction in men, but yet there some rare side effects have been recognized are headaches, stomach upset, diarrhea, flu-like symptoms and nausea, when the pills are overdosed. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Sildenafil + Vardenafil

SILVITRA TABLET belongs to a group of medicines which are used to treat difficulties in getting or keeping an erection (erectile dysfunction).

About erection difficulties

At least one in ten men has trouble getting or keeping an erection at some time. There may be physical or psychological causes, or a mixture of both. Whatever the cause is, due to muscle and blood vessel changes not enough blood stays in the penis to make it hard and keep it hard.



How SILVITRA TABLET works SILVITRA TABLET will only work when you are sexually stimulated. It reduces the action of the natural chemical in your body which makes erections go away. VARDENAFIL allows an erection to last long enough for you to satisfactorily complete sexual activity.

SILVITRA TABLET combined with Vardenafil and Sildenafil Citrate goes to work for typical sexual problems.

SILVITRA TABLET Power packed with Vardenafil and Sildenafil Citrate it can handle the most severe problem of erectile dysfunction so that you can be the Extra Strobe for your mistress.

SILVITRA TABLET Slither up to her without a worry and perform with complete confidence with Vardenafil and Sildenafil Citrate of fire power.

SILVITRA TABLET Unleashes the wild power and go full throttle with Vardenafil and Sildenafil Citrate at your command and conquer the territory like the king of the world.

The SILVITRA TABLET tablet is administered orally to treat erectile dysfunction and impotency in men. Double Layer (Blue & Orange) uncoated round shaped tablets. One side of the tablet with '+' shape double scored and other side of tablet plain packed in a pocket size blister strip of 10 (ten) tablets comes in Vardenafil 20mg and Sildenafil Citrate 100mg.

Most man who used SILVITRA TABLET had the ability to do better for an extended amount of time without concerns about losing their erections. This tablet provides a prolonged effect compared to the standard ED tablets in market. As a result sexual arousal in harsh, prolonged erection for maximum sexual performance.

Sildenafil Oral Jelly

The Sildenafil Oral Jelly (Kamini Oral Jelly) offered by RSM Enterprises is used for erectile dysfunction treatment. More easily swallowed than tablets and therefore Sildenafil Oral Jelly is suitable for elderly people and also for people who have difficulty in swallowing. This jelly is chemically composed of sildenafil citrate, a PDE5 inhibitor that helps attain an erection. This is achieved by relaxing smooth muscle and widening blood vessels in the penis. Sildenafil Oral Jelly contains the active ingredient Sildenafil Citrate. We supply and export Sildenafil Oral Jelly at competitive prices. We also provide safe packaging of our Sildenafil Oral Jelly.



About Sildenafil Oral Jelly (Kamini Oral Jelly) :

Sildenafil Oral Jelly is used to get and sustain an erection in Erectile Dysfunction in men. It is safe to use and effectively cures impotence and diseases associated with PDE5 inhibitors. Sildenafil Oral Jelly comes in jelly form so that it can be easily swallowed than tablets and therefore suitable for older people and also people who have difficulty in swallowing. It is available in numerous flavors. This Sildenafil Oral Jelly is not intended to be used by women or children. It will not protect against sexually transmitted diseases including HIV infection.

How does Sildenafil Oral Jelly work (Kamini Oral Jelly) ?

Sildenafil Oral Jelly are taken orally 15 - 30 minutes before lovemaking or as directed by your doctor. It is specially designed for men who don't like to swallow pills. All you do is place the Sildenafil Oral Jelly under your tongue and wait until has completely dissolved. However, taking this Sildenafil Oral Jelly with a high-fat meal may reduce the amount of medicine that your body absorbs.

Side-Effects of Sildenafil Oral Jelly (Kamini Oral Jelly) :

Sildenafil Oral Jelly can be used safely under a doctor's direction. Some minor side-effects are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. Vision changes such as increased sensitivity to light, blurred vision, or impaired blue/green color discrimination may also occur as Sildenafil Oral Jelly side effect.

Precautions about Sildenafil Oral Jelly (Kamini Oral Jelly) :

These are the precautions to be remembered while taking Sildenafil Oral Jelly. It should be used only when your doctor prescribes it for you. Never take it without prescription. This Sildenafil Oral Jelly is not preferable to take in combination with medicines having nitrates. Try to avoid heavy meal before and after taking this pill otherwise it will lose the power to get harder and longer erection. Only men are liable for using Sildenafil Oral Jelly. Men with diabetes, renal disorders, ocular abnormalities, heart disease, high blood pressure, liver issues, or sickle cell anemia need their doctor's approval before starting dosage.

Sildenafil Citrate 50mg

RSM Enterprises are highly specialized in supplying Women Sildenafil Citrate 50mg which are manufactured using quality raw material sourced from highly reliable sources. Provides intense sexual satisfaction for women seeking intensified pleasure during sexual activity. Our range of Women Sildenafil Citrate Tablets is in compliance with the international quality standards and offered at competitive prices. We have advanced testing facilities in our laboratory where the products are tested on various parameters so that quality product reaches the clients. Hence, we are one of the proficient Manufacturers and Suppliers of Women Sildenafil Citrate 50mg Tablets from India.



Tadalafil 10mg

As we are the most prominent Manufacturers, RSM Enterprises offers widely used Women Tadalafil 10mg Pills. Our Women Tadalafil 10mg Tablets increases the blood flow and sensitivity in the vaginal region which provide intense sexual satisfaction for women seeking ultimate pleasure. Clients can avail these Women Tadalafil 10mg Tablets in premium quality packaging material at market-leading prices. All the products offered by us are at par with the pre-defined industry norms and quality parameters. We have also gained an edge over our competitors and have positioned ourselves as a reliable Women Tadalafil 10mg Supplier from India.



Tadalafil 20mg

Tadalafil 20mg (Tadaga 20mg) is an oral treatment for erectile dysfunction, which offers the longest performance period on the market, when taken 30-60 minutes before intercourse it can last up to 36 hours. These Tadalafil 20mg Tablets are safe to use as they are prepared using high grade ingredients has no other alternative available in the market, in terms of effective results and quick relief. It is a fast dissolving tablet and offered in a blister pack. Besides, RSM Enterprises is one of the most prominent Tadalafil 20mg Pills Manufacturers, Exporters and Suppliers from India at best prices.



What is Tadalafil 20mg Tablet (Tadaga 20mg) ?

Tadalafil 20mg Tablets are used to treat the physical problems of erectile dysfunction in men. These tablets are safe to use and effectively cure impotence and diseases associated with PDE5 inhibitors. These oral drugs are effectively used in the treatment for ED disorders in men assuring erection for longer duration of time.

Guidance to take Tadalafil 20mg Tablets (Tadaga 20mg) :

Tadalafil 20mg Tablets medication should be consumed only with the help of water, this medication should be used at least 30-45 minutes before lovemaking and the effects of this medicine can be experienced for a long period of time that is for almost 36 hours. Tadalafil Tablets works along with sexual stimulation to help achieve an erection. It is usually recommended to start with a dosage of 10mg (half a pill). We strongly recommend you to consult with your health provider to know which dose is suitable for you before taking Tadalafil 20mg Tablets. To get the fastest result, take Tadalafil 20mg Tablets after eating a low-fat meal as it slows down the effectiveness of Tadalafil 20mg Tablets.

Who should not take Tadalafil 20mg Tablets (Tadaga 20mg) ?

Do not take Tadalafil 20mg Tablet, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Tadalafil 20mg Tablets (Tadaga 20mg) ?

Tadalafil 20mg Tablets is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Tadalafil 20mg Tablets (Tadaga 20mg) :

These are primarily used to treat erectile dysfunction in men, but yet there some rare side effects have been recognized which are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. If these effects persist or worsen, notify your doctor promptly. For person with cardiac problems, the side effects can be severe. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Tadalafil 40mg

RSM Enterprises are instrumental in providing clients effective Tadalafil 40mg (Tadaga Strong 40mg) at best price. It is an oral drug used to treat male impotence. These Tadalafil 40mg Tablets are helpful to keep erection during sexual excitement with erectile dysfunction. Tadalafil 40mg Pills act as a potent and a selective phosphodiesterase inhibitor which increases blood flow to the penis. Due to its salient features such as accurate composition, purity, effectiveness and longer shelf life, our offered Tadalafil 40mg Tablet has gained huge demand among clients. Hence, we are a famed manufacturer and suppliers of the Tadalafil 40mg from India.



What is Tadalafil 40mg Tablet (Tadaga Strong 40mg) ?

Tadalafil 40mg Tablets are used to treat the physical problems of erectile dysfunction in men. These tablets are safe to use and effectively cure impotence and diseases associated with PDE5 inhibitors. These oral drugs are effectively used in the treatment for ED disorders in men assuring erection for longer duration of time.

Guidance to take Tadalafil 40mg Tablets (Tadaga Strong 40mg) :

Tadalafil 40mg Tablets medication should be consumed only with the help of water, this medication should be used at least 30-45 minutes before lovemaking and the effects of this medicine can be experienced for a long period of time that is for almost 36 hours. Tadalafil Tablets works along with sexual stimulation to help achieve an erection. It is usually recommended to start with a dosage of 10mg (half a pill). We strongly recommend you to consult with your health provider to know which dose is suitable for you before taking Tadalafil 40mg Tablets. To get the fastest result, take Tadalafil 40mg Tablets after eating a low-fat meal as it slows down the effectiveness of Tadalafil 40mg Tablets.

Who should not take Tadalafil 40mg Tablets (Tadaga Strong 40mg) ?

Do not take Tadalafil 40mg Tablet, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Tadalafil 40mg Tablets (Tadaga Strong 40mg) ?

Tadalafil 40mg Tablets is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Tadalafil 40mg Tablets (Tadaga Strong 40mg) :

These are primarily used to treat erectile dysfunction in men, but yet there some rare side effects have been recognized which are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. If these effects persist or worsen, notify your doctor promptly. For person with cardiac problems, the side effects can be severe. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Tadalafil 60mg

RSM Enterprises presents an unrivaled range of Tadalafil 60mg (Tadaga Super) which is now standard treatment for erectile dysfunction which leads to an erection which is the most efficient and result-oriented treatment of male impotence. Tadalafil 60mg Tablets are relatively safe to use but in case there are some side effects, precaution has to be taken. This Tadalafil 60mg Pills provide a prolonged effect compared to the standard Tadalafil 40mg Pills. Consequently, we are identified as one of the most prominent Tadalafil 60mg Suppliers and Exporters from India.



What is Tadalafil 60mg Tablet (Tadaga Super) ?

Tadalafil 60mg Tablets are used to treat the physical problems of erectile dysfunction in men. These tablets are safe to use and effectively cure impotence and diseases associated with PDE5 inhibitors. These oral drugs are effectively used in the treatment for ED disorders in men assuring erection for longer duration of time.

Guidance to take Tadalafil 60mg Tablets (Tadaga Super) :

Tadalafil 60mg Tablets medication should be consumed only with the help of water, this medication should be used at least 30-45 minutes before lovemaking and the effects of this medicine can be experienced for a long period of time that is for almost 36 hours. Tadalafil Tablets works along with sexual stimulation to help achieve an erection. It is usually recommended to start with a dosage of 10mg (half a pill). We strongly recommend you to consult with your health provider to know which dose is suitable for you before taking Tadalafil 60mg Tablets. To get the fastest result, take Tadalafil 60mg Tablets after eating a low-fat meal as it slows down the effectiveness of Tadalafil 60mg Tablets.

Who should not take Tadalafil 60mg Tablets (Tadaga Super) ?

Do not take Tadalafil 60mg Tablet, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Tadalafil 60mg Tablets (Tadaga Super) ?


Tadalafil 60mg Tablets is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Tadalafil 60mg Tablets (Tadaga Super) :

These are primarily used to treat erectile dysfunction in men, but yet there some rare side effects have been recognized which are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. If these effects persist or worsen, notify your doctor promptly. For person with cardiac problems, the side effects can be severe. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Tadaga Power

RSM Enterprises presents an unrivaled range of Tadalafil 80mg (Tadaga Power) which is now standard treatment for erectile dysfunction which leads to an erection. Tadalafil 80mg is the most efficient and result-oriented treatment of male impotence. Tadalafil 80mg Tablets are relatively safe to use but in case there are some side effects, precaution has to be taken. These Tadalafil 80mg Pills provide a prolonged effect compared to the standard Tadalafil 40mg Pills. Consequently, we are identified as one of the most prominent Tadalafil 80mg Suppliers and Exporters from India.



What is Tadalafil 80mg Tablet (Tadaga Power) ?

Tadalafil 80mg Tablets are used to treat the physical problems of erectile dysfunction in men. These tablets are safe to use and effectively cure impotence and diseases associated with PDE5 inhibitors. These oral drugs are effectively used in the treatment for ED disorders in men assuring erection for longer duration of time.

Guidance to take Tadalafil 80mg Tablets (Tadaga Power) :

Tadalafil 80mg Tablets medication should be consumed only with the help of water, this medication should be used at least 30-45 minutes before lovemaking and the effects of this medicine can be experienced for a long period of time that is for almost 36 hours. Tadalafil 2.5 mg Tablets works along with sexual stimulation to help achieve an erection. It is usually recommended to start with a dosage of 10mg (half a pill). We strongly recommend you to consult with your health provider to know which dose is suitable for you before taking Tadalafil 80mg Tablets. To get the fastest result, take Tadalafil 80mg Tablets after eating a low-fat meal as it slows down the effectiveness of Tadalafil 80mg Tablets.

Who should not take Tadalafil 80mg Tablets (Tadaga Power) ?

Do not take Tadalafil 80mg Tablet, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Tadalafil 80mg Tablets (Tadaga Power) ?

Tadalafil 80mg Tablets is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Tadalafil 80mg Tablets (Tadaga Power) :

These are primarily used to treat erectile dysfunction in men, but yet there some rare side effects have been recognized which are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. If these effects persist or worsen, notify your doctor promptly. For person with cardiac problems, the side effects can be severe. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Dapoxetine + Tadalafil

With the talent of our competent team, RSM Enterprises are engaged in manufacturing, supplying and exporting of Tadalafil 40mg + Dapoxetine 60mg (Super Tadapox). Combined with Tadalafil 40mg + Dapoxetine 60mg goes to work for typical sexual problems. Tadalafil-Dapoxetine Tablets opens blood vessels within the penis that allows for an erection when the necessary sexual stimulation is applied. It is an oral drug used to treat male impotence. Tadalafil-Dapoxetine Pills are composed from solid composites of the tadalafil that exhibits high solubility and rate of dissolution. Delivery in time & customer satisfaction is our speciality.



What is Tadalafil 40mg + Dapoxetine 60mg Tablets (Super Tadapox) ?

Tadalafil 40mg + Dapoxetine 60mg Tablets medication should be consumed only with the help of water, this medication should be used at least 30-45 minutes before lovemaking and the effects of this medicine can be experienced for a long period of time that is for almost 36 hours. Tadalafil Tablets works along with sexual stimulation to help achieve an erection. It is usually recommended to start with a dosage of 10mg (half a pill). We strongly recommend you to consult with your health provider to know which dose is suitable for you before taking Tadalafil 40mg + Dapoxetine 60mg Tablets. To get the fastest result, take Tadalafil 40mg + Dapoxetine 60mg Tablets after eating a low-fat meal as it slow downs the effectiveness of Tadalafil 40mg + Dapoxetine 60mg Tablets.

Who should not take Tadalafil 40mg + Dapoxetine 60mg Tablets (Super Tadapox) ?

Tadalafil 40mg + Dapoxetine 60mg Tablets is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Some side effects of Tadalafil 40mg + Dapoxetine 60mg Tablets (Super Tadapox) :

These are primarily used to treat erectile dysfunction in men, but yet there some rare side effects have been recognized which are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. If these effects persist or worsen, notify your doctor promptly. For person with cardiac problems, the side effects can be severe. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Tadalafil Oral Jelly

Erectile Dysfunction or Impotence is a major problem occurring in most of the men which can be defined as a consistent inability of men to get and / or sustain an erection. Normally it happens because of insufficient blood flowing into the penis. Tadalafil Oral Jelly (Tadaga Oral Jelly) offered by us does not cure Erectile Dysfunction but helps men suffering from erection problem to have sexual intercourse again with more pleasure and sexual satisfaction. Generic Tadalafil Oral Jelly is in the jelly form, meant to be consumed orally and should be allowed to dissolve in the oral cavity before it is swallowed. In addition to the above fact, we are counted as one of the major Tadalail Oral Jelly Exporters and Suppliers in India.



About Tadalafil Oral Jelly (Tadaga Oral Jelly) :

Tadalafil Oral Jelly is used to get and sustain an erection in Erectile Dysfunction in men. It is safe to use and effectively cures impotence and diseases associated with PDE5 inhibitors. Tadalafil Oral Jelly comes in jelly form so that it can be easily swallowed than tablets and therefore suitable for older people and also people who have difficulty in swallowing. It is available in numerous flavors. This Tadalafil Oral Jelly is not intended to be used by women or children. It will not protect against sexually transmitted diseases including HIV infection.

How does Tadalafil Oral Jelly work (Tadaga Oral Jelly) ?

Tadalafil Oral Jelly are taken orally 15 - 30 minutes before lovemaking or as directed by your doctor. It is specially designed for men who don't like to swallow pills. All you do is place the Tadalafil Oral Jelly under your tongue and wait until has completely dissolved. However, taking this Tadalafil Oral Jelly with a high-fat meal may reduce the amount of medicine that your body absorbs.

Side-Effects of Tadalafil Oral Jelly (Tadaga Oral Jelly) :

Tadalafil Oral Jelly can be used safely under a doctor's direction. Some minor side-effects are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. Vision changes such as increased sensitivity to light, blurred vision, or impaired blue/green color discrimination may also occur as Tadalafil Oral Jelly side effect.

Precautions about Tadalafil Oral Jelly (Tadaga Oral Jelly) :

These are the precautions to be remembered while taking Tadalafil Oral Jelly. It should be used only when your doctor prescribes it for you. Never take it without prescription. This Tadalafil Oral Jelly is not preferable to take in combination with medicines having nitrates. Try to avoid heavy meal before and after taking this pill otherwise it will lose the power to get harder and longer erection. Only men are liable for using Tadalafil Oral Jelly. Men with diabetes, renal disorders, ocular abnormalities, heart disease, high blood pressure, liver issues, or sickle cell anemia need their doctor's approval before starting dosage.

Vardenafil 20mg

Backed by an experienced team of professionals, RSM Enterprises offers a wide range of Vardenafil 20mg (Snovitra 20mg) which help stimulate the blood flow to the penis. Vardenafil 20mg Tablet block the enzyme called phosphodiesterase-5 or PDE5, through which the muscles in the penis can relax, allowing more blood flow and the proper sexual stimulation that leads to an erection. These Vardenafil 20mg Pills are effective in improving erectile function in men who suffer from other health disorders and prostate surgery. It can be used only under the guidance of sexologist or a doctor. At the same time, we are a prominent manufacturers, suppliers and exporters of Vardenafil 20mg from India.



Things to Know about Vardenafil 20mg Tablets (Snovitra 20mg) :

Vardenafil 20mg Tablets are useful for treatment of ED (erectile dysfunction) in men. Keeping penis erection for a longer time, these tablets help in attaining utmost pleasure during sexual activity. These generic tablets are safe to use and effectively cure impotence and diseases associated with PDE5 inhibitors. This medicine is not intended for use by women or children. It will not protect against sexually transmitted diseases including HIV infection.

Tips to use Vardenafil 20mg Tablets (Snovitra 20mg) :

Vardenafil 20mg Tablets are taken orally 25 - 60 minutes before sexual activity or as directed by your doctor. Vardenafil 20mg Pills come with a patient information booklet that should be read carefully. It works along with sexual stimulation to help achieve an erection. Contact your doctor or pharmacist for more information. This medicine may be taken on an empty stomach or with food. However, taking this medicine with a high-fat meal may reduce the amount of medicine that your body absorbs

Vardenafil 20mg Tablets Precautions (Snovitra 20mg) :

Vardenafil 20mg Tablets is a prescription medication, one need to share the medical history with a doctor to make sure it is an appropriate treatment. Keep in mind, it is not for people who have allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. Do not take this medicine more often than once daily and consult your doctor or pharmacist for more information.

Side effects of Vardenafil 20mg Tablets (Snovitra 20mg) :

These are primarily used to treat erectile dysfunction in men, but yet there some rare side effects have been recognized which are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. If these effects persist or worsen, notify your doctor promptly. For person with cardiac problems, the side effects can be severe. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Vardenafil + Dapoxetine

Men who have erection problems can use Vardenafil 20mg and Dapoxetine 60mg (Snovitra Super Power) that enable them to get and maintain erection during sexual activity. We fabricate Vardenafil 20mg and Dapoxetine 60mg Tablets which is a combination of active ingredient Vardenafil 20mg and Dapoxetine 80mg. These Vardenafil 20mg and Dapoxetine 60mg are effective for men with ED (erectile dysfunction) and helps to increase the blood flow to the penis. Our range is clinically shown to improve the erectile function even in men who had other health disorders like diabetes or prostate surgery. Being a trusted manufacturers, exporters and suppliers of Vardenafil 20mg and Dapoxetine 60mg Tablet, we provide these Generic Vardenafil 20mg and Dapoxetine 60mg Tablet at cheapest prices.



Things to Know about Vardenafil 20mg and Dapoxetine 60mg Tablets (Snovitra Super Power) :

Vardenafil 20mg and Dapoxetine 60mg Tablets are useful for treatment of ED (erectile dysfunction) in men. Keeping penis erection for a longer time, these tablets help in attaining utmost pleasure during sexual activity. These generic tablets are safe to use and effectively cure impotence and diseases associated with PDE5 inhibitors. This medicine is not intended for use by women or children. It will not protect against sexually transmitted diseases including HIV infection.

Tips to use Vardenafil 20mg and Dapoxetine 60mg Tablets (Snovitra Super Power) :

Vardenafil 20mg and Dapoxetine 60mg Tablets are taken orally 25 - 60 minutes before sexual activity or as directed by your doctor. Vardenafil 20mg and Dapoxetine 60mg Pills come with a patient information booklet that should be read carefully. It works along with sexual stimulation to help achieve an erection. Contact your doctor or pharmacist for more information. This medicine may be taken on an empty stomach or with food. However, taking this medicine with a high-fat meal may reduce the amount of medicine that your body absorbs

Vardenafil 20mg and Dapoxetine 60mg Tablets Precautions (Snovitra Super Power) :

Vardenafil 20mg and Dapoxetine 60mg Tablets is a prescription medication, one need to share the medical history with a doctor to make sure it is an appropriate treatment. Keep in mind, it is not for people who have allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. Do not take this medicine more often than once daily and consult your doctor or pharmacist for more information.

Side effects of Vardenafil 20mg and Dapoxetine 60mg Tablets (Snovitra Super Power)

These are primarily used to treat erectile dysfunction in men, but yet there some rare side effects have been recognized which are Headache, flushing, stomach upset, nasal stuffiness, diarrhea and dizziness might occur. If these effects persist or worsen, notify your doctor promptly. For person with cardiac problems, the side effects can be severe. Before purchasing any impotence pills at all, it is highly advisable to consult a doctor and let him or her decide, if synthetic drugs are the best treatment for you.

Dapoxetine 60mg

RSM Enterprises have gained expertise in delivering a quality range of Dapoxetine 60mg at cheapest prices. Our Dapoxetine 60mg Tablets are widely acclaimed in the market due to its salient attributes like precise composition, accurate pH value and high efficacy. The main objective of the Dapoxetine 60mg Pills is to delay the process of ejaculation resulting in enhanced sexual pleasures to a man suffering from the problem of pre-ejaculation. It is one of the sexual disorders seen in more than half of the men in the world. By using Dapoxetine 60mg Medicines, most men are able to successfully achieve erections, and these erections are harder and last longer. We have carved a niche as one of the leading Dapoxetine 60mg Tablets Manufacturers in India.



About Dapoxetine 60mg Tablets (Prejac 60mg):

The Dapoxetine 60mg Tablet is the highly recommended distinctive solution to get over the problem of premature ejaculation. The main objective of the drug is to delay the process of ejaculation resulting in enhanced sexual pleasures to a man suffering from the problem of pre-ejaculation. But this drug cannot be consumed directly without any prior consultation of your physician. Take doctors advised first if you are beginner Dapoxetine 60mg consumer and do not try to change dose strength on your own decision.

How to take Dapoxetine 60mg Tablets (Prejac 60mg) ?

The Doctor's suggestion is always advisable before starting to consume this pill. Dapoxetine 60mg is an oral tablet should be consumed with a glass of water for dissolving easily. Overdoses are always restricted and do not need to take this pill on a daily basis. It should be taken once in a day (in an interval of 24 hours). Take this pill one hour prior to love making session. Because it takes time to show effects against sexual dysfunction & premature ejaculation.

Dapoxetine 60mg Tablets (Prejac 60mg) Precautions :

These are the precautions to be remembered while taking Dapoxetine 60mg. Dapoxetine 60mg should be used only when your doctor prescribes it for you. Never take it without prescription. It is advisable to take this pill when you don't have any allergic problem from Sildenafil citrate and Dapoxetine. Try to avoid heavy meal before and after taking this pill otherwise it will lose the power to get harder and longer erection. Nitrates and Dapoxetine 60mg is a very bad match and causes severe health hazards. Only men are liable for using Dapoxetine 60mg.

Dapoxetine 60mg Tablets (Prejac 60mg) Side Effects :

Some of the rare side effects of Dapoxetine 60mg are headache, diarrhea, nausea and dizziness. Only few users suffer from these side effects. These side effects are common in those people who consume even other drugs with Dapoxetine 60mg. Increasing the dosage randomly without consulting a physician also may be a cause of the side effects.

Avanafil 100 mg

RSM Enterprises are trusted for the exporting and supplying of Avanafil. The Avanafil 100mg Tablet is basically the phosphodiesterase inhibitor element that rejuvenates the blood flow in the male reproductive system that cures the erectile dysfunction or impotency problem in men. It works by helping to increase blood flow into the penis during sexual stimulation. This helps you to achieve and maintain an erection. By using Avanafil 100mg, most men are able to successfully achieve erections, and these erections are harder and last longer.



Some Facts about Avanafil 100mg (Avandra 100mg) :

Avanafil 100mg is used to treat male sexual function problems (impotence or erectile dysfunction) by blocking a certain enzyme (phosphodiesterase-PDES) in the body. In combination with sexual stimulation, Avanafil works by helping the blood flow into the penis to achieve and maintain an erection.

How to take Avanafil 100mg (Avandra100mg) :

Take Avanafil 100mg at least 30 minutes before, but not more than 4 hours before sexual activity (1 hour before is the most effective). While taking Avandra (Avanafil) you should avoid meals high in fat. Foods high in fat can slow down the effectiveness of Avandra.

Who should not take Avanafil 100mg (Avandra100mg) :

Do not take Avanafil 100mg, if either anyone has allergies or taking any form of nitroglycerin or those who have had a heart attack, stroke, severe high or low blood pressure or life threatening heart irregularities. This drug does not protect against sexually transmitted diseases (such as HIV, hepatitis B, gonorrhea, syphilis). Keep in mind, it is not for persons with conditions such as sickle cell anemia, multiple myeloma or leukemia. Seek medical advice with genital deformities such as Peyronie's disease; also if you have a bleeding disorder, peptic ulcer, or retinitis pigmentosa.

Cautions before taking Avanafil 100mg :

Avanafil 100mg is a prescription medication, one needs share the medical history with a doctor to make sure it is an appropriate treatment. Do not take more than once daily and consult your doctor or pharmacist for more information.

Tramadol Hydrochloride 100mg

Tramadol Hydrochloride 100mg is a type of strong pain killer. It is used to help relieve moderate to severe pain. Tramadol HCL 100mg Capsules works by affecting chemicals in the brain and nervous system which are involved in the sensation of pain. It also reduces the size or magnitude of the pain signal passed from one nerve to another. This Pain Relief Medicines are sometimes prescribed for other uses; ask your doctor or pharmacist for more information. Additionally, our Tramadol Hydrochloride 100mg can be obtained at the most economical prices of the industry. Thus, we are a leading Manufacturer and Exporters of Tramadol Hydrochloride 100mg from India.



Tramadol Hydrochloride 50mg

RSM Enterprises are highly specialized in Manufacturing, Exporting and Supplying of Tramadol Hydrochloride 50mg which is ideal for severe pains and offered in the form of Capsules. Tramadol HCL 50mg Capsules are formulated using quality ingredients and also used to treat pain caused by surgery and chronic conditions such as cancer or joint pain. We test the formulation of our range on various aspects like effectiveness and longer shelf life. Tramadol HCL Pills also reduces the size or magnitude of the pain signal passed from one nerve to another. These are hygienically packed in the quality packaging material and is offered at industry leading prices.



Modvifil 200mg

RSM Enterprises is trusted for the Manufacturing, exporting and supplying of Modvifil. Modvifil is a medicine which is used in the treatment of sleeping disorders such as shift work disorder (SWD), narcolepsy and obstructive sleep apnea (OSA). Modvifil 200mg has become increasingly popular among all users of this alertness promoting drug. This drug decreases extreme sleepiness due to narcolepsy. It is available in the form of 100mg and 200 mg tablet size. It is additionally used to help you stay astir amid work hours for individuals with work plans that meddle with a typical slumber routine.



Some Facts about Modvifil 200mg:

Modvifil 200mg contains the active ingredient Modafinil. Modvifil 200mg is a medicine which is used in the treatment of sleeping disorders such as shift work disorder. This medication is known to enhance alertness in patients diagnosed with extreme dozing issue. Researchers accept the pharmaceutical works like amphetamines, i.e. enhancing alertness by invigorating the mind.

How to use Modvifil 200mg:

The normal dose for a adult is 200 mg tablet for every day. Patients with narcolepsy or OSA may need to take their measurements in the morning and have a go at keeping up a particular calendar. Modvifil is a prescription drug which is used as a part of the treatment of sleeping disorders such as shift work disorder.

Some side effects of Modvifil 200mg:

Modvifil 200mg is highly effective pill but yet there some rare side effects have been recognized such as nausea, headache, dizziness, anxiety or difficulty sleeping. More serious and rare ones include depression, mood changes, chest pain, signs of infection, irregular heartbeat or severe allergic reactions. Quickly look for restorative help in the event that you feel any unfriendly response to this medicine.

PRODUCTS WE DEALS IN

Prosoma 350



Prosoma 500



**CONTACT
US**



Rsm Enterprises

Mr. Dipen Saha

Industrial Area, Phase-2, India - 160002

Call Us : 08048064357

Phone : +91-172-6531541 • Fax : +91-172-4678377

Mobile : +91-7508843290

Web Site : <http://www.dipenrsm.com>

Web Page :

<http://www.exportersindia.com/rsm-enterprises3224898/>