




# WENLING TOPLONG

ELECTRIC & MECHANICAL CO. LTD.



The foundation stone of Zhejiang, China, based, Wenling Toplong Electric & Mechanical Co. Ltd. was laid in the year 2014. The company is efficiently led by Mr. Zhangshicheng (Founder). With exceptional product line we have marked our presence in the International market inclusive of Asia, Africa, South East Asia and South America.

### **Vendor Selection**

We are a quality conscious company and we stringently check for several parameters and other factors at the vendors' end, while sourcing the Industrial Products that includes Quality of Industrial Products, Availability of varied products, Vendor's Document/License, Market Reputation, Financial Stats, Competence To Time bound Delivery and Support during Bulk orders.

### **Team Support**

We are working with responsible and well educated team members and they are the backbone, strength of the company and we proudly share the credit of our success with them. Our team has Procuring Managers, Quality Auditors, Storage Experts, Packaging Experts, Sales and Marketing Experts and Logisticians.

### **Points To Ponder**

- 100% customer satisfaction
- Competitive Prices
- Good financial position
- Association with chief Manufacturers
- Stringent check while Sourcing Industrial Products
- Wide array of experts' approved Products
- Ultra Modern Warehouse Facility
- Well-organized Logistic facility
- Time Bound delivery

# Our Products

## Medical Oxygen Generator

We are one of the leading suppliers and exporters of Medical Oxygen Generator from Wenling City, Zhejiang. Our PSA series container type medical oxygen generators pass through all the industry set quality requirements. Our products are manufactured using the best quality of raw materials under the supervision of excellent professionals in the field. This ensures that the product is in compliance with various market norms. We undertake bulk orders with an assurance of timely delivery.



## PSA Nitrogen Generator System

We are the leading supplier and exporter of PSA Nitrogen Generator System from Wenling City, Zhejiang. The Nitrogen and Oxygen Generator filling Cylinder Systems offered by us are manufactured using the best raw materials available in the market, keeping in mind all the safety standards. We provide the product in different specifications to our clients as per their needs. We undertake bulk orders at a very reasonable price.





## Our Products

### **Liquid Nitrogen Generator (10L /HR)**

Liquid Nitrogen Generator (10L /HR) is exported and supplied by us from Wenling City, Zhejiang. Being a topmost exporter and supplier we promise to deliver the product in the least turnaround time. The product guarantees efficiency, durability and low maintenance costs to the clients. It is highly reliable and safe. It finds its application in air purification, chemicals, metallurgy, food, pharmaceuticals, hospitals etc.



### **Oil Free Oxygen Compressor (GOW-3/4-150)**

We are recognised as the leading supplier and manufacturer of Oil Free Oxygen Compressor (GOW-3/4-150) from Wenling City, Zhejiang. Our product is 100% oil free resulting in no pollution which also helps maintaining the same purity of the inlet gas. This is suitable for Oxygen, Hydrogen, Nitrogen, Helium, argon, CNG and other special gases. With 4000 hours piston ring working life and 100-2000 hours working life for final stage ring, the

product delivers reliable and top quality performance which can be compared to that of USA's RIX brand. The product is a favourite amongst clients due to its low maintenance, affordable cost and easy operation, where only piston ring needs to be changed. The quality of the product is approved by Japan's strict standards and has also received CE approval.

## Our Products

### **Oxygen Compressor Booster (GOW-30/4-150)**

Based in Wenling City, Zhejiang, at Wenling Toplong Electrical & Mechanical Firm, we are one of the leading exporters and suppliers of Oxygen Compressor Booster (GOW-30/4-150) which is an oil free high pressure reciprocating compressor. This booster is reliable and is famous for its top cost-performance, low maintenance cost and easy operational process. It comes with a piston that has a working life of 4000 hours and a final stage ring with a working life of 1500-400 Hours. The Quality approval by Japan Strickly system and CE approval stand proof for its reliable and top quality which is comparable to USA RIX Brand. The booster is suitable for Oxygen, Hydrogen, Nitrogen, Helium, Argon, and CNG. Being a no-pollution device, it maintains the purity of the inlet gas.



### **Oxygen Compressor Booster (GOW-10/4-150)**

Operating from Wenling City, Zhejiang, we export and supply Oxygen Compressor Booster (GOW-10/4-150) which is oil free high pressure reciprocating compressor. It comes with a power specification of 4KW and has a working pressure of 150 Bar and 2160 Psi. Reputed for its reliability, this booster gives an advantage with its top class-performance, low maintenance cost and easy operational process. It comprises a piston that has a working life of 4000 hours and a final stage ring with a working life of 1500-400 Hours. With an inlet pressure,


outlet pressure of 0.2-0.4Mpa, 10Mpa/15Mpa/20Mpa/23Mpa/30Mpa respectively, the booster runs at a speed of 200-400 r.p.m. The quality approval by Japan Strickly system and CE approval stand as proof of its top quality which is comparable to the USA RIX Brand. The booster is suitable for Oxygen, Hydrogen, Nitrogen, Helium, Argon, CNG and special gas. Being a no-pollution device, it maintains the purity of the inlet gas. The booster has a net weight of 400 Kgs and uses air cooling system for cooling.



## Our Products

### **Oil Free Nitrogen Booster (ZW-10/4-12)**

At Zhejiang, we export and supply Oil Free Nitrogen Booster (ZW-10/4-12) which is highly efficient and reliable. Even with a high power range of 1.5 – 5.5 KW and speed range of 450-860 rpm, the booster gives the advantage of low energy consumption and continuous 24-hour operation. The inlet and outlet pressure ranges of the booster are 0-1.0 MPa and 1.0-6.0MPa respectively. The booster uses wind or water cooling methods and offers oil-free lubrication that is completely non-polluting. The equipment requires not only less installation costs but also less maintenance costs.



### **Oil Free Gas Compressor (USA RIX 35Mpa)**

This product, Oil Free Gas Compressor (USA RIX 35Mpa) is a top brand motor and has top class performance supplied by us from Wenling City, Zhejiang. It has low maintenance costs and has the added advantage of only the piston ring needing to be changed. It does not cause pollution and yields the same purity to the inlet gases. The piston life is 4000 hours and the work life of final stage ring is 1500-2000 hours. The inlet pressure is 0.2-0.4Mpa and outlet pressure is 35Mpa with the power consumption less than 110KW.

### **Oil Free High Pressure Helium Compressor (S Type)**

We are an exporter and supplier from Wenling City, Zhejiang, and we provide Oil Free High Pressure Helium Compressor (S Type). The working life of the piston is 4000 hours and the one for final stage ring is 1500-2000 hours. The speed varies between 300-600rpm and suction and exhaust pressure is 0-0.5Mpa and less than 10Mpa. This compressor has low energy consumption and continuous 24 hour operation ability. The cooling type is air based or water based.



## Our Products

### **Oil Free Gas Compressors (SF6)**

The product is a total oil free high pressure reciprocating compressor that is 100% oil free and suitable to operate over oxygen, hydrogen, nitrogen, helium, argon, CNG and special gas, exported and supplied by us, from Wenling City, Zhejiang. It ensures minimal pollution along with low maintenance cost, easy operation and great efficiency. The only thing that needs to be changed in the system is the piston that has a life of 4000 hours. This is approved by the Japan Strickly system and CE. The inlet pressure is 0.2-0.4Mpa and the outlet pressure might be 10Mpa/15Mpa/20Mpa/23Mpa/30Mpa. Also, the working pressure might vary among 150/200/250/300bar/350bar and the power consumption might vary between 3-110KW.



### **Oil Free CO2 Carbon Dioxide Compressor**


We export and supply from Wenling City, Zhejiang Oil Free CO2 Carbon Dioxide Compressor. This system totally works on the oil type reciprocating piston and the cooling might be either air or water based. The power consumption would be less than 110KW. The pressure might be either suction or exhaust which ranges from 0-6Mpa or less than 16.5, respectively. The product is compact, easy to use, reliable and with low maintenance costs.



## Our Products

### **Diaphragm Compressor (GL2 Series)**

Our company has emerged as the leading supplier and exporter of Diaphragm Compressor of GL2 Series. It is designed with a special volume type with a higher ratio of compression. The inlet and outlet pressure of this diaphragm compressor varies from -0.5 bar to 400 bars and 2000 bars respectively. Being a leading exporter of Diaphragm Compressors, we handle bulk orders efficiently.



### **Paintball Compressor (BX-100 Black)**

We export and supply Paintball Compressor (BX-100 Black) from Wenling City, Zhejiang all over the world. This paintball compressor has successfully met the national design standards of ventilating and has a wide range of applications in coal mines, marine industry, and scuba diving. The European HOBRAND detection has granted this product EN120121 international standard of breathing air. Further, our in-house experts and professionals scrutinize the product on various parameters to ensure its efficiency and durability. Hence, we welcome bulk orders from our clients.



## Our Products

### **CNG Filling Compressor (TP3)**

Also called Auto car CNG filling compressor (TP3), the instrument is exported and supplied by us from the city of Wenling, Zhejiang. The model of the instrument we supply is TP3 CNF filling. It has a flow rate of about 3.5Nm<sup>3</sup>/h2cfm. The time required for filling is 3.5 hour/60l tank with a working pressure of 200 bar and 4.2 hour for 60ltank with 250 bar working pressure. The inlet pressure it requires is less than 0.3 bar.

The motor power it consumes is 220 v 50/60 HZ in a single phase. It has an auto stop timer. The weight of the whole instrument is about 165 KG with a dimension of 600mm (H) X900mm (W) X650mm (D).



### **Pet Bottle Blowing Air Compressor (PT-1.0/30)**

We are a top exporter and supplier from Wenling City, Zhejiang. We deliver this top quality and cost effective bottle blowing air compressor globally in safe packaging. Pet Bottle Blowing Air Compressor (PT-1.0/30) is a suitable compressor for the PET blow moulding machines. It is a model offering 30 bars of compression with a two-stage air compressor. You can get it with or without the unloading function.

## Our Products

### **Oil Free Screw Air Compressor (TP22BV/TP30BV)**

Oil Free Screw Air Compressor (TP22BV/TP30BV) is supplied and exported by us from Wenling City, Zhejiang. The product is completely oil-free and finds its application in food industries and pharmaceuticals. Further, it is highly energy efficient and can help in reducing electricity bills. It is highly reliable and has a long life. Being a leading exporter of the product, we undertake bulk consignments from our valued clients.



### **High Pressure Screw Compressor (TP22G/TP30G)**

High Pressure Screw Compressor (TP22G/TP30G) is exported and supplied by us from Wenling City, Zhejiang. This product has a very simple design structure and assures the user of no host leakage. The energy efficiency of the product can help the user to reduce the electricity bill up to 25%. The excellent volumetric efficiency and brilliant technology of the product makes it a highly popular choice.



## Our Products

### Gas Booster System (LASPD-40)

We are the leading exporters and suppliers of Gas Booster System (LASPD-40) from Wenling city, Zhejiang. These Gas Booster systems are available without motor and are completely oxygen free. Argon and nitrogen are the prime constituents of this particular booster system. The pressure range available in this Gas booster System is from 0.1 to 1000 bar. 25:1 is the press rate and this system is driven at 3 to 8 bar pressure. The medium can be Air, Gas, Helium, Argon or Oxygen.



### High Pressure Air Filling Pump (THV-0.07/200)

We export and supply this device from the city of Wenling all across the globe. The pump requires a working power of 2.2KW and working pressure of 200 BAR. The capacity of the pump is 70L/min air delivery or 205CFM. It Works with a speed of 2850 r.p.m by making a noise of 65dB. The voltage requirement is 220/50V/HZ. Weight of the pump is about 35 Kg with a dimension of 75cm (L) X42cm (W) X45cm (H). Being a leading exporter and supplier, we strive to accomplish bulk consignments from our clients.



### High Pressure Seamless Steel Gas Cylinder

We deal in the export and supply of oxygen cylinders, nitrogen cylinders, CNG steel cylinders for vehicles, helium cylinders, CO2 Cylinders, Hydrogen cylinders and High Pressure Seamless Steel Gas Cylinder from Wenling City, Zhejiang. With a standard of ISO11439, ISO9809, JIS B8241, NZS5454, EN1964, DOT3AA, IS7285, GB17258, GB5099 and so on, our range of products are in compliance with both international and national market standards. We undertake bulk orders from our clients and deliver within 30 days after payment.



Contact us



# **WENLING TOPLONG**

## **ELECTRIC & MECHANICAL CO. LTD.**

Mr. Zhangshicheng & Mr. Peter Zhang

GaoTian Industry Zone, Daxi Town, Wenling City, Zhejiang Province, China

Mobile & Whatsapp No. : +86-13575881709

Skype Id : petersky888~skype • Fax : +86-57688476551

Web Page : <http://www.exportersindia.com/wenling-toplong-electrical-mechanical-firm/>