

# TECHNICAL SPECIFICATIONS

## DIESEL



**SYNDICATE OVERSEAS**  
Merchant Exporters of Automobiles



- **Fuel Type Diesel**
- **Engine**
- **Type Water Cooled Engine**
- **Displacement 597.7 cc**
- **Max Power 7 kW (9.39 hp) @ 3600 rpm**
- **Max Torque 23.5 Nm @2200 rpm**
- **Transmission**
- **Clutch Type Multi Disc Wet Type**
- **Gear Box Constant Mesh**
- **Gears 5 Forward, 1 Reverse**

# Suspension



**SYNDICATE OVERSEAS**  
Merchant Exporters of Automobiles

- **Front Hydraulic Telescopic Shock Absorber With Helical Compression Spring with dampener**
- **Rear Hydraulic Telescopic Shock Absorber With Rubber Compression Spring with dampener**
- **Steering**
- **Steering Handle Bar Type**
- **Brake & Tyre**
- **Brake Drum Brake Hydraulically Actuated Internal Expanding Shoe Type**
- **Tyre 4.50 – 10, 8 PR**

# Electrical System

- **System Voltage 12V DC**
- **Battery Rating 50 Ah**



**SYNDICATE OVERSEAS**  
Merchant Exporters of Automobiles

# Dimensions



**SYNDICATE OVERSEAS**  
Merchant Exporters of Automobiles

- **Wheelbase 2100 mm**
- **Overall Width 1465 mm**
- **Overall Length 3140 mm**
- **Overall Height 1950 mm**
- **Minimum Ground Clearance 24**

# Weight



**SYNDICATE OVERSEAS**  
Merchant Exporters of Automobiles

- **GVW 806 kg**
- **Kerb Weight 506 kg**
- **Seating Capacity Driver + 3**

# Performance



**SYNDICATE OVERSEAS**  
Merchant Exporters of Automobiles

- **Maximum Gradeability 23.80%%**
- **Fuel Tank Capacity 10 Ltrs**
- **Maximum Speed 60 Km/h**