

FlyRail[®]
FIXWEL

A Trusted Name in Wheel Castors & Builder Hardware



A HOUSE OF
DOMESTIC & INDUSTRIAL
WHEEL CASTORS



CATALOGUE & TECHNICAL MANUAL







CARRYING YOUR
WEIGHT
CARRYING YOUR
TRUST






FLYRAIL FIXWEL
HARDWARES




Visit us: www.flyrailfixwel.com
E-mail : pankajnarula@flyrailfixwel.com
















Available at all Leading Hardware Stores

ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
A HOUSE OF DOMESTIC BALL & WHEEL CASTORS (HSN CODE 83022000)											
 BALL CASTOR ROYAL (PLATE TYPE) "SPECIAL"	800	25	Bright Chrome	34	34	1.6	42 x 42	2	30 x 30	53	50
	800	25	Powder Coated	34	34	1.6	42 x 42	2	30 x 30	53	50
	801	35	Bright Chrome	39	39	1.6	38 x 54	2.5	41 x 25	61	100
	802	35	Powder Coated	39	39	1.6	38 x 54	2.5	41 x 25	61	100
	803	50	Bright Chrome	50	50	1.6	43 x 65	2.5	46 x 25	73	150
	804	50	Powder Coated	50	50	1.6	43 x 65	2.5	46 x 25	73	150
 BALL CASTOR ROYAL (PLATE TYPE) "SUPER"	805	35	Bright Chrome	43	43	1.6	41 x 58	2.5	45 x 28	62	125
	806	35	Powder Coated	43	43	1.6	41 x 58	2.5	45 x 28	62	125
	807	50	Bright Chrome	56	56	1.6	43 x 65	3.0	43 x 65	77	175
	808	50	Powder Coated	56	56	1.6	43 x 65	3.0	43 x 65	77	175
	809	65	Bright Chrome	65	65	2.0	58 x 71	3.0	35 x 49	86	225
	810	65	Powder Coated	65	65	2.0	58 x 71	3.0	35 x 49	86	225
 BALL CASTOR QUEEN (THREAD TYPE) "SUPER"	813	25	Bright Chrome	34	34	1.6	1/4 Thread	-	-	55	50
	814	25	Powder Coated	34	34	1.6	1/4 Thread	-	-	55	50
	815	35	Bright Chrome	43	43	1.6	3/8 Thread	-	-	65	125
	816	35	Powder Coated	43	43	1.6	3/8 Thread	-	-	65	125
	817	50	Bright Chrome	56	56	1.6	3/8 Thread	-	-	80	175
	818	50	Powder Coated	56	56	1.6	3/8 Thread	-	-	80	175
 BALL CASTOR KING (PILLAR TYPE) "SUPER"	825	35	Bright Chrome	43	43	1.6	5/8 Pillar	-	-	62	125
	826	35	Powder Coated	43	43	1.6	5/8 Pillar	-	-	62	125
	827	50	Bright Chrome	56	56	1.6	7/8 Pillar	-	-	75	175
	828	50	Powder Coated	56	56	1.6	7/8 Pillar	-	-	75	175
 WHEEL CASTOR (MINI FOUR WHEELER) "SPECIAL"	841	15	Powder Coated	21	7	1.6	-	-	24	25	50
	842	20	Powder Coated	23	7	1.6	-	-	32	27	75
	843	25	Powder Coated	25	7	1.6	-	-	36	30	100
 SINGLE WHEEL CASTOR ROYAL (PLATE TYPE)	850	25	Bright Chrome	30	18	1.6	42 x 42	2	30 x 30	46	50
	850	25	Powder Coated	30	18	1.6	42 x 42	2	30 x 30	46	50
	851	35	Bright Chrome	40	22	2	38 x 54	2.5	41 x 25	60	75
	852	35	Powder Coated	40	22	2	38 x 54	2.5	41 x 25	60	75
	853	50	Bright Chrome	52	25	2	43 x 65	2.5	46 x 25	75	150
	854	50	Powder Coated	52	25	2	43 x 65	2.5	46 x 25	75	150
	855	65	Bright Chrome	67	26	2	51 x 74	2.5	38 x 61	94	175
	856	65	Powder Coated	67	26	2	51 x 74	2.5	38 x 61	94	175
	857	75	Bright Chrome	79	26	2	51 x 74	2.5	38 x 61	101	200
	858	75	Powder Coated	79	26	2	51 x 74	2.5	38 x 61	101	200
	859	100	Bright Chrome	100	26	2	60 x 90	3	40 x 68	124	250
	859	100	Powder Coated	100	26	2	60 x 90	3	40 x 68	124	250

ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.	
 SINGLE WHEEL CASTOR KING (PILLAR TYPE)	861	35	Bright Chrome	40	22	2	5/8 Pillar	-	-	57	75	
	862	35	Powder Coated	40	22	2	5/8 Pillar	-	-	57	75	
	863	50	Bright Chrome	52	25	2	7/8 Pillar	-	-	75	150	
	864	50	Powder Coated	52	25	2	7/8 Pillar	-	-	75	150	
	865	65	Bright Chrome	67	26	2	7/8 Pillar	-	-	94	175	
	866	65	Powder Coated	67	26	2	7/8 Pillar	-	-	94	175	
	867	75	Bright Chrome	79	26	2	7/8 Pillar	-	-	103	200	
	868	75	Powder Coated	79	26	2	7/8 Pillar	-	-	103	200	
	869	100	Bright Chrome	100	26	2	7/8 Pillar	-	-	129	250	
	869	100	Powder Coated	100	26	2	7/8 Pillar	-	-	129	250	
 SINGLE WHEEL CASTOR QUEEN (THREAD TYPE)	870	25	Bright Chrome	30	18	1.6	1/4 Thread	-	-	50	50	
	870	25	Powder Coated	30	18	1.6	1/4 Thread	-	-	50	50	
	871	35	Bright Chrome	40	22	2	3/8 Thread	-	-	62	75	
	872	35	Powder Coated	40	22	2	3/8 Thread	-	-	62	75	
	873	50	Bright Chrome	52	25	2	3/8 Thread	-	-	76	150	
	874	50	Powder Coated	52	25	2	3/8 Thread	-	-	76	150	
	875	65	Bright Chrome	67	26	2	12 mm Thread	-	-	97	175	
	875	65	Powder Coated	67	26	2	12 mm Thread	-	-	97	175	
	876	75	Bright Chrome	79	26	2	12 mm Thread	-	-	107	200	
	876	75	Powder Coated	79	26	2	12 mm Thread	-	-	107	200	
860	100	Powder Coated	100	26	2	12 mm Thread	-	-	130	250		
 SINGLE WHEEL CASTOR (35mm width) "SCORPIO" ROYAL (PLATE TYPE)	877	50	Bright Chrome	52	35	2	58 X 71	3	37 X 49	79	200	
	878	50	Powder Coated	52	35	2	58 X 71	3	37 X 49	79	200	
	879	65	Bright Chrome	66	36	2	58 X 71	3	37 X 49	91	225	
	880	65	Powder Coated	66	36	2	58 X 71	3	37 X 49	91	225	
	887	75	Bright Chrome	77	37	2	67 X 67	3	49 X 49	107	250	
	888	75	Powder Coated	77	37	2	67 X 67	3	49 X 49	107	250	
	889	100	Bright Chrome	101	37	2.5	80 X 80	3	58 X 58	128	300	
	889	100	Powder Coated	101	37	2.5	80 X 80	3	58 X 58	128	300	
	 WHEEL CASTOR "VEE" Special (P/C)	881	35	Powder Coated	39	20	2	-	-	13 X 47	51	125
		882	50	Powder Coated	50	20	2	-	-	13 X 57	62	175
883		30	Powder Coated	30	16	2	-	-	40	38	100	
884		25	Powder Coated	26	11	1.6	-	-	35	32	75	
885		20	Powder Coated	24	11	1.6	-	-	33	27	50	
886		15	Powder Coated	20	9	1.6	-	-	30	23	50	
 WHEEL CASTOR "MINI SIXER" Special (P/C)		891	15	Powder Coated	20	9	2.5	-	-	18	25	50
	892	20	Powder Coated	24	11	2.5	-	-	21	28	75	
	893	25	Powder Coated	26	11	2.5	-	-	26	30	100	


ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
 WHEEL CASTOR "MINI SIXER" Super (Revolving) (P/C)	895	15	Powder Coated	20	9	2.5	38 x 58	2.5	24 x 43	32	50
	896	20	Powder Coated	24	11	2.5	43 x 65	2.5	27 x 49	36	75
	897	25	Powder Coated	26	11	2.5	47 x 71	2.5	32 x 56	38	100
 WHEEL CASTOR TWIN (DOUBLE WHEEL) "SPECIAL"	898	25	Bright Chrome	30	11	1.6	42 x 42	2	30 x 30	47	50
	898	25	Powder Coated	30	11	1.6	42 x 42	2	30 x 30	47	50
	899	35	Bright Chrome	38	14	2	43 x 65	2.5	26 x 45	59	125
	900	35	Powder Coated	38	14	2	43 x 65	2.5	26 x 45	59	125
	901	50	Bright Chrome	52	18	2	58 x 71	3	37 x 49	77	200
	902	50	Powder Coated	52	18	2	58 x 71	3	37 x 49	77	200
	902RW	50	Rubber Wheel	52	18	2	58 x 71	3	37 x 49	77	200
	903	65	Bright Chrome	70	18	2	58 x 71	3	37 x 49	94	225
	904	65	Powder Coated	70	18	2	58 x 71	3	37 x 49	94	225
	904RW	65	Rubber Wheel	69	18	2	58 x 71	3	37 x 49	94	225
	926	75	Powder Coated	77	17	2	67 x 67	3	50 x 50	107	250
	927	100	Powder Coated	101	17	2.5	80 x 80	3	61 x 61	130	300
 WHEEL CASTOR TWO WHEELER (P/C)	905	15	Powder Coated	20	31	2.5	-	-	18	25	50
	906	20	Powder Coated	23	36	2.5	-	-	21	27	75
	907	25	Powder Coated	25	39	2.5	-	-	26	30	100
 WHEEL CASTOR FOUR WHEELER "SPECIAL"	908	30	Powder Coated	30	24	2.5	-	-	30	34	150
	920	35	Powder Coated	39	26	3.5	-	-	38	46	250
	921	50	Powder Coated	53	27	3	-	-	37	56	350
 WHEEL CASTOR FOUR WHEELER "SUPER" (Revolving)	909	30	Powder Coated	30	24	2.5	57 x 82	2.5	40 x 65	43	200
	922	35	Powder Coated	39	26	3.5	61 x 90	3.5	43 x 73	59	300
	923	50	Powder Coated	53	27	3	65 x 111	3	48 x 94	69	400
 WHEEL CASTOR SIXER (SIX WHEEL) "REGULAR"	911	35	Powder Coated	39	26	3	-	-	38	46	250
	912	30	Powder Coated	30	16	2.5	-	-	30	35	150
 WHEEL CASTOR SIXER (SIX WHEEL) "SPECIAL"	913	35	Powder Coated	36	18	3.5	-	-	39	45	250
	913RW	35	Rubber Wheel	36	18	3.5	-	-	39	45	250
	914	50	Powder Coated	52	18	3	-	-	37	57	350
	914RW	50	Rubber Wheel	52	18	3	-	-	37	57	350

ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
 WHEEL CASTOR SIXER (REVOLVING) "SUPER"	915	35	Powder Coated	36	18	3.5	61 x 90	3.5	43 x 73	57	300
	915RW	35	Rubber Wheel	36	18	3.5	61 x 90	3.5	43 x 73	57	300
	916	50	Powder Coated	52	18	3	65 x 111	3	48 x 94	69	400
	916RW	50	Rubber Wheel	52	18	3	65 x 111	3	48 x 94	69	400
	917	30	Powder Coated	30	16	2.5	57 x 82	2.5	40 x 65	43	200
 WHEEL CASTOR JUMBO (SHEET METAL)	918	50	Powder Coated	53	20	5	55 x 68	6	38 x 50	78	300
	919	60	Powder Coated	62	21	5	55 x 68	6	38 x 50	82	400
 WHEEL CASTOR SUMO (ALL STEEL)	924	50	Powder Coated	50	17	24	45 x 45	6	29 x 29	66	500
	925	60	Powder Coated	60	19	27	58 x 58	6	42 x 42	80	600
 WHEEL CASTOR NYLON 25mm	928	25	Nylon	29	11	-	42 x 42	2	30 x 30	40	50
	929	25	Nylon	29	11	-	1/4 Thread	-	-	43	50
	930	25	Nylon	29	11	-	9 mm	-	-	43	50
 WHEEL CASTOR NYLON ROYAL (PLATE TYPE)	931	40	Nylon	40	13	-	42 x 42	2.5	30 x 30	61	75
	932	50	Nylon	52	14	-	46 x 46	2.5	31 x 31	71	100
 WHEEL CASTOR NYLON QUEEN (THREAD TYPE) BRAKE	933	40	Nylon	40	13	-	42 x 42	2.5	30 x 30	61	75
	934	50	Nylon	52	14	-	46 x 46	2.5	31 x 31	71	100
 WHEEL CASTOR NYLON QUEEN (THREAD TYPE)	935	40	Nylon	40	13	-	3/8 Thread	-	-	59	75
	936	50	Nylon	52	14	-	3/8 Thread	-	-	68	100
	936A	50	Nylon	52	14	-	3/8 Thread	-	-	68	100


ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
 WHEEL CASTOR NYLON QUEEN (THREAD TYPE) BRAKE	937	40	Nylon	40	13	-	3/8 Thread	-	-	59	75
	938	50	Nylon	52	14	-	3/8 Thread	-	-	68	100
 WHEEL CASTOR NYLON KING (PIN TYPE)	939	40	Nylon	40	13	-	11mm Rod	-	-	55	75
	940	50	Nylon	52	14	-	11mm Rod	-	-	66	100
 WHEEL CASTOR NYLON KING (PIN TYPE) BRAKE	941	40	Nylon	40	13	-	11mm Rod	-	-	55	75
	942	50	Nylon	52	14	-	11mm Rod	-	-	66	100
 WHEEL CASTOR NYLON CLUMP	943	40	Nylon	40	13	-	19mm Ply	1.6	-	59	75
	944	50	Nylon	52	14	-	19mm Ply	1.6	-	70	100
 WHEEL CASTOR NYLON CLUMP BRAKE	945	40	Nylon	40	13	-	19mm Ply	1.6	-	59	75
	946	50	Nylon	52	14	-	19mm Ply	1.6	-	70	100
 WHEEL CASTOR COOLER (BLACK WHEEL)	948	50	PPCP	52	14	-	19mm Pillar	-	-	65	150
	949	50	PPCP	52	14	-	25mm Pillar	-	-	68	200


A HOUSE OF INDUSTRIAL WHEEL CASTORS (HSN CODE - 83022000)
WHEEL CASTOR-ALTO (25mm Width) RUBBER WHEEL


951 50mm x 25


	A	50	Powder Coated	50	23	2	42 X 65	2.5	45 X 25	72	100
	B	50	Powder Coated	50	23	2	-	-	23 X 47	72	100
	C	50	Powder Coated	50	23	2	3/8 Thread	-	-	75	100
	D	50	Powder Coated	50	23	2	7/8 Pillar	-	-	72	100

952 65mm x 25mm


	A	65	Powder Coated	67	26	2	58 X 71	3	37 X 49	94	150
	B	65	Powder Coated	67	26	2.5	-	-	30 X 60	94	150
	C	65	Powder Coated	67	26	2	12mm Thread	-	-	96	150
	D	65	Powder Coated	67	26	2	7/8 Pillar	-	-	93	150


ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.	
	953 75mm x 25mm											
	A	75	Powder Coated	78	27	2	58 X 71	3	37 X 49	107	200	
	B	75	Powder Coated	78	27	2.5	-	-	70 X 30	107	200	
	C	75	Powder Coated	78	27	2	12mm Thread	-	-	108	200	
D	75	Powder Coated	78	27	2	7/8 Pillar	-	-	105	200		

	954 100mm x 25mm											
	A	100	Powder Coated	101	27	2	60 X 90	3	70 X 42	128	250	
	B	100	Powder Coated	101	27	2.5	-	-	30 X 78	125	250	
	C	100	Powder Coated	101	27	2	12mm Thread	-	-	130	250	
D	100	Powder Coated	101	27	2	7/8 Pillar	-	-	125	250		

	955 35mm x 25mm											
	A	35	Powder Coated	40	21	2	41 X 58	2.5	28 X 44	60	75	
	B	35	Powder Coated	40	21	2	-	-	15 X 47	60	75	
	C	35	Powder Coated	40	21	2	3/8 Thread	-	-	62	75	
D	35	Powder Coated	40	21	2	5/8 Pillar	-	-	57	75		

WHEEL CASTOR INNOVA
(32mm Width) Black Rubber Wheel (P/ COATED)

	962 65mm x 32mm											
	A	65	Powder Coated	65	32	2	67 X 67	3	50 X 50	93	175	
	B	65	Powder Coated	65	32	2.5	-	-	60 X 30	93	175	
	C	65	Powder Coated	65	32	2	12 mm Thread	-	-	97	175	
D	65	Powder Coated	65	32	2	7/8 Pillar	-	-	92	175		

	963 75mm x 32mm											
	A	75	Powder Coated	75	32	2	67 X 67	3	50 X 50	107	200	
	B	75	Powder Coated	75	32	2.5	-	-	30 X 70	107	200	
	C	75	Powder Coated	75	32	2	12 mm Thread	-	-	110	200	
D	75	Powder Coated	75	32	2	7/8 Pillar	-	-	105	200		


ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
------	----------	---------	--------	---------------	--------------------	--------------------	---------------	--------------------	--------------------------	-----------------	-------------------



964 100mm x 32mm

A	100	Powder Coated	100	32	2.5	80 X 80	3	60 X 60	125	300
B	100	Powder Coated	100	32	2.5	-	-	80 X 30	125	300
C	100	Powder Coated	100	32	2.5	12mm Thread	-	-	135	300
D	100	Powder Coated	100	32	2.5	7/8 Pillar	-	-	127	300


WHEEL CASTOR MARSHAL
(38mm Width) BLACK Rubber WHEEL (P/ COATED)



972 65mm x 38mm


A	65	Powder Coated	65	39	2	67 X 67	3	50 X 50	87	200
B	65	Powder Coated	65	39	2.5	-	-	60 X 30	87	200
C	65	Powder Coated	65	39	2	12mm Thread	-	-	93	200
D	65	Powder Coated	65	39	2	7/8 Pillar	-	-	84	200

WHEEL CASTOR SANTRO
(25mm Width) P U Wheel (P / COATED)




980 35mm x 25mm

A	35	Powder Coated	40	21	2	41 X 58	2.5	28 X 44	60	75
B	35	Powder Coated	40	21	2	-	-	-	60	75
C	35	Powder Coated	40	21	2	3/8 Thread	-	-	62	75
D	35	Powder Coated	40	21	2	5/8 Pillar	-	-	57	75



981 50mm x 25mm

A	50	Powder Coated	52	26	2	42 x 65	2.5	45 X 25	72	100
B	50	Powder Coated	52	26	2	-	-	23 X 47	72	100
C	50	Powder Coated	52	26	2	3/8 Thread	-	-	75	100
D	50	Powder Coated	52	26	2	7/8 Pillar	-	-	72	100











982 65mm x 25mm









A	65	Powder Coated	67	26	2	58 X 71	3	37 X 49	94	150
B	65	Powder Coated	67	26	2.5	-	-	30 X 60	94	150
C	65	Powder Coated	67	26	2	12mm Thread	-	-	96	150
D	65	Powder Coated	67	26	2	7/8 Pillar	-	-	93	150

ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
------	----------	---------	--------	---------------	--------------------	--------------------	---------------	--------------------	--------------------------	-----------------	-------------------

983 75mm x 25mm









 A		A	75	Powder Coated	78	27	2	58 X 71	3	37 X 49	107	250
 C		B	75	Powder Coated	78	27	2.5	-	-	70 X 30	107	250
 C		C	75	Powder Coated	78	27	2	12 mm Thread	-	-	108	250
 D		D	75	Powder Coated	78	27	2	7/8 Pillar	-	-	105	250

984 100mm x 25mm









 A		A	100	Powder Coated	101	27	2	60 X 90	3	70 X 42	128	300
 C		B	100	Powder Coated	101	27	2.5	-	-	30 X 78	125	300
 C		C	100	Powder Coated	101	27	2	12 mm Thread	-	-	130	300
 D		D	100	Powder Coated	101	27	2	7/8 Pillar	-	-	125	300

WHEEL CASTOR INNOVA
(32mm Width) P U Wheel (P / COATED)









992 65mm x 32mm

 A		A	65	Powder Coated	65	32	2	67 X 67	3	50 X 50	93	200
 C		B	65	Powder Coated	65	32	2.5	-	-	60 X 30	93	200
 C		C	65	Powder Coated	65	32	2	12 mm Thread	-	-	90	200
 D		D	65	Powder Coated	65	32	2	7/8 Pillar	-	-	90	200

993 75mm x 32mm

 A		A	75	Powder Coated	75	32	2	67 X 67	3	50 X 50	107	300
 C		B	75	Powder Coated	75	32	2.5	-	-	30 X 70	107	300
 C		C	75	Powder Coated	75	32	2	12 mm Thread	-	-	110	300
 D		D	75	Powder Coated	75	32	2	7/8 Pillar	-	-	105	300

994 100mm x 32mm

 A		A	100	Powder Coated	103	32	3	100 X 100	3	80 X 80	133	400
 C		B	100	Powder Coated	103	32	3	-	-	80 X 30	133	400
 C		C	100	Powder Coated	103	32	3	12 mm Thread	-	-	136	400
 D		D	100	Powder Coated	103	32	3	7/8 Pillar	-	-	127	400

ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
------	----------	---------	--------	---------------	--------------------	--------------------	---------------	--------------------	--------------------------	-----------------	-------------------

WHEEL CASTOR -SHAKTIMAN (50mm Width)
POLYMER WHEEL (P / COATED) ROYAL (Plate Type)



1000 75mm x 50mm

A	75	Powder Coated	77	51	3.5	100 x 120	3.5	95 x 75	115	500
B	75	Powder Coated	77	51	3.5	-	-	44 x 86	115	500
C	75	Powder Coated	77	51	3.5	100 x 120	3.5	95 x 75	115	500



1001 100mm x 50mm

A	100	Powder Coated	101	52	3.5	100 x 125	3.5	78 x 102	145	600
B	100	Powder Coated	101	52	3.5	-	-	49 x 96	145	600
C	100	Powder Coated	101	52	3.5	100 x 125	3.5	78 x 102	145	600




1002 150mm x 50mm

A	150	Powder Coated	153	50	3.5	115 x 140	4	90 x 115	190	750
B	150	Powder Coated	153	50	3.5	-	-	44 x 115	190	750
C	150	Powder Coated	153	50	3.5	115 x 140	4	90 x 115	190	750



1003 200mm x 50mm

A	200	Powder Coated	203	51	4	-	5	130 x 160	245	1000
B	200	Powder Coated	203	51	4	-	-	44 x 115	245	1000
C	200	Powder Coated	203	51	4	-	5	130 x 160	245	1000




1004 125mm x 50mm

A	125	Powder Coated	127	51	3.5	110 x 130	4	82 x 108	165	850
B	125	Powder Coated	127	51	3.5	-	-	49 x 96	165	850
C	125	Powder Coated	127	51	3.5	110 x 130	4	82 x 108	165	850


ITEM	Code No.	Size mm	Finish	Wheel Dia. mm	Wheel Thickness mm	Clump Thickness mm	Plate Size mm	Plate Thickness mm	Hole to hole Distance mm	Total Height mm	Load Capacity Kg.
------	----------	---------	--------	---------------	--------------------	--------------------	---------------	--------------------	--------------------------	-----------------	-------------------

WHEEL CASTOR-FORTUNER (50mm Width)
P U WHEEL (P / COATED) ROYAL (Plate Type)




1006 75mm x 50mm

A	75	Powder Coated	77	51	3.5	100 x 120	3.5	95 x 75	115	500
B	75	Powder Coated	77	51	3.5	-	-	44 x 86	115	500
C	75	Powder Coated	77	51	3.5	100 x 120	3.5	95 x 75	115	500




1007 100mm x 50mm

A	100	Powder Coated	101	52	3.5	100 x 125	3.5	78 x 102	145	600
B	100	Powder Coated	101	52	3.5	-	-	49 x 96	145	600
C	100	Powder Coated	101	52	3.5	100 x 125	3.5	78 x 102	145	600




1008 150mm x 50mm

A	150	Powder Coated	153	50	3.5	115 x 140	4	90 x 115	190	750
B	150	Powder Coated	153	50	3.5	-	-	44 x 115	190	750
C	150	Powder Coated	153	50	3.5	115 x 140	4	90 x 115	190	750



1009 200mm x 50mm

A	200	Powder Coated	203	51	4	-	5	130 x 160	245	1000
B	200	Powder Coated	203	51	4	-	-	44 x 115	245	1000
C	200	Powder Coated	203	51	4	-	5	130 x 160	245	1000



1010 125mm x 50mm

A	125	Powder Coated	127	51	3.5	110 x 130	4	82 x 108	165	850
B	125	Powder Coated	127	51	3.5	-	-	49 x 96	165	850
C	125	Powder Coated	127	51	3.5	110 x 130	4	82 x 108	165	850

FlyRail[®]
FIXWEL
A Trusted Name in Wheel Castors & Builder Hardware



A HOUSE OF
DOMESTIC & INDUSTRIAL
WHEEL CASTORS



It is with great pleasure that we introduce **FlyRail FIXWEL**, a preeminent Indian manufacturer of Wheel Castors & hardware goods since 1975. Our **FlyRail FIXWEL** brand has become synonymous with quality and reliability in the industry. As you evaluate your needs for castors and hardware, we are confident in our ability to serve as your trusted partner, dedicated to exceeding your expectations. **FlyRail FIXWEL** offers an extensive range of wheel castors and wheels, catering to various industries with product sizes ranging from 15mm to 200mm and load-bearing capacities from 15 kg to an impressive 1000 kg. Our products are ideally suited for applications across multiple sectors, including furniture, medical equipment, material handling, aviation, and hospitality. Exceptional quality is assured through our in-house production facilities, state-of-the-art technology, and a team of highly skilled personnel. Furthermore, our efficient manufacturing processes enable us to offer competitive pricing without compromising on quality. Our extensive dealership network guarantees unparalleled customer service across India. By choosing **FlyRail FIXWEL**, you benefit from the durability and reliability of our castors and hardware, which are engineered for longevity, ensuring smooth operation and lasting value. High-quality castors reduce friction and improve mobility, optimizing operational work flows. Our nationwide reach ensures that our products and support services are easily accessible across the country, and our competitive pricing model ensures excellent value for your investment. As a leading manufacturer in the industry, we are fully equipped to meet all your castor and hardware requirements. We look forward to the opportunity to provide you with our exceptional products and services.

Mr. Pankaj Narula
(MD, Flyail Fixwel)

Visit us: www.flyrailfixwel.com

Available at all Leading Hardware Stores

