

YEAR OF
ESTABLISHMENT
2006

EASEMED
ELECTROSURGICAL PVT. LTD



**MANUFACTURER,
EXPORTER, SUPPLIER
& RETAILER**



EASEMED ELECTROSURGICAL PRIVATE LIMITED

we are reckoned as the pioneer manufacturer, supplier, exporter, and retailer of vessel sealing systems, ultrasonic cleaner, electrocautery units, CO2 insufflators, LED light source, laparoscopic morcellator, fibre optics cable, excel cabler, and bipolar TUR. Based in Thane since 2006, our range of specialized products is well known in the market because of their convenience, reliability, safety, and flexibility.



+91-9320071689
+91-9623781689

www.easemed.co.in

info@easemed.net

ABOUT US

At Easemed Electrosurgical Private Limited, we are reckoned as the pioneer manufacturer, supplier, exporter, and retailer of vessel sealing systems, ultrasonic cleaner, electrosurgical units, CO2 insufflators, LED light source, laparoscopic morcellator, fibre optics cable, excel cabler, and bipolar TUR. Based in Thane since 2006, our range of specialized products is well known in the market because of their convenience, reliability, safety, and flexibility.

We take pride in offering highly-portable products all of which are perfect and accurate enough for surgeries as well. The comprehensive range of cutting-edge products that we manufacture, design, and supply can cater to the demands of the surgical team in various hospitals, surgery facilities, etc.

Latest and Advanced Electro Surgical Units

Our team is well-equipped with the latest and most advanced equipment and manufacturing machinery which they count on to manufacture our wide gamut of products. More so, the highly-integrated research and development team we have is constantly undergoing training to bring about innovative products to the table.

Since our establishment, it has been our primary motive to meet the demands of our medical industry through our state-of-the-art medical equipment. We have what it takes to secure our top position in the market of electro surgical products. You can always get in touch with us to browse through our product portfolio and to know them in details.

Name Of Company Founder
Mr. Kapil Padher

Number of Employees
25

Nature of Business
Manufacturer, Exporter, Supplier & Retailer

Year of Establishment
2006

 **+91-9965199002, 08068499992**

 **prtraders1981@gmail.com**

Biseal 150 Vessel Sealing System

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Display : 7 Segment LED
- > Dimension (wxhxd) : 290mmx105mmx260mm
- > Weight : 4kg
- > Keyboard : Feathertouch
- > Input Supply Voltage : 230vac +15%@50/60hz



Crown Bipolar TUR Vessel Sealing System

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Application : Veterinary Purpose
- > Dimension : 260 (l) mm x 290 (w) mm x 105 (h) mm
- > Power : 220V±22V, 50Hz±1Hz(110V±11V, 60Hz)
- > Operating Frequency : 512KHz
- > Power Rating : 880VA±10%



Monoseal Prime Vessel Sealing System

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Program Mode : 99 User Settable Program Mode
- > Frequency : Upto 1 Mhz
- > Display : 7segment LED
- > Weight : 7.5Kg (approx)
- > Dimension : 410mm(L) x 355mm(W) x 155mm(H)
- > Voltage : Input Supply Voltage 230V (+ / - 15%) 50Hz



14 Liter Ultrasonic Cleaner

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Low Noise Ultrasonic Baths : Below 70db
- > High Temperature Bath : Upto 80
- > Voltage (V) : 220
- > Ultrasonic Frequency : Upto 80 °
- > Power : AC100-120V/AC220-240V



20 Liter Ultrasonic Cleaner

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Operation Mode : Semi-Automatic
- > Low Noise Ultrasonic Baths : Below 70db
- > High Temperature Bath : Upto 80 °
- > Voltage (V) : 220
- > Ultrasonic Frequency : 45/80KHz



Digital 250 Electro Surgical Unit

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Certification : CE Certified, ISO 9001:2008
- > Frequency : 50 Hz, 60 Hz
- > Warranty : 1year
- > Speed : 1500-2500rpm, 2500-3500rpm
- > Country of Origin : India



Smart 3 Electro Surgical Unit

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Certification : CE Certified, ISO 9001:2008
- > Frequency : 50 Hz, 60 Hz
- > Warranty : 1year
- > Product Power : 1-5kw, 10-15kw, 15-20kw
- > Country of Origin : India



Smart 4 Electro Surgical Unit

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Display : 7 Segment LED
- > Dimension (wxhxd) : 290mmx105mmx260mm
- > Weight : 4kg
- > Keyboard : Feathertouch
- > Input Supply Voltage : 230vac +15% @50/60hz



Smart 4 Plus Electro Surgical Unit

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Program Mode : 99 User Settable Program Mode
- > Frequency : 480khz
- > Display : 7segment LED
- > Weight : 7.5Kg (approx)
- > Dimension : 410mm(L) x 355mm(W) x 155mm(H)
- > Voltage : Input Supply Voltage 230V (+ / - 15%) 50Hz



SSE 300 Electro Surgical Unit

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Certification : CE Certified, ISO 9001:2008
- > Color : Brown, Green, Grey, Light White, Sky Blue, White, Yellow
- > Frequency : 50 Hz, 60 Hz
- > Warranty : 1year
- > Speed : 1500-2500rpm, 2500-3500rpm
- > Country of Origin : India



SSE-TUR Electro Surgical Unit

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Certification : CE Certified, ISO 9001:2008
- > Frequency : 50 Hz, 60 Hz
- > Warranty : 1year
- > Cooling System : Air Cooling, Oil Cooling, Water Cooling
- > Speed : 1500-2500rpm, 2500-3500rpm
- > Country of Origin : India



40L CO2 Insufflator

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Gas : CO2 (medical)
- > CO2 gas supply systems : Inf 7/16"
- > Input Pressure Min. to Max : 2 to 3 Bar
- > Insufflation Pressure Min to Max : 4 – 30 An Accuracy of 1 Mm Hg)
- > Flow Rate Min to Max : 1 to 20 Liters /min (model – CO2 -2000) : 1 to 30 Liters/min
- > Type of Power Supply : 230 Vac + 15% @ 50 – 60 Hz



CO2 -30 L CO2 Insufflator

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Condition : New
- > Power : 1-3kw, 3-6kw, 6-9kw
- > Driven Type : Electric
- > Warranty : 1yrs
- > Country of Origin : India



CO2- 30L Advance CO2 Insufflator

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Certification : CE Certified, ISO 9001:2008
- > Weight : 0-10kg, 10-20kg, 20-30kg, 30-40kg
- > Condition : New
- > Power : 1-3kw, 3-6kw, 6-9kw
- > Warranty : 5yrs
- > Country of Origin : India



Bitur Bipolar TUR

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Usage : Surgery Equipment Generator for Hospitals, Clinics
- > Type : Trocar, Bowel Grasper
- > Usability : Reusable
- > Operating Frequency : 512KHz



Crown Bipolar TUR

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Dimension : 260 (l) mm x 290 (w) mm x 105 (h) mm
- > Power : 220V±22V, 50Hz±1Hz(110V±11V, 60Hz)
- > Operating Frequency : 512KHz
- > Power Rating : 880VA±10%



URO Bitur Bipolar TUR

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Supply Ability : 100 Per Month
- > Tip Width : Upto 2 mm
- > Thickness : 6-8mm
- > Length : 330mm
- > Finishing: Polished
- > Condition : New



LED Light Source

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Model : E300
- > LED : 80W
- > Light spectral : Visible light only
- > Light Colour Temperature : 6000K (Sunlight only)
- > Power Supply : 90- 264VAC (50/60Hz)
- > Power Consumption : 100W
- > Refrigeration : Forced Air Cooling



Laparoscopic Morcellator

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Diameters : 12mm, 15mm, and 20mm
- > Material : Stainless Steel
- > Type : Electrical Uterus Cutter



Fibre Optics Cable

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Thickness : 0.5-1mm, 1.5-2mm, 2.5-3mm, 3.5-4mm, 4.5-5mm, 5.5-6mm
- > Certification : CE Certified, ISO 9001:2008
- > Application : Home, Industrial
- > Feature : Crack Free, Durable, Heat Resistant, High Ductility
- > Power : 1-3kw, 3-6kw, 6-9kw
- > Country of Origin : India



Excel Sealer

SPECIFICATIONS

- > Business Type : Manufacturer, Exporter, Supplier, Retailer, Wholesaler
- > Performance : Optimum
- > Resistivity : Rust resistant
- > Size : 20mm, 32mm.
- > Condition : New
- > Warranty: 1 year
- > Finishing: Polished
- > Packaging Details: As per customer requirements. We offer FREE packaging if you opt for our standard packing style.



MR. KAPIL PADHER

 **ADDRESS**

S - 7/8, Sai Vishwa Apartment, Near Belawali Police Station, Badlapur
Kalyan Road, Belawali, Thane, Maharashtra, India - 421503

 **CALL US**

+91-9320071689, +91-9623781689

 **CALL US**

08048778489

 **EMAIL ID**

info@easemed.net

 **WEB SITE**

www.easemed.co.in

 **WEB PAGE**

www.exportersindia.com/ease-electronics-systems/

