

GOA

EVA ALU PANEL LTD.

Rodrigues Apts, Shop no. G - 3

Near Pandav Chapel, Aquemmargao,

Salcete, Goa - 403601.

\_

CHISEL

BLUE

**BANGLORE | KARNATAKA** 

EVA ALU PANEL LTD.

NRI Layout Survay no 3748<sup>th</sup>

Main Kalkaye Village, K R Puram,

Hobli, Bangalore.

**KERALA** 

EVA ALU PANEL LTD.

Patthappiriyam. PO. Manjeari, Malappuram,

DTC, Kearala- 676123.

ONE STEP HIGHER

www.evabond.com





ALUMINIUM PANEL



We have a lot of confidence in the quality and durability of each Eva Bond Product. So much confidence, that we offer an industry-leading Eva Bond Panels with fantastic 10 Years of Warranty. All warranties are limited. For complete details, see a dealer.

Eva Bond warrants that its products are free from manufacturing defects and they are fit and suitable for usual purpose. The products must be inspected prior to installation and our liability will be limited to the cost of product only.









Eva Alu Panel Ltd. with an impressive portfolio of manufacturing, marketing and exports is a name to vouch for in the field of aluminium panels.

The company employs a team of highly experienced and qualified engineers as also production experts and office staff. A golden trail of work because of years of consistent and efficient service has made Eva a brand synonymous to trust and faith.

Apart from the track record, it is flexibility and attention to details that has imparted Eva the edge and has helped it acquire a unique market position.

Over the span from its inception till today, Eva has strictly adhered to industry-prescribed norms. The planning, the system of work as well as the product manufacturing- everything is done in accordance with the ISO 9001:2015 guidelines. This has made getting product approvals easy and has opened the door for entry into the new market.

The able leadership of Hon'ble Chairman Shri N.A. Patel and the Hon'ble Managing Director Shri J.K. Patel has been a constant source of inspiration and motivation for team Eva.

The strength lies in the development and production of Quality Specialist industrial and commercial laminated of injected composite panels to suit individual requirements.


Eva Bond with high end German Technology was formed to service a specialist market.

The strength lies in the development and production of customised and high-grade laminated composite panels.

Eva has today achieved manufacturing capacity of 65,000 sq. feet per day. The product is manufactured as per strict quality procedures and is further fine-tuned to suit individual requirements.

At Eva, customer satisfaction is of utmost importance. The marketing team reaches out to customers and the wide-spread network of dealers and distributors across India fulfil their requirements.

Eva's list of clientele speaks volumes about the standing of the brand Eva in the market. With firm determination and commitment to quality, Eva is the rising Sun of the new age.











EB-101 Bright Silver



EB-103 Champagne Silver



EB-105 Dark Bronze





EB-107 Fine Copper



EB-102 Metallic Silver



EB-104 Champagne Gold



EB-106 Karat Gold



EB-108 Silver Blue



EB-109 Jade Green



EB-111 Pearl Copper



EB-113 Wine Red



EB-115 Metallic Copper



EB-110 Silver Black



EB-112 Coffee Brown




EB-114 Rose Silver





## **SOLID COLOURS**



EB-201 Snow White



EB-203 Lemon Yellow



EB-205 Refreshing Orange





EB-207 Refreshing Green



#### EB-202 Milky White



#### EB-204 Traffic Yellow



### EB-206 Bright Red



EB-208 Sea Blue



EB-209 Oppo Green



EB-211 Dark Blue



EB-213 Glossy Red



EB-215 Ash Grey



EB-210 Black


EB-212 Glossy White



#### EB-214 Dark Pink








**EVABOND ACP** is a perfect substitute of natural wood and HPL. Constituting of top and bottom layer with aluminium coil, the core material is LDPE. With top surface of PVDF coating, excellent in exterior application with 10 years warranty, its bottom coating is polyester base. EVABOND ACP distinct features comprise of good durability, impact resistance, moisture resistance, dent resistance, heat resistance, and weather resistance. These panels have nil expansion and contraction, so it can be installed without any gap in exterior as well as interior applications of the building space. It is a green building product, environment friendly in form and function. for obtaining LEED Certification for any project, it contributes 2 LEED points.



# **FIRE RESISTANT** Grade

**EVABOND ACP** is Excellent amalgamation of two aluminium coils; its top side is coated with PVDF coating which gives excellent weather resistance with 10 years warranty. This product is apt for both interior as well as exterior applications. The weight of the panel is 4kg/m2 which is very light weight and gives the building a sleek and chick look. A recyclable, absolutely environment friendly, an all-in-all green building product, it is inclusive of all constitutes and qualities that's much in need to ape for. Available in a wide range of textures and colours, it also caters to customized colours, RAL or Pantone shades.





### **MARBLE & WOODEN**









EB-309 Tiger Wood Texture










EB-310 Kop Texture





EB-312 African Ipe







EB-316 Brazilian Wood

EB-317 Walnut Wood







EB-318 Burma Teak



EB-319 Sapeli Wood




EB-320 Ovangkol Wood



EB-324 Scott Wood









EB-306 Emprador

EB-307 Marble Black





**BOND** ALUMINIUM BOND

EB-321 Perlato



EB-322 Italian Rose Marble

EB-323 Italian Black Marble









EB-903 Sparkling Red



EB-905 Sparkling Bronze






EB-902 Sparkling Black



EB-904 Sparkling Blue







EB-301 Brush Silver



EB-303 Mirror Silver



#### EB-302 Brush Gold


EB-304 Mirror Gold






### **EVA BOND PANEL COMPOSITION**

**Polyethylene Core** 





**PARTITION (APP)** 



EB-401 lvory



EB-404 Karat Gold



EB-402 White



EB-407 Champagne Silver



EB-405 Teakwood



EB-408 Coffee Brown



EB-406 Megony Red





Eva Bond resin based finishes meet or exceed the performance requirement of ASCA 96(Architectural Spray Coaters Association) and AAMA 2605 (American Architectural Manufacturers Association) for high performance organic coating on architectural panels.

Eva Bond panels are well known for having a versatile choices of aluminium skin surfaces. Polyester coated aluminium surface provides the enormous choices of colour for interior decoration. Custom Colours matching is also available upon request PVDF coated surface provides excellent properties of durability including chemical resistance, chalking resistance, gloss and colour retention.

**TECHNICAL** 

**SPECIFICATION** 

Adhesive Film

### **PRODUCT TOLERANCE**

STANDERD WIDTH	1220mm
AVAILABLE WIDTH	1550mm
STANDERD LENGTH	2440mm,3050mm,3660mm
AVAILABLE LENGTH	Any length up to 4880mm
STANDARD THICKNESS	3mm,4mm
AVAILABLE THICKNESS	2mm,5mm,6mm
ALU.COIL THICKNESS	0.25mm,0.50mm
WIDTH	0/±4.0 mm
LENGTH	0/±6.0 mm
THICKNESS	4 mm thick ±0.2 mm
BOW	0.5% of length & Width
SQUARENESS	Max 5.0 mm





### **APPLICATIONS**

- EvaBond is the most versatile product for exterior and interior use.
- Exterior (curtain walling and wall paneling) of high rise apartments, industrial and commercial buildings, hospitals, hotels, gas stations, shopping malls, educational institutes, convention centers etc.
- Roof edging and spandrel panels, wall and ceiling panels, beam wraps etc.
- Face elift / retrofit offer buildings columns and beam covers. Interiors (wall and Ceilings) of shops apartments, offices, workshops, showrooms, elevators etc.
- Store canopies, shop fronts, sign-boards, display units, vehicle bodies, sign-posts etc.
- Innovative furniture, partitions etc.

### ADVANTAGE OF EVA BOND

- Ultra modern look and excellent flatness can be shaped and formed without any loss of surface integrity.
- Light weight, Reducing frame loading and installation costs.
- Good Sound insulation reduces unwanted vibrational noise.
- Ease of insulation and fabrication can be bent, cut, drilled, punched, stamped and shaped into complex shales.
- Resistance of extremes of weather exposure and temperature.
- Excellent UV characteristics retains colour after long exposure.
- Smooth paint finish and lacquering 3 layer PVDF 70% Kynar 500.
- Superior flatness ideal of creating smooth, monolithic surface.
- High impact resistance.
- Pollution, acid, alkali and self-sprey resistance finish
- Very low coefficient of expansion.
- Minimum maintenance.
- Wide range of choice available.
- Can be cleaned using detergents.
- Anti-Fungal protection.



### SATISFIED CUSTOMERS



### SUGGESTIONS

- To ensure colour consistency, the total requirement for a project is advised to be placed in one order. It is also recommended to install the panels in the same direction as marked arrow on protective peel-of-firm to avoid possible reflection differences.
- Customer colours are also available upon request for solid colours, metallic colours and special finishes etc. Subject to the respective minimum quantity.
- Colour may very from batch to batch ( ± 4 5)

