



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO
IEC NO:- BASPK0545D
ISO 9001:2015
☎ 0091-9216174152
0091-7009467937
✉ thepineproducts@gmail.com
🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.


CERTIFICATE OF ANALYSIS

Terpineol P.G

S. No.	Test Parameter	Specification / Typical Range	Result
1	Appearance	Water White	Qualified
2	Colour	Water White	Colorless
3	Specific Gravity @ 30°C	0.925-0.930	0.925
4	Refractive Index @ 20°C	1.480 – 1.490	_____
5	α Terpineol	82-88%	85%
6	Pine Oil Content	90--95 % minimum	90-95%
7	Gamma Terpineol (γ) 1. 1 ol 2. 4 ol		2%
8	Beta Terpineol (β) 1. Transbeta 2. Sis Beta		5-8%
9	MDS		Below 2%
10	H B		-1%
11	Boiling Range	210-220 °C (>=95%)	_____
12	Flash Point		114 °C

Remarks: The above values are a standard COA format / typical specification range. Actual results should be entered from the laboratory test report for the relevant batch.

Conclusion: The sample is Terpineol P.G with the above specification.



Tested By

Approved By

Laboratory / QC Authorized Signatory



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.