



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO
IEC NO:- BASPK0545D
ISO 9001:2015
☎ 0091-9216174152
0091-7009467937
✉ thepineproducts@gmail.com
🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

Material Safety Data Sheet (MSDS)

Terpineol

1. Product and Company Identification

Product Name : Terpineol

Recommended use of the chemical and restrictions on use

Recommended use : Industrial chemical

CAS# : 8006-39-1

TSCA : TSCA 8(b) inventory: Terpineol

Chemical Name : Oils,

Chemical Formula : Not available.

COMPANY IDENTIFICATION

Supplier:

The Pine Products.

VPO Bohan, Distt Hoshiarpur(PB)-146001 INDIA

EMAIL:-THEPINEPRODUCTS@GMAIL.COM

WEBSITE:-WWW.THEPINEPRODUCTS.IN

24 Hour Health Emergency

0091 - 9216174152

Transportation Emergency Phone

0091 - 7009467937


Company Name	Place	EMERGENCY TELEPHONE NUMBER
The Pine Products	India	Emergency -0091- 9216174152

2.Composition and Information on Ingredients

Composition:

Chemical Name	CAS #	% by Weight
Terpineol	8006-39-1	90-100

Any Concentration shown as a range is due to batch variation.



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASPK0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

3. Hazards Identification GHS

Classification

Flammable liquids	: Category 3
Skin irritation	: Category 2
Eye irritation	: Category 2A
Skin sensitization	: Sub-category 1A
Aspiration hazard	: Category 1

GHS label elements

Hazard pictograms



Signal word

: Danger


Hazard statements

- : ✓ Flammable liquid and vapor.
- ✓ May be fatal if swallowed and enters airways.
- ✓ Causes skin irritation.
- ✓ May cause an allergic skin reaction.
- ✓ Causes serious eye irritation.

Precautionary statements

: **Prevention**

- ✓ Keep away from heat/sparks/open flames/hot surfaces.
- ✓ No smoking.
- ✓ Keep container tightly closed.
- ✓ Ground/bond container and receiving equipment.
- ✓ Use explosion-proof electrical/ ventilating/ lighting equipment.
- ✓ Use only non-sparking tools.
- ✓ Take precautionary measures against static discharge.
- ✓ Avoid breathing dust/ fume/ gas/ mist/ vapor's/ spray.



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASPK0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

- ✓ Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
- ✓ Wear protective gloves/ eye protection/ face protection.

Response:

- ✓ IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- ✓ IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- ✓ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- ✓ Do NOT induce vomiting.
- ✓ If skin irritation or rash occurs: Get medical advice/attention.
- ✓ If eye irritation persists: Get medical advice/ attention.
- ✓ Take off contaminated clothing and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

- ✓ Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

- ✓ Dispose of contents/ container to an approved waste disposal plant.


Other Hazards

None Known

4. First Aid Measures

General advice

- ✓ Move out of dangerous area.
- ✓ Show this safety data sheet to the doctor in attendance.
- ✓ Symptoms of poisoning may appear several hours later.
- ✓ Do not leave the victim unattended.



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

Eye Contact:

Check for and remove any contact lenses. Do not use an eye ointment. Seek medical attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream.

Seek medical attention.

Inhalation: Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Serious Inhalation:


Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

5. Fire and Explosion Data

Auto-Ignition Temperature	: Not available.
Flash Points	: CLOSED CUP: 60°C -850°C (139°F).
Boiling Point	: 185°C -195°C (365 °F)
Flammable of Product	: Flammable
Products of Combustion	: Not available



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

Fire Hazards in Presence of Various Substances:

Flammable in presence of open flames and sparks, or heat and flammable in presence of oxidizing material.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available.

Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	High volume water jet
Specific hazards during fire- fighting	:	Do not allow run-off from firefighting to enter drains or water courses.
Hazardous combustion products	:	Fume Carbon oxides Unburned hydrocarbons
Specific extinguishing methods	:	Use a water spray to cool fully closed containers.
Further information discharged into drains.	:	Collect contaminated fire extinguishing water separately. This must not be

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Ensure adequate ventilation. Remove all sources of ignition.

Evacuate personnel to safe areas.

Beware of vapor's accumulating to form explosive concentrations.

Vapors can accumulate in low areas.

Environmental precautions	:	Prevent product from entering drains.
		Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentene, Terpeneols, Pine Tar Etc.

Advice on protection against fire and explosion

Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapor's). Keep away from open flames, hot surfaces and sources of ignition.

Advice on safe handling

Avoid formation of aerosol. Do not breathe vapor's/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage

No smoking.

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Observe label precautions.

Electrical installations / working materials must comply with the technological safety standards

8. Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the work-station location.


Personal Protection:

Splash goggles. Lab coat. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self-contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits: Not available.



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

Physical state and appearance	: Liquid.
Odor	: Pine
Color	: Light Pale oily transparent liquid.
Boiling Point	: 185 °C-195°C (365 °F)
Specific Gravity at 30°C	: 0.920-0.930 (Water = 1)
Flash Point	: 35°C (CC Method)
Water/Oil Dist. Coeff.	: Not available.
Ionicity (in Water)	: Not available.
Dispersion Properties	: Not available.
Solubility	: Insoluble in water.

10. Stability and Reactivity Data

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions. Possibility of
hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources.
Incompatible materials	: Strong acids, Strong bases, Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides various hydrocarbons

11. Toxicological Information

Acute Toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: 3232 mg/kg (Rat)

Components:

8002-09-3:

Acute oral toxicity :
Acute dermal toxicity :

LD50 (Rat): 3200 mg/kg

LD50 (Rabbit, male and female): > 2,000



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO
IEC NO:- BASPK0545D
ISO 9001:2015
☎ 0091-9216174152
0091-7009467937
✉ thepineproducts@gmail.com
🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

Serious eye damage/eye irritation

Product:

Result: Irritating to eyes.

Components:

8002-09-3:

Result: Irritating to eyes.

Respiratory or skin sensitization

Product:

Result: The product is a skin sensitizer, sub-category 1A.

Components:

8002-09-3:

Remarks: No data available

Germ cell mutagenicity

Components:

8002-09-3:

Genotoxicity in vitro : Test Type: Mammalian cell gene mutation assay
Species: Chinese hamster ovary (CHO)
Metabolic activation: with and without metabolic activation
Result: negative
Test Type: DNA damage and/or repair
Species: Rat liver
Result: negative

Genotoxicity in vivo

: Test Type: Chromosome aberration assay in vivo
Species: Mouse (male and female)
Cell type: Bone marrow
Application Route:
Intraperitoneal Exposure
time: 24 - 72 h
Dose: 0, 116, 578, 1155³
mg/kg by Result: negative



Germ cell mutagenicity-Assessment

THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.

Did not show mutagenic effects in animal experiments.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASPK0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

Carcinogenicity

Components:

8002-09-3:

Remarks: This information is not available.

Carcinogenicity – Assessment

carcinogenicity classification is not possible

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Components:

8002-09-3:

Effects on fertility

:

Remarks: No data available

Effects on fetal development

:

Species: Rat Application Route:

Oral Dose: 0, 50, 600, 1200 mg/kg

Duration of Single Treatment: 10 d

General Toxicity Maternal: NOAEL: 50 mg/kg body weight

Developmental Toxicity: NOAEL :

600 mg/kg body weight


Symptoms: Maternal toxicity, Preimplantation loss, Specific developmental abnormalities

Reproductive toxicity Assessment

reproduction classification is not possible

Teratogenicity – Assessment

Embryotoxicity classification not possible from current data.



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASPK0545D1ZO
IEC NO:- BASPK0545D
ISO 9001:2015
☎ 0091-9216174152
0091-7009467937
✉ thepineproducts@gmail.com
🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

STOT - single exposure

Products:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Components:

8002-09-3:

Exposure routes: Inhalation

Assessment: May cause respiratory irritation.

Aspiration toxicity

Product:

May be fatal if swallowed and enters airways.

Components:


8002-09-3:

May be fatal if swallowed and enters airways.

Further information

Product:

Remarks: Solvents may degrease the skin



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASPK0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

12. Ecological Information

Ecotoxicity

Components:

8002-09-3:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 18 mg/l

Exposure time : 96 h

Test Type : flow-through test

Test substance : Pine oil

Toxicity to daphnia and other aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 24 mg/l

Exposure time: 48 h

Test Type: flow-through test

Test substance: Pine oil blend

Toxicity to algae

: EC50 (Desmosomes substitutes (green algae)): > 15 mg/l

End point: Biomass Exposure time: 72 h

Test Type: static test

Remarks: Information given is based on data obtained from similar substances.

Acute aquatic toxicity- Assessment

Harmful to aquatic life.

Persistence and degradability


Components:

8002-09-3:

Biodegradability

: Biodegradation: 50 % Exposure
time: 5 d

Remarks: Readily biodegradable



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

Bio accumulative potential

Components:

8002-09-3:

Partition coefficient: n- octanol/water

Remarks: No data available

Mobility in soil

No data available

Other adverse effects Product:

Ozone-Depletion Potential

: Regulation: 40 CFR Protection of Environment; Part 82 Protection of
Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or
Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt.
A, App.A + B).

Additional ecological information

:An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Harmful to aquatic life

13. Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

TRANSPORT INFORMATION

DOT (Department of Transportation):

UN1272, Terpeneol, 3, III

IATA (International Air Transport Association):

UN1272, Terpeneol, 3, III

IMDG (International Maritime Dangerous Goods):

UN1272, Terpeneol, 3, III



Special Notes

THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASPK0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentene, Terpeneols, Pine Tar Etc.

(38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

14. REGULATORY INFORMATION

WHMIS Classification : B3: Combustible Liquid

D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).


This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Inter-mediate or Final VOC's (40 CFR 60.489).

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. Clean Water Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. Clean Water Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO

IEC NO:- BASPK0545D

ISO 9001:2015

☎ 0091-9216174152

0091-7009467937

✉ thepineproducts@gmail.com

🌐 www.thepineproducts.in


Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

The information and recommendations contained herein are, to the best of **The Pine Products** knowledge and belief, accurate and reliable as of the date issued. You can contact **The Pine Products** to ensure that this document is the most current available from **The Pine Products**. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, republication or retransmission of this document, in whole or in part, is not permitted.



Sandeep Kumar
For The Pine Products
(Prop.)
The Pine Products



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.