



THE PINE

Since from 1993

PRODUCTS

GSTIN:- 03BASP0545D1ZO
IEC NO:- BASPK0545D
ISO 9001:2015
☎ 0091-9216174152
0091-7009467937
✉ thepineproducts@gmail.com
🌐 www.thepineproducts.in

Near Rayat Bahra Professional University, Chandigarh Road, V.P.O Bohan, Hoshiarpur-146104 (Pb.)

Manufacturers Of :- Various Kind Pine oil, Carene, Longifolene,
D.D Turpentine, Dipentine, Terpeneols, Pine Tar Etc.

CERTIFICATE OF ANALYSIS

PINE OIL 65%

S. No.	Test Parameter	Specification / Typical Range	Result
1	Appearance	Clear to slightly hazy liquid; characteristic pine odour	Colorless with Pine Odour
2	Colour	Pale yellow to yellow	Light Pale
3	Specific Gravity @ 20°C	0.890-0.915	0.900
4	Refractive Index @ 20°C	1.480 – 1.490	_____
5	α Terpineol	35-45%	42%
6	Pine Oil Content	65.0% minimum	65-70%
7	Solubility in Water	Insoluble / forms emulsion	_____
8	Odour	Characteristic pine oil odour	Pine Odour

Remarks: The above values are a standard COA format / typical specification range. Actual results should be entered from the laboratory test report for the relevant batch.


Conclusion: The sample is Pine Oil 65 % with the above specification.

Tested By

Laboratory / QC

Approved By

Authorized Signatory



THANK YOU FOR YOUR CONTINUED SUPPORT
AND TRUST IN US.



PURE BY NATURE.
TRUSTED BY INDUSTRY.