



LALA Refrigeration


Head Office : 9, Ashapuri Anand Nagar Society, Tulsi Marg,
Near Swaminarayan Temple, Bardoli - 394 601. Dist. Surat, (Gujarat) India.
Tel. : (02622) 220986, **Mobile :** 98796 75220, 75750 94533.
E-mail : lalarefrigeration@yahoo.com **Web :** www.lalarefrigeration.com



SOLAR WITH DRINK WATER COOLER




ZERO ENERGY COST FOR LIFE TIME





SOLAR WITH DRINK WATER COOLER



Model	Capacity Ltrs.	Storage Capacity In LTR.	Cooling Capacity In LTR.	No. Of. Tap	Glasses/Hr At Rated Condition	Refrigerant	Solar Panel	Battery	Voltage	Material Specification	Dimensions (HxWxD) mm
LWC 100/50	100	100	50	2	250	134	320/330 WX1	24V	12/24 V DC (+/-10%)	Stainless steel (SS 304) THK - 0.5 mm	1300 X 695 X 470



LALA Refrigeration



Head Office : 9, Ashapuri Anand Nagar Society, Tulsi Marg,
Near Swaminarayan Temple, Bardoli - 394 601. Dist. Surat, (Gujarat) India.
Tel. : (02622) 220986, **Mobile :** 98796 75220, 75750 94533.
E-mail : lalarefrigeration@yahoo.com **Web :** www.lalarefrigeration.com

Factory Add. Suthar Faliya, B/s. Play pan Narsery school,
Near R.T.O., Bardoli - 394601



GO GREEN
SAVE THE PLANET



WATER COOLER





LWC 150/150



LWC 150/200



LWC 200/300



LWC 15/20



LWC 20/50



LWC 40/50



LWC 40/80



LWC 60/120

WATER COOLER

MODEL	STORAGE CAPACITY IN LTR.	COOLING CAPACITY (LTR/HR.)	NO. OF TAP	GLASSES/HR AT RATED CONDITION	WEIGHT IN KG.	REFRIGERANT	CURRENT AMP.	POWE WATT INPUT	DIMENTION IN MM		
									WIDTH	DEPTH	HIGHT
LWC 15/20	20	15	1	50	27	R-134A	1.3	105	377	320	1202
LWC 20/50	50	20	2	100	30	R-134A	1.5	151	505	459	1173
LWC 40/50	50	40	2	200	30	R-134A	2.3	545	505	459	1173
LWC 40/80	80	40	2	200	39	R-134A	2.18	545	645	459	1222
LWC 60/120	120	60	2	300	54	R-22	3	635	695	470	1300
LWC 150/150	150	150	2	750	60	R-22	7.5	1550	712	535	1325
LWC 150/200	200	150	2	750	70	R-22	7.5	1550	840	535	1325
LWC 200/300	300	200	4	1000	110	R-22	9	2000	1144	457	1549