

MEDICAL FURNITURE & EQUIPMENT

ISO-9001-2015M, CE, SPC20C4252

MEDICAL FURNITURE & EQUIPMENT

Office : F1 01, D8/6, D8 Lane, Navjeevan Model School, Dlf Ankur Vihar, Ghaziabad, Uttar Pradesh - 201102, India

Contact : 8860356096, 9136440369

Email- ID : labozincsales@gmail.com

Website : <http://www.labozinc.com/> LABOZ INC



HOSPITAL FURNITURE, MEDICAL EQUIPMENTS & Operation Theaters
Specialist in : Complete Hospital Turnkey Projects

ISO-9001-2015M, CE, SPC20C4252

OT EQUIPMENT



LI - 7600 BASIN
(S.S)



LI - 7605 URINAL
POT (S.S)



LI - 7610 SPUTUM
MUG (S.S)



LI - 7615
LOTION BOWL (S.S)



LI - 7620 ENEMA
CANE (S.S)



LI - 7625
WASTE RECEPTACLE (S.S)



LI - 7630
BED PAN (S.S)



LI - 7635
WASTE BIN

Hospital standard foot pedal operated, waste bin in stainless steel. Bin shall be cylinder shape -250-350mm diameter, height 400 - 550mm, Inner bucket (Bin) stainless steel to have - fold out handle.



LI - 7640
INSTRUMENT STERILIZER
ELECTRIC (S.S)

PATIENT TROLLEYS

LI - 7050 EMERGENCY RECOVERY TROLLEY



Main trolley frame made of CRCA square pipe, provided with SS swing-down railing, SS telescopic IV rod, removable x-ray permeable top with x-ray cassette holder for entire length underneath the stretcher. The two section stretcher top's head / back - rest can be raised on ratchet at one end. Height adjustable using hydraulic system, the Trendelenburg's and reverse Trendelenburg's position using pneumatic pump, Trolley on 15 cms dia castors which two are with brakes. Provided with rubber buffers on four corners. Pre-treated powder coated finish. Dimension 210 L x 65 W x 65-95 H cms.

LI - 7060 TRANSFER TROLLEY

System consist of two under carriages on which stretcher is placed, which is made of 16 SWG CRCA pipes, can be locked length wise to enable the stretcher on wheels to roll over / move from one carriage to the other. The two section stretcher top's head/back-rest can be raised on ratchet at one end. Provided with one IV/saline rod with provision for fixing the same on either carriage, cylinder cage on two under carriage. Pre-treated powder coated finish. Dimension: 187L x 57W x 90 H cms.



LI - 7070 STRETCHER ON TROLLEY

Made from CRCA pipes, Removable stretcher, trolley on 15 cms swiveling dia castors. Pre-treated powder coated. Dimension: 210 L x 56W x 81H cms.

Optional -

Mattress
Side railings M.S / S.S

Also available in complete stainless steel





LI - 8025 LED 5



LI - 8030 LED 4



LI - 8035 LED 3

CONTENTS

HOSPITAL BEDS

DELIVERY BEDS

PATIENT TRANSFER TROLLEYS

WARD / OT EQUIPMENTS

WARD EQUIPMENTS

OT EQUIPMENTS

WHEEL CHAIR

EXAMINATION TABLES

OTHERS

OT TABLE & OT LIGHT



**ICU BED ELECTRIC WITH MOLDED ABS PANEL , MOLDED ABS RAILING, MOLDED PLATFORM, ACP/CPR MANUAL AND CENTRAL /DIAMENTIONAL LOCKING CASTOR
LI - 6201**

Frame made of CRCA rectangular pipes, ABS Platform with back-rest, knee-rest, Trendelen - burg's and reverse Trendelen-burg's position, Hi-Lu(high-low) height adjustable positions can be adjustable by actuator operated by hand-held remote control system along with ACP/CPR function, Length adjustable imported ABS panel / head and leg bows , imported side railing, provided with one number IV/ saline rod with provision for fixing IV/ saline stand at four corners of the bed frame , provided with rubber buffers on four corners , bed mounted On 15cms diameter castors which two with brakes. The bed pre-treated and powder coated.
Dimension: Size 203 L x 90 W x 55-75 H cms (Approx).



LI - 8025 LED 5 + 4



LI - 8030 LED 4 + 3



LI - 8035 LED 4 + 4



LI - 8040 LED 3 + 3



LI - 8001
SURGICAL LIGHT RILLIANCE - 7+4 - C



LI - 8015
SURGICAL LIGHT BRILLIANCE - 4+4 - C



LI - 8010
SURGICAL LIGHT BRILLIANCE - 20 - M



LI - 8020
SURGICAL LIGHT BRILLIANCE - 4 - M



ICU BED ELECTRIC WITH MOLDED ABS PANEL, MOLDED ABS RAILING, MOLDED PLATFORM AND CPR MANUAL

LI- 6205

Frame made of CRCA rectangular pipes, ABS Platform with back-rest ,knee -rest , Trendelen -burg's and reverse Trendelen-burg's position, Hi-Lo(high-low) height adjustable positions can be adjustable by actuator operated by hand-held remote control system, Length adjustable imported ABS panel / head and leg bows, imported side railing, provided with one number IV/ saline rod with provision for fixing IV /saline stand at four corners of the bed frame, provided with rubber buffers on four corners, bed mounted On 15cms diameter castors which two with brakes, The bed pre - treated and powder coated.Dimension: Size 203 L x 90 W x 55-75 H cms (Approx).



ICU BED (MECHANICAL/ABSPR)
LI- 6210

Frame made of 16 SWG CRCA rectangular pipes, four section perforated CRCA sheet top made of 18SWG, suitable adjustable back rest, knee rest, Trendelenburg's, Reverse Trendelenburg's height adjustable (High - Low) from foot end by separate screw mechanisms, ABS molded head and foot bows, ABS molded side railing. Bed mounted on 15cms swiveling castors (two with brakes), provided with one number SS I V Rod, provision for engaging IV Rod on the frame. Pre treated and powder coated. Dimension: 203 L x 90 W x 60 H cms (Approx).



LI - 8050
MOTORISED OPHTHALMIC
OPERATING TABLE



LI - 8055
UNIVERSAL HYDRAULIC
OPERATING TABLE



LI - 8060
HYDRAULIC OPERATING
TABLE (C-ARM COMPATIBLE)



LI - 8065
ORTHOPEDIC EXTENSION DEVICE



LI - 7970
FORMALIN CHMBER TWO TRAYS

A - 12"x7"x6" (TWO TRAYS)
B- 14"x8"x6" (TWO TRAYS)



LI - 7975 FORMALIN
CHMBER(THREE
TRAYS)

A - 20"x8"x8" (THREE TRAYS)
B- 23"x8"x6"(THREE TRAYS)
C- 26"x8"x6"(THREE TRAYS)
D- 23"x12"x12"(THREE TRAYS)



LI - 7975
NEEDLE AND SYRINGE
DESTROYER

BURN THE NEEDLE ELECTRICALLY
AND CUT THE SYRINGE TIP
WEIGHT APPROX:2.5KG
MOTION TOLERNT



LI - 7980 CIDEX
TRAY

A- 10"x5"x3" B-17"x5"x3"
C-26"x5"x3" D- 36"x5"x3"

ICU BED (MECHANICAL/ABSPR)

LI - 6215

Frame made of 16SWG CRCA rectangular pipes, four section perforated CRCA sheet top made of 18 SWG with back - rest, knee rest, Trendelenburg's, reverse Trendelen - burg's position, Hi-Lo (high-low) height adjustable positions maneuverable by four separate screw mechanisms, ABS molded head and foot boxes, collapsible side railing. Provided with one number IV /saline rod with provision for fixing IV/saline stand at four corners of the frame. The bed mounted on 15 cms diameter swiveling castors which two with brakes. The bed is pre - treated and powder coated. Dimension 203L x 90Wx 60-80 H Cms (approx).



ICU BED (MECHANICAL)

LI - 6220

Frame made of 16 SWG CRCA rectangular pipes, four section perforated CRCA sheet top made of 18 SWG, suitably adjustable back - rest, knee - rest, Trendelen -burg's , reverse Trendelen - burg's position , Hi - Lo (high - low) height adjustable by separate four screw mechanisms, Laminated Wooden Panel Head and Leg bows, SS collapsible side railings, provided with one number IV/saline rod with provision for fixing IV/saline rod at four corners of the bed frame. The bed mounted on 15 cms diameter swiveling castors which two with brakes. The bed is pre - treated and powder coated. Dimension 203L x 90Wx 60-80H Cms (approx).



FOLWER BED (ABS PANEL / RAILING) LI - 6301

Frame work made of rectangular CRC Tubes Perforated CRC sheet top on four sections Backrest, knee rest positions obtained by electric actuator Operator by hand remote system ABS moulded head and foot bows ABS moulded safety side railings Telescopic IV rod with four locations Bed mounted on 100mm, deluxe castors, two with brakes and rust free castor cover Pre -treated and epoxy powder coated Legs of the bed are of SS Overall approx. Size: 2030mm x 900mm x 600mm



FOWLER BED WITH ABS PANEL LI - 6355

Frame made of 16 SWG CRCA rectangular pipes, four section perforated CRCA sheet top made of 18SWG suitably adjustable back -rest, knee-rest maneuverable from foot - end by separate screw mechanisms and ABS detachable head and leg bows. Provided with mattress gaard at four locations provision for fixing IV/saline rod at four corners of the bed frame. The bed pre-treated and powder coated, Dimension: 203 L x 90 W x 60 H cms (Approx).



LI - 7950
MATTRESS FOR SEMI FOWLER/ ICU BED



LI - 7955
MATTRESS FOR SEMI FOWLER BED



LI - 7960
MATTRESS FOR PLAIN BED



LI - 7965
PILLO

OTHERS



LI - 7901
IV. ROD FOR HOSPITAL BED



LI - 7905 ABS
RAILING



LI - 7910
COLLAPSIBLE SIDE RAILINGS




LI - 7915
MOSQUITO NET POLES



LI - 7920
LIFTING POLE



LI - 7925
PATIENT CASE SHEET HOLDER
Made from Aluminium/ABS sheet
Single with chrome plated clip
double (file type)



LI - 7930
INVALID'S CRUTCHES



LI - 7935
INVALID'S STICKS

HOSPITAL BEDS

FOWLER BED DELUX LI - 6365

Frame made of CRCA rectangular pipes , imported ABS platform with back-rest, knee-rest manoeuvrable from foot-end by separate screws, SS detachable head and leg bows fitted with laminated wooden board, provision for fixing IV/saline rod at four corners of the bed frame, provided with mattress guard at four locations , the rod mounted on 10 cms diameter swiveling castors which two with brakes . The bed pre - treated and powder coated. Dimension: 203 L x 90 W x 60 H cms (Approx).



FOWLER BED (GENERAL) LI - 6400

Frame made of CRCA rectangular pipes, CRCA sheet four section perforated top with back- rest and knee - rest manoeuvrable from foot- end by separate screws, head and foot bows made of CRCA pipes with uneven height, mounted on 10 cms castors which two with brakes provision for fixing IV/ saline rod at four corners of the frame, provided with mattress guard and four locations. The bed pre-treated and powder coated. Dimension: 203 L x 90 W x 60 H cms (Approx).

SEMI FOWLER BED (GENERAL) LI - 6410

Frame made of CRCA rectangular pipes CRCA sheet two section perforated top with back - rest manoeuvrable from foot- end by screw/imported ABS panels / head and foot bows fitted with laminated wooden board bed mounted on rubber stumps, provided with mattress guard on four locations provision for fixing IV/Saline rod. The bed pre - treated and powder coated Dimension : 203L x 90 W x 60 H cms (Approx)





SEMI FOWLER BED (DELUXE) LI - 6420

Frame made of CRCA rectangular pipes, CRCA sheet two section perforated top with back - rest maneuverable foot - end by screw, SS detachable head and foot bows fitted with laminated wooden board, bed mounted on rubber stamps. The bed pre-treated and powder coated. Dimension : 203 L x 90 W x 60 H cms (Approx).

SEMI FOWLER BED LI - 6435

Frame made of CRCA rectangular pipes, CRCA sheet two section perforated top with back -rest maneuverable from foot - end by screw, head and foot bows made of CRCA pipes of uneven height, mounted on rubber stamps, provided with mattress guards on four locations, provision for fixing IV / Saline rod. The bed pre-treated and powder coated. Dimension: 203 L x 90 W x 60 H cms (Approx).



PLANE BED LI - 6500

Frame made of rectangular CRCA pipes CRCA perforated sheet top CRCA head and foot bows provided with mattress guard provision for fixing IV/Saline rod Pre-treated powder coated Dimension : 203 L x 90 W x 60 H cms (Approx).

**LI - 7850
EXAMINATION COUCH WITH CABINET**

Made of CRCA pipes/ sheets, adjustable back rest by a pneumatic pump with Head side a dimension of 45L x 51W cms, Main frame dimension of 138L x 51w cms, upholstered / padded with foam top in high quality washable revere, provided with two/three drawers right under the top section with cabinet with doors under the drawers for storage, fold-able BP apparatus tray on the Head side along with foot stand, Pre-treated powder coated. Dimension: 187Lx 51Wx 81H cms.



**LI - 7855
EXAMINATION CUM GYNAE TABLE**

Made of CRCA 16 SWG pipes/18SWG sheets, two section top, head section adjustable on ratchet, on rubber/PVC stamps. Provided with suitable mattress. Dimension: 1830Lx 600Wx 700H cms.



**LI - 7860
EXAMINATION TABLE (TWO SECTION)**

Made of CRCA 16 SWG pipes/18SWG sheets,two section top, head section adjustable on ratchet, on rubber/PVC stamps. Provided with suitable mattress. Dimension: 183Lx 50Wx 81H cms.



**LI - 7865
EXAMINATION TABLE PLANE TOP**

Made of CRCA pipes / sheets , two section top , head section adjustable on ratchet , on rubber/ PVC stamps. Dimension: 183Lx 51Wx 81H cms.



WHEEL CHAIR



LI - 7801
WHEEL CHAIR (FOLDING)

Frame made of CRCA steel tubes Fixed Arm - rest and Foot-rest 18" Seat and Back -rest. Seat belt On 125 mm front casters On 650 mm rear wheel with brakes Dimension: 1050 L x 650 W x 900 H mm approx Pre-treated and Epoxy Powder Coated



LI - 7805
WHEEL CHAIR NON- FOLDING

Frame made of steel Foldable, seat/ back rest made of Leatherette / Fabric Rear wheel 610 mm, front caster 220 mm Seat dimensions 430 W x 400 D mm Fixed arm -rest Aluminium Foot rest etc



LI - 7810
WHEEL CHAIR (FOLDING)



LI - 7815
WHEEL CHAIR (FOLDING)



LI - 7820
INVALIDS COMMODE STOOL



LI - 7825 INVALIDS
WALKER

HOSPITAL BEDS



PEDIATRIC BED - LI - 6510

Frame made of rectangular CRCA pipes CRCA perforated sheet top head and foot bows made of CRCA pipes with vertical supports bed mounted on rubber stumps swing/drop down side railing pre - treated powder coated Dimension: 137 L x 76 W x 60 H cms (Approx).



ATTENDANT'S BED - 6520

Frame made of rectangular CRCA pipes CRCA perforated sheet top CRCA head and foot bowsPre-treated powder coated Dimension : 187 L x 60 W x 45 H cms (App)



ATTENDANT'S BED - LI - 6530

Frame made of rectangular CRCA pipes CRCA perforated sheet top CRCA head and foot bowsPre-treated powder coated Dimension: 187 L x 60 W x 45 H cms (App)

DELIVERY BEDS

LI - 7000 OBSTETRIC LABOUR TABLE

With three section top, sliding leg section completely under the main section, Trendelen - bur's position by pneumatic pump, adjustable back-rest on ratchet, provided with hydraulic high - low position, side railings, hand grips, litho-tonny crutches and mattress. Mounted on CRCA sq pipe inlleybase. Pre-treated powder coated. Dimension: 183 L x 68 W x 76 H cms.



LI - 7010 OBSTETRIC LABOUR TABLE

With three section top, sliding leg section completely under the main section, Trendelen - bur's position by pneumatic pump, adjustable back-rest on ratchet, provided with side railings, hand grips, litho-tonny crutches and mattress. Mounted on CRCA round pipe. Pre-treated powder coated. Dimension: 183 L x 68 W x 76 H cms.



LI - 7020 EXAMINATION TABLE

Heavy duty tubular frame Castors with brakes, five section top with mattress Back section adjustable on pneumatic pump Trendelenburg & reverse trendelenburg by crank mechanism Table can be positioned as chair and lithotomy polvic position upto 120 mm Table equipped with arm rest Anesthetic screen, Leg rest with strap Movable on castors Size: 1830 L x 600 W x 810 H mm approx Pre-treated and Epoxy Powder Coated



LI - 7100 EXAMINATION CUM GYNAE TABLE

Made from CRCA 16" G pipes, sheets with permed cut, adjustable litho - tonny rods with straps, provided with suitable mattress. On PVC / Rubber stumps. Pre-treated powder coated. Dimension: 183L x 68W x 76H cms.



OT EQUIPMENT



LI - 7650 INSTRUMENT TRAY (S.S)



LI - 7655 KIDNEY TRAY (S.S)



LI - 7660 CATHETER TRAY (S.S)



LI - 7670 DRESSING DRUM (S.S)ex



LI - 7665 AUTO CLAVE

Fast cycle time, 19 litre capacity. (Electric) Automatic shut off at the end of both the sterilization and dry cycles Long life electro polished chamber and door. Double safety locking device prevents door from opening while chamber is pressurized. Drain valve for quick and easy draining of water reservoir Self action thermostat



LI - 7675 BOX BIRTHING (with Utility Box)

Prepex transparent crib with mattress Trendlenburg / Reverse trendlenburg. 5 cms castors I.V. rod Pretreated & epoxy powder coated



LI - 7680 BOX BIRTHING

Prepex transparent crib with mattress Trendlenburg / Reverse trendlenburg. 5 cms castors I. V. rod Pretreated & epoxy powder coated

PATIENT TROLLEYS

LI - 7100 STRETCHER TROLLEY WITH MATTRESS

Frame work made of stainless steel pipes
Removable stretcher top on stainless steel
IV rod, cylinder cage Fitted with 150 mm
castors Two stainless steel shelves with
two side railings Overall Approx. Size:
180L x 56W x 81H cms.



LI - 7105 STRETCHER ON TROLLEY (GENERAL)

Frame work made of stainless steel pipes
Removable stretcher top on stainless steel
IV rod, cylinder cage Fitted with 150 mm
castors Two stainless steel shelves with two
side railings Overall Approx. Size: 2100mm
x 500mm x 810mm



LI - 7110 PATIENT TRANSFER TROLLEY

Stainless steel tubular frame work. Height
adjustable by crank mechanism. Head rest
adjustable by ratchet mechanism. Provided
with stainless steel safety railing. Trolley
mounted on 15cm castors with two brakes.
Along with cushion mattress, IV Rod.
Dimension: 195L x 65W x 68-90H Cms.



LI - 7115 AMBULANCE STRETCHER

Light weight, strong structure, lovely design,
good arts and crafts, easy antiseptics, small size,
convenient to use. Utilizes high precision mechanical
transmission. Can be used automatically folded
through the left and right hand control handle. Made
of high quality aluminium alloy tubes.

- Dimensions: A - High position: 1,900 x 560 x 900mm
- Dimensions: B - Low position: 1,900 x 560 x 280mm
- Load weight: upto 120 Kg
- Product weight: upto 40 Kg
- Diameter of the castors: 125mm
- Applicable for various kind of hospitals, emergency centers, ambulances and battle fields.



VACUUM PUMP FOOT OPERATED LI - 7540

Base : Powder coated heavy MS base
Capacity : 600mmHG ± 10 at 200ml per stroke
Pump Type : Heavy piston pump
Jar: Polycarbonate 1500ml capacity with over
flow system & ABS lid
Filter: Reusable bacterial filter
Tubing: Non-collapsible suction tubing
Vacuum Gauge: 2.0 inch, 0-760mmHG
Power: Manual operated



LI - 7550 HAND HELD SUCTION

250 ml capacity

LI - 7555 AC/DC/FOOT OPERATED SUCTION

AC / DC / Battery powered suction unit that can be
used in a wide variety of situations by emergency
services, paramedic units and for AMBULANCE
because of its battery operation This second -
generation UNIVAC - II suction unit can be operated
on AC line current, its own internal sealed lead acid
battery or through an optional 12 V power cord with
cigarette lighter socket for Vehicles The UNIVAC -
II will automatically switch from AC power, AC
charging, 12 V operation, and battery Low Battery
indication is provided on front panel of the unit
UNIVAC-II has an oil-free Rocker piston pump with
permanently lubricated bearings, which ensures quiet
operation and low maintenance

600 ml autoclavable Polycarbonate collection
jar that incorporates with overflow device
Weight: 5 Kg with foot pump
Weight: 4.3 Kg without foot pump



LI - 7560 UNIVAC MINI SUCTION APPARATUS

A compact and lightweight medical aspirator that has
low vacuum & low flow performance. It has specially
designed for use in intensive care, recovery room and
pediatric wards where low flow / low vacuum is required.
It has an oil-free Rocker Piston pump with permanently
lubricated bearings, which ensures quiet operation and
low maintenance. It incorporates a 1.5 Liters Polycarbonate
collection vessel fitted with a float valve system, providing
automatic shut-off to avoid overflow and a bacterial filter.
Its lightweight robust design makes it for use by the
emergency services.

LI - 7530 VERTICAL HIGH PRESSURE STEAM STERILIZER AUTOCLAVE

High pressure water steam electrically heated vertical sterilizer used for sterilizing of surgical instruments, Dressing materials, Linen, Rubber, Plastic material, Injection liquids by means of steam under pressure of 15 to 20 PSI. (Adjustable) Tripple chamber with inner chamber and steam jacket made of thick stainless steel jacket made of thick stainless steel jacket. All sterilizers are hydraulically tested upto 2.5 times of working pressure. Outer chamber made of stainless steel reinforced with M.S. Sheet Lid is made of thick stainless steel plate single piece and closed by wing nuts arrangement. Jointless neoprene gasket does not allow any leakage. Fitted with double safety valve, Water level indicator, water inlet and drain valves. Supplied complete with cord and plug but without dressing bins. To work on 220 volts, Single Ph. 50Hz, Ac supply.

Available in following sizes

Die Depth Element load total Load
(A) 300 500 2 Nos. 2Kw 4Kw
(B) 400 600 2 Nos. 5Kw 6Kw

Optimal Accessories

(1) Automatic low water level out device
(2) Pressure control switch
(3) Dressing bins



LI - 7535 AEROSOL DISINFECTOR

Unitel aerosol disinfectant compact model, ideally suited for decontamination of operation theaters, Wards in Hospitals & Nursing Homes, Pharmaceutical Labs & Production units, Animal housed and Poultry sheds, Hatcheries & EGG Storages, Silk worm rearing houses in sericulture industries etc. Instantly converts liquid formalin into true aerosol particles. Due to high aerodynamic stability the formalin droplets remain suspended in the atmosphere for longer duration and because of penetrating properly ensure 100% sterile germ free and Zero - Bacteria Environment. Eliminates the Cumbersome process involved in the conventional method of fumigation. Can be easily operated even by a ward-boy.

A single unit can sterilize 250 cu. Mts. About 9000 cu. ft. in just 30-60 minutes. Suitable to work on 220 V, Single Phase, 50 Hz, Ac Supply Available in Aluminium and Stainless Steel body in following capacities.

(A) 1.5 Litres (B) 5.0 Litres



LI - 7540 STERILIZATION EQUIPMENT

Vertical High Pressure Steam Sterilizer Autoclave Auto Clave (Portable) Single/Double Drum Aerosol Disinfectant/Instrument Sterilizer electric (S. S.)



LI - 7120 BED SIDE SCREEN (3 PANELS)

Made of CRCA pipes on 5 cms castors provided with curtains/springs. Pre-treated powder coated. Dimension: 66" H x 96" L.



LI - 7125 BED SIDE SCREEN (4 PANELS)

Made of CRCA pipes on 5 cms castors provided with curtains/springs. Pre-treated powder coated. Dimension: 66" H x 96" L.



LI - 7140 X-RAY VIEW BOX (SINGLE FILM)



LI - 7145 X-RAY VIEW BOX (DOUBLE FILM)



LI - 7150 UTILITY TROLLEY (TWO SHELVES)

M.S. Frame work,
S.S. Shelves
One M.S. Drawer,
10 cms castors.



LI - 7155 BABY CRADLE

Made of CRCA pipes/ wire mesh swinging cradle on PVC/rubber stumps. Pre-treated powder coated. Dimension: 36"L x 15"W x 39"H.



**LI - 7169
FOOT STEP (SINGLE)**
Made from CRCA pipes/sheets,
Rubber matted top,
On PVC/rubber stamps
Pre-treated powder coated.
Dimension: 18" Lx 9"W x 9"H.



**LI - 7165
FOOT STEP (DOUBLE)**
Made from CRCA pipes/sheets,
Rubber matted top
On PVC/rubber stamps
Pre-treated powder coated.
Dimension: 18" Lx18"W x 18"H.



**LI - 7170
KICK BUCKET (SS)**
Made of SS pipes on 5cms castors,
provided with 35 cms dia SS basin.
Dimension : 12"Dx 14"H.



**LI - 7500
DIALYSES CHAIR (DLX)**

- Open size: 75 x 84 x 105 cms
- Frame work made of MS tubes
- The fabric is pressed PVC artificial leather
- Three angles pre-adjustable with rotatable Arm
- One side basket and one IV Rod will be provided
- Finish: Epoxy Powder Coated
- Optional: The chair's angle adjustable by electrically



**LI - 7505
DIALYSES CHAIR (STD)**

- Open size: 70 x 77 x 108 cms
- Frame work made of MS tubes
- The fabric is pressed PVC artificial leather
- Three angles adjustable with rotatable Arm
- One side basket and one IV Rod will be provided
- Finish: Epoxy Powder Coated
- Optional: The chair with stainless steel frame work



**LI - 7179
FOOT STEP (SINGLE)**
Made from SS pipes/sheets,
Rubber matted top,
On PVC/rubber stamps
Stainless Steel frame
Dimension: 18" Lx 9"W x 9"H.



**LI - 7175
FOOT STEP (DOUBLE)**
Made from SS pipes/sheets,
Rubber matted top
On PVC/rubber stamps
Stainless Steel frame
Dimension: 18" Lx18"W x 18"H.



**LI - 7180
KICK BUCKET SS**
Bucket with stainless steel frame
castors
Capacity 12L bucket
Dimension: 35cm D x 35cm H



**LI - 7510
NATO Stretchers**
Compatible with NATO patient evacuation
platforms, ground clearance of approx. 3.8cm,
automatic locking hinges,
dimensions approx. 210 X 52 X 9 cm, folded
dimensions approx. 50 X 20 X 12 cm



**LI - 7510
FOLDING STRETCHER**
Stainless Steel /non corrosive or heavy duty aluminium.
Poles must have proper non -slip Grip on Handle
Size : (open) L-2070mm W-550mm x H-150 mm



**LI - 7515
FOLDING STRETCHER (CANVAS)**
Double Fold aluminium Tube along with
Carry Bag. Size: 213L x 56W x 15H cms



**LI - 7185
WASH BASIN STAND**
Made from CRCA pipes on 5 cms
castors provided with 35cms SS basin.
Pre-treated powder coated.

A - Two SS Basin
B - Two SS Basin



**LI - 7460
BED SIDE LOCKER (DELUXE)**

Made of CRCA pipes/ sheets closed on three sides. One storage box and one draw. Provided with SS/ laminated top, on two 5 cms dia swiveling castors two PVC/ rubber stamps. Pre - treated powder coated finish. Dimension: 16"Lx 16"Wx 32"H.



**LI - 7465
BED SIDE LOCKER (GENERAL)**

Made of CRCA pipes/sheets closed on three sides provided with one storage box SS/ laminated top on PVC/ rubber stamps. Pre - treated powder coated finish. Dimension: 16"Lx 16"Wx 32"H.



**LI - 7470
BED SIDE LOCKER (ABS)**

One Drawer, One Towel rail. Four 50mm castors. Overall Size: 450L x 450W x 760H



**LI - 7475
MONITOR TROLLEY / ENDOSCOPE / VIDEO**

- A - CRCA/PC/ALL ELECTRICAL FITTINGS/ CABINET/IVROD/CYL/CAGE
- B - SS/ALL ELECTRICAL FITTINGS/ CABINET/IVROD/PC-CYL/CAGE

**LI - 7480 INSTRUMENT
CABINET**

Made of CRCA steel 4 glass shelves. Dimension: 960 L x 400 W x 1750 H mm approx. Pre - treated and Epoxy Powder Coated



**LI - 7101
INSTRUMENT TROLLEY SS**

Made of SS 16 SWG pipes/ 20 SWG two shelves, provided with three-side side railing on top, having four side-railing on bottom self, on 7.5 cms castors.

- A - Dimension: 60L x 46W x 81H cms
- B - Dimension: 76L x 46W x 81H cms
- C - Dimension: 91L x 46W x 81H cms

**LI - 7205 DRESSING
TROLLEY**

Made from SS pipes having two SS shelves provided with four-side side railing. Holder cage for bowl and bucket. SS bowl and bucket, push handle. On 10 cms castors. Dimension: 76 L x 46 W x 81 H cms



**LI - 7210
INSTRUMENT TROLLEY MAYO'S S.S.
WITH GEAR SYSTEM**

Made of CRCA 16 SWG pipes. Height adjustable by gear system on either-side stands, On 10cms castors provided with SS tray. Dimension: 91L x 50W cms. Stainless Steel.

**LI - 7215
BED SIDE LOCKER**

SS frame, Three shelves. Dimension: 410 L x 410 W x 810 H mm approx.





**LI - 7225
OVER BED TABLE**

Made of CRCA 16SWG pipes/ flats, On 5 cms castors, Fixed / Twin Stand Laminated wooden-top with a dimension of 30"x16", Pre-treated powder coated.
Dimension: 42" L x 16" W x 39" H.



**LI - 7230
OVER BED TABLE**

Made of CRCA 16SWG pipes/ flats, on 5cms castors, with laminated height adjustable wooden-top with a dimension of 30"x16". Pre-treated powder coated.
Dimension: 42" L x 16" W x 39" H.



**LI- 7235
Intrament Trolley (SS)**

Stainless Steel frame
Two S/S shelves guard rail at top shelf
4 castors
Overall dimensions of 455mm x 455mm x 860mm (L x W x H)



**LI - 7240 MEDICINE
TROLLEY**

Made from CRCA square pipes having two SS shelves, four drawers under the shelves (two each under the shelves), provided with three - side side railing on top, having four side railing on bottom shelf, on 10 cms castors. Pre-treated powder coated.
Dimension: 76L x 40W x 81 H cms.

**LI - 7420
LV, STAND**

Made of SS pipes, five-spiked base on 5 cms castors, SS adjustable rod with hook.

A - Single Hook
B - Double Hook



**LI - 7435
SCOOP STRETCHER**



**LI - 7430 VISITOR'S
STOOL**

Made from CRCA pipes/sheets, on PVC/rubber stamps. Pre-treated powder coated.
Dimension: 18" L x 18" W x 18" H.

**LI - 7440
CASE HISTORY TROLLEY**

Made of ABS Material
Double row,
20 layers with a drawer
3" castor.
Approx Size :
336 x 400 x 850 mm.



**LI - 7450
CASE HISTORY TROLLEY**

Made of ABS Material
Double row,
40 layers with a drawer
3" castor.
Approx Size :
680 x 400 x 850 mm.



**LI - 2635
WAITING AREA CHAIR**

Perforated Sheet
Galvanized arm rest
Chrome Plated finish
Also available in full Stainless Steel





LI - 7401 ANESTHESIA TROLLEY

ABS body, metal ball-bearing rail
 a)-Aluminium columns
 b)-Plastic-steel columns, IV Pole, needle disposal holder

(optional):
 Dust basket, utility container, file bag, multi bin container, sliding side shelf, stainless steel guard rail, concave top covered with transparent soft plastic glass, centralized lock, 2 small & 3 big drawer, inner with partitions can be well organized. Drawers repositioned easily. Luxurious noiseless castors. Approximate Size: 850 x 520 x 950 mm

LI - 7405 ANESTHESIA CART

ABS body, metal ball-bearing rail
 A-Aluminium columns
 B-Plastic-steel columns
 IV pole, Needle disposal holder, Dust basket
 Utility container, File bag Multi bin container,
 Sliding side shelf Stainless steel guard rail,
 Defibrillator shelf Concave top covered with transparent soft plastic glass Centralized lock,
 2 Small & 3 big drawer Inner with partitions can be well organized Drawers repositioned easily, Noiseless castors Approximate size : 850*520*950 mm



LI - 7410 ANESTHESIA CART

ABS Medicine Distribution Medical Trolley
 CE certified. Centralized lock. Concave top.
 Strong and durable.
 ABS Medicine Trolley Size: 700*490*920mm(L*W*H)

Technical Features:

ABS trolley body, Plastic-steel columns, Dust basket
 Double side tray design, each side with 5 trays, inner with 50 units cassette in total. Concave top covered transparent soft plastic glass Centralized lock, A big drawer bottom Inner of drawer can be well organized, Luxurious noiseless castors.

LI - 7301 SCRUB SET

Made of SS 304 grade sheet
 Automatic sensor controlled water tap
 Automatic Sensor controlled soap dispenser
 Pre-set hot cold water mixer
 Anti-water splash design
 Dimension: 1450 L x 540 W x 840 H mm approx



LI - 7320 SECTION MACHINE ELECTRIC

Noise level of suction apparatus from is 50 dB+-03 dB.
 Electrical requirement - 220-230V, 50Hz, 1 Phase.
 Ideal for MTP /medical / surgical procedures.
 Rotary Vanco type vacuum pump with - 740 +/- 10mm Hg.
 Free air displacement 40 - 60 ltr /min.
 Heavy duty HN-65 PU castors,
 320 Watt, 1440 RPM,
 0.50HP, Electric Motor.



LI - 7325 SUCTION MACHINE

Heavy-duty suction unit with corrosion resistant chassis.
 Oil sealed rotary high vacuum pump with -710+10 mm Hg.
 Parts coming in contact with secretion are autoclave safe.
 Noise level 50dB = 04 dB at 04 feet(Noiseless).
 0.50HP. motor, 76 mm vacuum gauge,
 non collapsible 2 meters long PVC tubing.
 Autoclavable collection jar with overflow safety device.
 Provided with foot switch control.*



LI - 7340 CRASH CART

Made of CRCA pipes/CRCA sheet frame
 Provided with six coloured remo-vable bins
 Two numbers poly-sterene lockable storage cabinets with three drawers each
 Electric lamp with clamp maneuverable for positioning
 Cardiac massage board, SS IV rod, Shelves
 Corner buffers
 Cylinder cage
 On 125 cms dia swiveling castors which two with brakes
 Pre-treated powder coated
 Dimension: 94 L x 49 Wx 153H cms



LI - 7345 O.T.MAYO'S INSTRUMENT TROLLEY

Overall Size in the range of : 56 x 40 (LB)
 Height Fixed
 adjustable as 76 to 127 cm as per preference
 Tray Size : 91 x 50 cm or 56 x 40 cm
 Height Adjustable by Knob SS frame
 50 mm diameter Castor for mobility
 22 SWG SS shelves as per preferences
 Pre-treated & Epoxy Powder Coating



LI - 7350 CYLINDER TROLLEY

Made of CRCA pipes
 CRCA sheet base
 On 10 cms / 15 cms castors
 Pre-treated powder coated



LI - 7355 INSTRUMENT TROLLEY

Made of SS 202G rectangular pipes
 height adjustable by side Gear / knob
 on 5cms castors provided with SS tray
 Dimension: 60L x 46W cms.
 A - By Side Gear
 B - By Side Knob



LI - 7380 PNEUMATIC STOOL

SS top
 Height adjustment by means of gas spring Moulded Five Pronged mobile base
 On 5cms castors



LI - 7360 SOILED LINEN TROLLEY

Made from CRCA 16 SWG pipe frame, provided with high quality plastic bucket, push handle, on 10 cms castors. Pre - treated powder coated. Dimension: 91H x 51 D cms.

LI - 7365 SOILED LINEN TROLLEY

Made from CRCA 16 SWG pipe frame, provided with high quality canvas bag, on 10 cms castors. Pre - treated powder coated. Dimension: 91H x 51 D cms.



LI - 7370 PATIENT'S STOOL

Made from SS pipes on four legs, provided with foot-rest ring supports. Height adjustable between 18" to 27". Revolving SS top.



LI - 7375 PATIENT'S STOOL

Made from SS pipes on four legs, provided with foot-rest ring supports. Height adjustable between 18" to 27". Revolving SS top.



S.S

Also available in S.S. Frame work and S.S. Top



LI - 7390 SURGEON'S STOOL

Made from CRCA pipes/ high quality base Height adjustable on a pneumatic pump
 On 5 cms castors
 15° round seat and round back support