

3010 b



NOSE WIRE AND ELASTIC EARLOOP FOR SURGICAL FACE MASKS



PROTECTION – CONTROL – IDENTIFICATION – TRACKING



By LeghornGroup

The core nose wire used for surgical face, made of reinforced plastic with metallic core, is currently the cheapest and the most efficient way that allows the mask to be effectively positioned and securely sealed in the nose area.

It is made of LATEX FREE MATERIAL and can be supplied in pre-cut pieces or in spools.



Pre-cut pieces



Plastic flange spool



Carton flange spool

Single core nose wire:

Product	PP nose wire with 0,45mm diam – in spools of 2000 m	PP nose wire with 0,45mm diam – in spools of 5000 m	PP nose wire with 0,55mm diam – in spools of 4000 m
Characteristics	Core: 0,45mm galvanised iron Material: in PP Width: 3mm	Core: 0,45mm annealed iron Material: in PP Width: 3,3mm	Core: 0,55mm annealed iron Material: in PP Width: 3,3mm
Supply	In plastic spools of 2000 m	In plastic spools of 5000 m	In plastic spools of 4000 m
Spool details	Flange: 355mm Barrell: 224mm Height: 200mm Hole diam: 36mm Weight: 8 kg	Flange: 400mm Barrell: 200mm Height: 200mm Hole diam: 32mm Weight: 13/14 kg	Flange: 400mm Barrell : 200mm Height : 200mm Hole diam: 32mm Weight: 13/14 kg



PROTECTION – CONTROL – IDENTIFICATION - TRACKING

34/36, Via degli Arrotini - 57121 Livorno Tuscany Italy

Ph: +39 0586 406376 - Fax:+39 0586 407621

www.leghorngroup.it - info@leghorngroup.com



Single core nose wire:

Product	PP nose wire with 0,60 mm diam – in spools of 2000 m	PP nose wire with 0,60 mm diam – in spools of 2000 m	PP nose wire with 0,67 mm diam – in reels of 2000 m
Characteristics	Core: 0,60mm galvanised iron Material: in PP Width: 3mm	Core: 0,60mm aluminium Material: in PP Width: 3mm	Core: 0,67mm annealed iron Material: in PP Width: 2,6mm
Supply	In plastic spools of 2000 m	In plastic spools of 2000 m	In carton spools of 2000 m
Spool details	Flange: 355mm Barrell: 224mm Height: 200mm Hole diam: 36mm Weight: 12 kg	Flange: 355mm Barrell: 224mm Height: 200mm Hole diam: 36mm Weight: 6 kg	Flange: 245,5mm Barrell: 224mm Height: 145mm Hole diam: 73,5mm Weight: 8 kg

Double core nose wire:

Product	Characteristics	Supply	Spool details
PP nose wire with 0,60 mm diam – in spools of 600 m	Core: 0,60mm annealed iron Material: in PP Width: 8mm	In plastic spools of 600 m	Flange: 300mm Barrell: 150mm Height: 60mm Hole diam: 36mm Weight: 5 kg



PROTECTION – CONTROL – IDENTIFICATION - TRACKING

34/36, Via degli Arrotini - 57121 Livorno Tuscany Italy

Ph: +39 0586 406376 - Fax: +39 0586 407621

www.leghorngroup.it - info@leghorngroup.com



Our pre-cut nose wire pieces can be supplied in different sizes. They all have a core wire of 0,45mm, PVC covered and for a width of 3mm.



PRE-CUT PIECES Art 12 SPZ : available in different sizes.

Standard sizes:

10 cm

15 cm

20 cm

25 cm

Bunch of 1.000 pieces

STANDARD COLOURS:

White – Black - Green

The elastic cord is another essential components since it allows the mask to be perfectly positioned on your face, covering your nose and mouth by fixing it behind your ears. It is supplied in cardboard conical spools of 1kg each - 1000 mt



Product description

Elastic cord for ear loop face mask

Material: Polyester 88% Elastane 12%

Colour: Black/White

Diameter: 3mm

Spool specifications

Spools of 1 kg (+/- 2%) 1000 mt each

Material: carton

Size conical spool:

- Height 17 cm
- Base diam. 19 cm
- Top diam. 14 cm



Packaging

Option 1:

- Cartons of 27 spools
- Size: 60x60x53
- Weight: 30 kg

Packaging

Option 2:

- Cartons of 18 spools
- Size: 60x40x60
- Weight: 20 kg


SURGICAL

It doesn't adhere to facial contours and prevents the transmission of potentially infectious respiratory secretions from the wearer to others



FILTERING CAPACITY
Towards the external

From the wearer




FFP1 – FFP2 – FFP3 senza valvola They provide maximum protection . Protection for both the wearer and the others



FFP1

FILTERING CAPACITY
Towards the external



FFP2

FILTERING CAPACITY
Towards the external



FFP3

FILTERING CAPACITY
Towards the external



FFP1 – FFP2 – FFP3 with valve They all have one thing in common: they allow a better breathing. They provide just one way of protection (for the wearer) . The mask FFP3 has almost a total protection



FFP1

FILTERING CAPACITY
Towards the external




FFP2

FILTERING CAPACITY
Towards the external



FFP3

FILTERING CAPACITY
Towards the external



WORLD CONTACTS

General e-mail: info@leghorngroup.com



LeghornGroup – Italy
www.leghorngroup.it

LeghornGroup – U.S.A.
www.leghorngroup.com

LeghornGroup – Belgium
www.leghorngroup.be
www.leghorngroup.nl

LeghornGroup – India
www.leghorngroup.in

LeghornGroup – Czech Rep.
www.leghorngroup.cz
www.leghorngroup.pl

LeghornGroup – Greece
www.leghorngroup.gr

LeghornGroup – Moldova
www.leghorngroup.ro

LeghornGroup – Spain
www.leghorngroup.es



LeghornGroup®

LeghornGroup srl

34/36, Via degli Arrotini - 57121 Livorno Tuscany Italy

Ph: +39 0586 406376 - Fax:+39 0586 407621

www.leghorngroup.com - info@leghorngroup.com

PROTECTION – CONTROL – IDENTIFICATION – TRACKING