A ONE STOP SOLUTION FOR ALL AGRO AND FOOD PRODUCTS

GSYGROUP are one of the leading suppliers and Exporters of both Basmati & Non - Basmati Rice fromIndia,Thailand,Vietnam,Pakistan Our pure quality Basmati & Non Basmati Rice are known for its rich taste and mesmerizing aroma. We offer Rice that is free from impurities and hygienically stored.Rice is the seed of the grass species Oryza glaberrima or Oryza sativa. As a cereal grain, it is the most widely consumed staple food for a large part of the world's human population, especially in Asia and Africa. It is the agricultural commodity with the third-highest worldwide production, after sugarcane and maize

BASMATI

&

NON - BASMATI

BASMATI RICE

- 1509 STEAM BASMATI RICE
- 1509 WHITE SELLA BASMATI RICE
- 1509 GOLDEN SELLA BASMATI RICE
- 1121 RAW BASMATI RICE
- 1121 STEAM BASMATI RICE
- 1121 WHITE BASMATI RICE
- 1121 GOLDEN BASMATI RICE
- SUGANDHA STEAM BASMATI RICE
- SUGANDHA WHITE BASMATI RICE
- SUGANDHA GOLDEN BASMATI RICE
- 1401 STEAM BASMATI RICE
- 1401 WHITE BASMATI RICE
- PUSA RAW BASMATI RICE
- PUSA STEAM BASMATI RICE
- PUSA WHITE BASMATI RICE
- PUSA GOLDEN BASMATI RICE

1509 STEAM BASMATI RICE

Parameters	Results
Length	8.3 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex Cleaned
Miling	Well Milled
Foriegn Matter	0.2% Max

1509 WHITE SELLA BASMATI RICE

Parameters	Results
Length	8.3 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex Cleaned
Miling	Well Milled
Foreign Matter	0.2% Max

1509 GOLDEN SELLA BASMATI RICE

Parameters	Results
Length	8.3 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex Cleaned
Miling	Well Milled
Foreign Matter	0.2% Max

1121 RAW BASMATI RICE

Parameters	Results
Length	8.3 mm
Moisture	12% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled

1121 STEAM BASMATI RICE

Parameters	Results
Length	8.3 mm
Moisture	12% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled

1121 WHITE BASMATI RICE

Parameters	Results
Length	8.3 mm
Moisture	12% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled

1121 GOLDEN BASMATI RICE

Parameters	Results
Length	8.3 mm
Moisture	12% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled

SUGANDHA STEAM BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.9 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

SUGANDHA WHITE BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.9 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

SUGANDHA GOLDEN BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.9 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

1401 STEAM BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.45 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

1401 WHITE BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.45 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

PUSA RAW BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.5 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

PUSA STEAM BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.5 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

PUSA WHITE BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.5 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

PUSA GOLDEN BASMATI RICE

PARAMETERS	SPECIFICATIONS
Length	7.5 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

NON- BASMATI RICE

- IR 64 BROKEN RAW RICE 5%
- IR 64 BROKEN RAW RICE 25%
- IR 64 BROKEN PARBOILED RICE 5%
- IR 64 BROKEN PARBOILED RICE 25%
- IR 64 BROKEN RAW SORTEX 100%
- PR11/14 STEAM RICE
- PR11/14 SELLA RICE
- PONNI RAW RICE
- PONNI STEAM RICE
- SONA MASOORI RAW RICE
- SONA MASOORI STEAM RICE
- IR 36 RAW RICE
- IR 36 STEAM RICE
- SHARBATI STEAM RICE
- SHARBATI WHITE RICE
- SHARBATI GOLDEN RICE

IR 64 BROKEN RAW RICE(5%)

PARAMETERS	SPECIFICATIONS
Broken	5% Broken
Avg Grain Length	5.8 mm
Moisture	14% Max
Whiteness	40 Degree Min
Chalky Kernels	6% Max
Yellow Kernels	0.25% Max
Red/Red Streaked	0.5% Max
Damaged/Discoloured Kernels	1 % Max
Foreign Matter	0.1% Max
Paddy Kernels	5 Grains Max
Milling Degree	Well Milled

IR 64 BROKEN RAW RICE(25%)

PARAMETERS	SPECIFICATIONS
Broken	5%
Avg Grain Length	6 mm
Moisture	14% Max
Whiteness	40 Degree Min
Chalky Kernels	6% Max
Yellow Kernels	1% Max
Red/Red Streaked	0.5% Max
Damaged/Discoloured Kernels	2% Max
Foreign Matter	Nil
Paddy Kernels	5 Grains Max
Milling Degree	Well Milled

IR 64 PARBOILED RICE (5%)

PARAMETERS	SPECIFICATIONS
Broken	5% Broken
Avg Grain Length	5.8 mm min
Moisture	14% Max
Whiteness	40 Degree Min
Chalky Kernels	6% Max
Yellow Kernels	0.5% Max
Red/Red Streaked	0.25% Max
Damaged/Discoloured Kernels	1% Max
Foreign Matter	0.1 % Max
Paddy Kernels	5 Grains Max
Milling Degree	Well Milled

IR 64 PARBOILED RICE (25%)

PARAMETERS	SPECIFICATIONS
Broken	5% Max
Avg Grain Length	6.00 mm min
Moisture	14% Max
Whiteness	40 Degree Min
Chalky Kernels	6% Max
Yellow Kernels	1.25% Max
Red/Red Streaked	1.25% Max
Damaged/Discoloured Kernels	1.25 % Max
Foreign Matter	0.25 % Max
Paddy Kernels	5 Grains Max
Milling Degree	Well Milled

IR 64 RAW SORTEX RICE

PARAMETERS	SPECIFICATIONS
Broken	5%
Avg Grain Length	6.00 mm
Moisture	14% Max
Whiteness	40 Degree Min
Chalky Kernels	6% Max
Yellow Kernels	0.5% Max
Red/Red Streaked	0.25% Max
Damaged/Discoloured Kernels	1 % Max
Foreign Matter	0.1 % Max
Paddy Kernels	5 Grains Max
Miling	Well Milled

PR 11/14 STEAM RICE

PARAMETERS	SPECIFICATIONS
Length	6.7 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

PR 11/14 SELLA RICE

PARAMETERS	SPECIFICATIONS
Length	7.8 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

PONNI RAW RICE

PARAMETERS	SPECIFICATIONS
Length	4.5 mm Max
Moisture	14% Max
Broken	5 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	2 % Max
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	Nil

PONNI STEAM RICE

PARAMETERS	SPECIFICATIONS
Length	4.5 mm Max
Moisture	14% Max
Broken	5 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	2 % Max
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	Nil

SONA MASOORI RAW RICE

PARAMETERS	SPECIFICATIONS
Length	5.3 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

SONA MASOORI STEAM RICE

PARAMETERS	SPECIFICATIONS
Length	7.8 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

IR 36 RAW RICE

PARAMETERS	SPECIFICATIONS
Length	8 mm Max
Moisture	14% Max
Broken	5 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	2 % Max
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	Nil

IR 36 STEAM RICE

PARAMETERS	SPECIFICATIONS
Length	6.0 mm Max
Moisture	14% Max
Broken	5 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	2 % Max
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	Nil

SHARBATI STEAM RICE

PARAMETERS	SPECIFICATIONS
Length	7.9 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

SHARBATI WHITE RICE

PARAMETERS	SPECIFICATIONS
Length	7.9 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

SHARBATI GOLDEN RICE

PARAMETERS	SPECIFICATIONS
Length	7.9 mm
Moisture	14% Max
Broken	1 %
Purity	95% Min
Crop	The Latest
Damage/Discoloured	Nil
Sortex	100% Sortex cleaned
Miling	Well Milled
Foreign matter	0.2% Max

TERMS

CONTRACT TERMS	Yearly / Quarterly / Monthly / Daily & Spot Contract will be done.
PAYMENT TERMS	Export: Advance TT/ Irrevocable Confirmed and transferable LC. Domestic: Cash, TT(20% on PO, 80% Loading Time).
MOQ	Export - 2500 MT / Domestic - 26 MT.
CONTAINER LOADING	20 FT: 25 - 26 MT.
SUPPLY ABILITY	Upto 150,000 MT Per Month
DELIVERY TERMS	CIF, FOB, CNF, CFR, & FOR.
DISPATCH TIME	100 MT: 6-10 Business days/500 MT: 16-20 Business days.
NOTES	Dispatch schedule will be based on Client’s Requirement.
PACKAGING	5, 10, 25, 30, 40, 50 kgs PP Non Woven Bags.

Brand Label can be done at Clients Requirement.

GSY

Groups of companies

ONE STOP SOLUTION FOR ALL YOUR AGRO AND FOOD PRODUCTS

- CONTACT US :
- DUBAI :+971-56-553-1128
- LONDON : +44-1905-570-304
- INDIA: +9191594-10658
- EMAIL : ADMIN@GSYGROUPS.COM
- WWW.GSYGROUPS.COM