



# Asian Tubes



**ASIAN TUBES** is a prominent name from Fatehabad (Haryana) that has been engaged in the manufacturing of different kinds of pipe fittings and hardware products for over a decade now.

## ABOUT US

**ASIAN TUBES** is a prominent name from Fatehabad (Haryana) that has been engaged in the manufacturing of different kinds of pipe products for over a decade now. We serve as the foremost manufacturer and supplier of premium quality UPVC Plumbing Pipes , UPVC Pressure/ Agriculture Pipes ,Casing Pipes ,Round Conduit PVC Pipes . All these products are manufactured at our state-of-the-art facility, where experienced professionals and domain experts supervise the entire production process, and ascertain that only the finest pipe products reach market for sale. We have tied up with major shipment companies across the Indian market to ensure that these products reach destinations on a timely basis and in a safe manner.

**ASIAN TUBES** is involved in manufacturing uPVC pipes products, and serving the same across the Indian market. .We started the venture in 2009 with a motive to become a known name in the market. We are based in Fatehabad (Haryana, India) and we cater to clients in the Indian subcontinent. Our vision is to delight our customers by giving them value for money through our products and services

### INFRASTRUCTURE

Our production unit that is equipped with modern machines and equipment enables us to manufacture the finest pipe fittings and hardware products. We use high-quality raw materials for the production of our products that we obtain from trustworthy vendors only. Moreover, we make sure that the production process is carried out in accordance with the set industrial standards.

### OUR PORTFOLIO CONSISTS OF:-

Selfit UPVC pipes as per IS 4985:2000  
Water Extraction Systems (Casing Pipes) as per IS12818:2010  
UV stabilized SWR sanitation systems as per IS:13592:2013  
Plumbing Pipes as per ASTM: 1785  
Electrical Conduit Pipes as per IS: 9537 part 3

Nature of Business  
Year of Establishment  
Name of Partners

Manufacturer, Wholesaler, Trader  
2009  
Mr. Munish Bansal and Mr. Honey Bansal

## Borewell Systems for Groundwater Extraction

### Medium Well Casing CM Pipes



Material	PVC
Shape	Round
Application	Manufacturing Unit, Water Treatment Plant
Color	Blue
Feature	Excellent Quality
Finishing	Non Polished

Nominal Diameter DN	Mean Outer Diameter (em)		Outer Diameter at Any Point d (e)		Mean Outer Diameter Over Connection. de (s)	Wall Thickness	
	Min	Max	Min	Max		Min	Max
100	113	113.3	112.9	113.4	20	5	5.7
115	125	125.3	124.9	125.4	132	5	5.7
125	140	140.4	139.9	140.5	150	6.5	7.3
150	165	165.4	164.6	165.6	178	7.5	8.5
175	200	200.5	199.6	200.6	215	8.8	9.8
200	225	225.5	224.5	225.8	243	10	11.2
250	280	280.5	279.4	280.8	298	12.5	14

### Shallow Well Casing CM Pipes



Material	PVC
Shape	Round
Application	Water Treatment Plant
Color	Blue
Feature	Excellent Quality
Finishing	Non Polished

Nominal Diameter DN	Mean Outer Diameter (em)		Outer Diameter at Any Point d (e)		Mean Outer Diameter Over Connection. de (s)	Wall Thickness	
	Min	Max	Min	Max		Min	Max
150	165	165.4	164.6	165.6	174	5.7	6.5
175	200.5	200.5	199.6	200.6	221	7	7.8
200	225	225.5	224.5	225.8	238	7.6	8.8
250	280	280.5	279.4	280.8	292	9.6	11.5

**Borewell Systems for Groundwater  
Extraction**

Deep Well Casing (CD) Pipes



Material  
Shape  
Feature  
Finishing

PVC  
Round  
Excellent Quality  
Non Poilshed

Nominal Diameter		Mean Outer Diameter of pipe		Outer Diameter		Mean Outer Diameter	Wall Thickness	
(DN)		d'em' (mm.)		at any point		over Connection	e' (mm)	
				d'e' (mm)		(d's')		
Inches	mm	Min	Max	Min	Max	Max	Min	Max
4"	100	113	113.3	112.8	113.4	125	7	7.9
4 1/2"	115	125	125.3	124.9	125.4	137	7.5	8.5
5"	125	140	140.4	139.7	140.5	152	8	9
6"	150	165	165.4	164.6	165.6	180	9.5	10.7
7"	175	200	200.5	199.6	200.6	217	11.8	13.6
8"	200	225	225.5	224.5	225.8	247	13	14.8
10"	250	280	280.5	279.4	280.8	304	16	17.6
12"	300	330	330.6	329.3	331	359	19	21
14"	350	400	400.7	399.2	401.2	433	21.5	23.9
16"	400	450	450.8	449.1	451.3	490	23.5	26.1

PVC Conduit Pipes

Normal Fabricated Bend



ISI:3419 Fabricated Bend



Round Conduit PVC Pipes



Material  
Shape  
Application  
Color  
Feature  
Finishing  
Thickness

PVC  
Round  
Construction, Manufacturing Unit  
White  
High Strength  
Non Polished  
0.5-1mm

## Other Plastic Pipes

### UPVC Plumbing Pipes



Material  
Shape  
Thickness  
Application  
Color  
Feature  
Size

UPVC  
Round  
10-20mm  
Plumbing  
White  
Excellent Quality  
15mm to 100mm

(inch)	Outside Diameter		Wall Thickness(mm)	
	(D) (mm)	(t) (mm)	(t) (mm)	(t) (mm)
44198	21.34±0.10	2.77+0.51		3.73+0.51
44259	26.67±0.10	2.87+0.51		3.91+0.51
1	33.40±0.13	3.38+0.51		4.55+0.53
44504	42.16±0.13	3.56+0.51		4.85+0.58
44502	48.26±0.15	3.68+0.51		5.08+0.61
2	60.32±0.15	3.91+0.51		5.54+0.66
2 1/2	75.20±0.15	5.16+0.61		7.01+0.48
3	88.90±0.20	5.49+0.66		7.62+0.91
4	114.30±0.23	6.02+0.71		8.56+1.02

### UPVC Pressure Pipes



Material  
Shape  
Thickness  
Application  
Color  
Feature

UPVC  
Round  
10-20mm  
Plumbing  
Grey  
Fine Finishing

Agriculture/Pressure pipes are manufactured as per IS 4985:2000 standard and are available in 20 mm to 315 mm sizes in different pressure class. Rigid PVC Plastic Pipe is most commonly utilized for installing as portable water supplies system both below & above ground level. These piping system has long service life with superior resistance to high impact. Offered Rigid PVC Plastic Pipe is also suitable to be used for domestic & commercial water piping systems.


## Other Plastic Pipes

SWR Pipes



We manufacture SWR Pipes As per IS 13592:2013. our product has various properties like light weight, easy to install, smooth internal surface, and chemical resistant. Our range also has resistance against weather, alkalies, sunlight, acid, oils, chemicals and oils. These SWR Pipes (IS 13592 1992) are manufactured by combining uPVC resin with different chemicals like processing aids, heat stabilizers, pigments, benzotriazole, lubricants and carbon black UV moderators that prohibits loss of mechanical strength.

NOMINAL OUTSIDE DIAMETER	MEAN OUTSIDE DIAMETER		WALL THICKNESS			
	MIN	MAX	TYPE - A		TYPE - B	
MAX	MIN	MAX	MIN	MAX	MIN	MAX
40	40	40.3	1.8	2.2	3.2	3.8
50	50	50.3	1.8	2.2	3.2	3.8
63	63	63.3	1.8	2.2	3.2	3.8
75	75	75.3	1.8	2.2	3.2	3.8
90	90	90.3	1.9	2.3	3.2	3.8
110	110	110.4	2.2	2.7	3.2	3.8
125	125	125.4	2.5	3	3.2	3.8
140	140	140.5	2.9	3.4	3.6	4.2
160	160	160.5	3.2	3.8	4	4.6



# Asian Tubes

**MR. MUNISH BANSAL AND MR. HONEY BANSAL**

**ADDRESS :**

Opposite Huda Sector-3 Hisar Road, Fatehabad, Haryana, India - 125050

**PHONE :** +91-9896656888, +91-9416900017, +91-0166-7230328

**EMAIL ID :** honeybansal429@gmail.com

**WEBPAGE :** <https://www.asiantubesindia.com>

**WEBSITE :** <https://www.exportersindia.com/asian-tubes/>