

SINGH'S AUTOMATION

Clean Room Products

- Door Interlock System
- Man & Material Air Shower Controller
- Static and Dynamic Passbox Controller
- Laminar Air Flow Controller
- Bio-Safety Controller
- Temperature, Humidity and Pressure Monitors
- Real Time Clock

PASSBOX CONTROLLER



FEATURES

- Advanced Micro controller based.
- 16*2 AlphaNumeric Dual Display
- Easy to installation & user friendly wiring.
- Auto+Manual operation of blower, u.v, Fluorescent Light
- Door Status LED On Display (Lock/realised)
- Built-in Timer's for Various Operation

SPECIFICATIONS

Door Access Panel Inputs & Outputs

- Inputs : 5 No, switches. per door .
- Outputs : 6 Nos. led indicator per switch.

Control Card Digital Inputs & Outputs

- Inputs : 2 No.
- Outputs : 5 relay output 230V / 5 A .

Power

90 to 260 VAC @ 50 Hz

Environmental

Temperature : -25 to 85°C.

RH : 10 – 95%, Non-condensing.

FLAMEPROOF PASSBOX CONTROLLER



FEATURES

Advanced Micro controller based.
16*2 AlphaNumeric Display
Easy to installation & user friendly wiring.
Glass Touch keypad.
Auto+Manual operation of blower,uv/Light
Door Status LED On Display (Lock/realised)

SPECIFICATIONS

Door Access Panel Inputs & Outputs

Inputs : 2 No, switches. per door .
Outputs : 1 Nos. led indicator per switch.

Control Card Digital Inputs & Outputs

Inputs : 2 No.
Outputs : 3 relay output 230V / 5 A .

Power

90 to 260 VAC @ 50 Hz

Environmental

Temperature : -25 to 85°C.
RH : 10 – 95%, Non-condensing.

SINGH'S AUTOMATION

Office :- Room No. 169, Amar Nagar, Guru Gobind
Singh Marg, Near Hari Om Medical,
Mulund (West) Mumbai 400082

Email :- singhsautomation@gmail.com

Phone No. :- 022 25901168 ,
+91 9967567973