



Giving edge towards future



# HEAVY VEHICLE PARTS

Giving edge towards future...

# ABOUT US

*We at ACCENTOR TECH understand your quest for good quality spare parts at competitive pricing. With an experience in the spare parts industry, we have partnered up with NAYASONO, production units that can deliver specific spare parts for your needs, with quality control spear heading the whole process, you know you can trust the parts you purchase.*

*We deal in Brake lining, various types of lights for the heavy vehicles and NUTS AND BOLTS. We have good supply in the countries of Africa, Europe and Russia and expanding in many countries.*

# PRODUCTS

## BRAKE LINING

*We have extensive range of brake lining for every brand of heavy vehicles.*



**BRAKE LINING 14 HOLES STD**



**BRAKE LINING 8 HOLES STD (A+B)**









**BRAKE LINING 8 HOLES STD**

# BRAKE LININGS







S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH 	THICKNESS 	IR 	HOLE 	RIVETS 
1	SJ/26/1	19892	SAE, SAF	200	159.6	18.5	355	10	8x18
2	SJ/27/1	19893	SAE, SAF	200	168	18.6	355	10	8x18
3	AX/14/6	19896	Foden, Ikarus, Mercedes-Benz,	177.8	196.2	18.6	419	14	10-8
4	BC/36/1	19032	MERCEDES BENZ	204	180	17.8/11.0	205	10	8 X 20
5	BC/37/1	19094	KASSBOHRER / MERRIWORT TRAILERS	204	200	17.8/11.0	205	10	8 X 20
6	BC/80	19574	Peitz Axle,Cardi Axle,BPW Axle	162	200	17.5/10.6	146	8	8x18
7	BC/97/1	19033	Bergische Achsen (B.P.W)	195.1	177.8	21.6/11.0	205	10	8x20
8	BC/98/1	19032	Styler,B.P.W Axle,Cardi, Warstein	205	180	17.4,10.7	205	10	8x20
9	DF/20/1	19150	D.A.F	211	152	18.51 / 9.4	203	10	L9
10	DF/21/1	19151	D.A.F	218	152	18.6/14.01	203	10	L9
11	DF/34/1	19900	DAF	193	150	19.2/16.9	203	8	L-10
12	DF/35/1	19901	DAF	195	150	18.6/12.9	203	8	L-10
13	FU/4/1	19370	BODEN TRAILAR	189	219	18.2/14.3	203	12	L10
14	FU/5/1	19369	BODEN TRAILAR	194	219	18.1/9.6	203	12	L10
15	IL/66/1	19036	BODEN, CARRIMORE, FRUEHAUE11 90R-02B01229/2701	189	178	18.2/14.3	203	12	10X10
16	IL/67/1	19037	FREMCO, HANDS, HIGHWAY, YORK	194	178	18.1/9.6	203	12	10X10
17	M.I.T.Canter		M.I.T.Canter	323	74.5	18.5	152	12	8x15
18	MB/48/2	17059	MerCEDES BENZ,Bussing,Tata	212	100	10	194	8	
19	MB/51/1	19160	MERCEDES BENZ	187	170	15	205	8	8 X 20
20	MB/60/1	17276	MERCEDES BENZ	177	140	15	200	8	8x20
21	MB/67	19297	MERCEDES BENZ	210	100	15	194	8	8x15
22	MB-162517 IG			323	74.5	10	152	12	
23	MB-162517			323	74.5	8	152	UD	

**BRAKE LINING SERIES**  
**NON-ASBESTOS**

S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH 	THICKNESS 	IR 	HOLE 	RIVETS 
24	MB-162517			323	74.5	10	152	UD	
25	MB-162517			323	74.5	8	152	12	
26	MF/515/F			186	152.5	15	194	12	
27	MF/515/R			198	117	15	194	10	
28	MP/30/1	17683	M.A.N., MERCEDES BENZ	178	140	17.3/12.1	200	8	8 X 18
29	MP/31/1	19486	M.A.N., MERCEDES BENZ	178	160	17.3/12.1	200	8	8 X 18
30	MP/32/1	19487	M.A.N., MERCEDES BENZ	178	180	17.3/12.1	200	8	8 X 18
31	MP/36/1	19488	M.A.N., MERCEDES BENZ	178	220	17.3/12.1	200	8	8 X 18
32	NN/40/1	19931	NISSAN UD	235	178	19	200	6	L-9
33	NN/41/1	19814	NISSAN UD	214	180	18	205	14	L-9
34	NN/CB/31/R		NISSAN UD	198	151	15	194	14	L-9
35	NN/CB/31F		NISSAN UD	198	220	14	194	15	L-9
36	RN/100/1	19934	R.V.I (f)	187	150	18.5	189	8	8 X 18
37	RN/101/1	19935	RENAULT, R.V.I	185.4	175	18.5	187	8	8 X 18
38	RN/104/1	19187	RENAULT, R.V.I	184.3	220	18.5	189	8	8x18
39	RW/28/1	19556	IVECO, R.O.R, (MERITOR) AXLE ROCK WELL	197	180	20.9 / 13.75	205	12	8x15
40	RW/29/1	19554	E.R.F, IVECO, R.O.R, (MERITOR) AXL WELL	197	200	21.2 / 12.5	205	12	8x15
41	RW/34/1	19030	R.O.R. (MERITOR)	189	178	22.4 / 18.1	209	12	L-9
42	RW/35/1	19033	R.O.R. (MERITOR)	194	178	21.8 / 13.3	209	12	L-9
43	SJ/28/1	19283	SAUER / SAF	188.9	178	20.3/16.6	209	8	8x20
44	SJ/29/1	19284	SAUER / SAF	194.4	178	20.2 / 11.6	209	8	8x20
45	SJ/30/1	19477	SAUER / SAF	188.9	203	20.3 / 16.6	209	8	8x20
46	SJ/31/1	19478	SAUER / SAF	194.4	203	20.2 / 11.6	209	8	8x20







# BRAKE LINING SERIES

## NON-ASBESTOS

S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH 	THICKNESS 	IR 	HOLE 	RIVETS 
47	SV/26/1	17161	SCANIA	213	127	19	213	8	L-12
48	SV/27/1	19393	SCANIA	193	203	19	187	12	L12
49	SV/41/1	19932	SCANIA	235	203	19	187	16	L12
50	SV/42	19933	Scania	235	254	19	187	16	L-12
51	SV/8/1	19075	SCANIA	192.6	178	19	213	12	L-12
52	SY/23/1	19245	Steyr puch (Daimler)	185.7	160	15	195	8	8x18
53	SY/24/1	19246	Steyr puch (Daimler)	185.7	185	15	195	8	10x18
54	TATA1313 R		TATA	211	150	14.85	191.6	8	
55	TATA1313F		TATA	211	100	10.35	191.6	8	
56	TZ/1/1		TATA	210	120	14.15	191.6	8	
57	TZ/2/1		TATA	210	150	14.15	191.6	8	
58	VL/74/1	19560	VOLVO	200	152	19.0/11.7	203	10	L11
59	VL/75/1	19561	VOLVO	160	152	19.0/14.8	203	10	L11
60	VL/76/1	19562	VOLVO	192	203	18.5/11.7	191.26	12	L-11
61	VL/77/1	19563	VOLVO	187	203	18.5/14.80	191.26	9	L-11
62	VL/86/1	19941	VOLVO	177	150	18.3 / 12.5	200	12	L9
63	VL/87/1	19938	VOLVO	177	175	18.3/12.6	200	12	L9
64	VL/88/1	19939	VOLVO	177	200	18.3/12.6	200	12	L9
65	VL/89/1	19940	VOLVO	177	225	18.3/12.6	200	12	L9
66	BC/62/63/1	15150	IVECO STEYR	252	80	7	155	12	6x18
67	BC/62/63/1	15174	IVECO STEYR	344	80	7	155	16	6x18
68	SV/37/1	19919	RENAULT G G 230.19/T	370	150	13.5	193.5	18	8 x 18
69	SA/11/1	19374	RENAULT TRUCKS	305	150	13	193	22	







# BRAKE LINING SERIES

## NON-ASBESTOS

S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH 	THICKNESS 	OD 	HOLE 	RIVETS 
70	SA/10/1	19375	RENAULT TRUCKS	370	150	13	414	26	L-12
71	DF/44/1	19010	DAF	150	175.6	21.1	420	8	10-10
72	DF/45/1	19011	DAF	150	179.2	21	420	8	10-10
73	RW/1/5	19017	Seddon Atkinson	203.2	189.1	18.2	419	16	10-10
74	RW/2/5	19997	Seddon Atkinson	203.2	194.6	18.1	419	16	10-10
75	SA/10/1	19049	Fruehauf, Renault	150	346.7	12.5	414	26	6x15
76		19199	Fruehauf, Renault	150	284.8	12.5	414	22	6x15
77	DF/46/1	19052	DAF	175	179.2	21	420	12	10-10
78	DF/47/1	19055	DAF	175	175.6	21.1	420	12	L-11
79	DF/48/1	19063	DAF	200	179.2	21	420	16	10-10
80	DF/49/1	19064	DAF	200	175.6	21.1	420	16	10-10
81	VL/89/2	19068	Dennis, Volvo	223.2	177.1	17.9	410	14	L8/L10
82	DF/50/1	19069	DAF	240	180.9	21	420	16	10-10
83	DF/51/1	19077	DAF	240	177.4	21.1	420	16	10-10
84	VL/88/2	19071	AWD, Bedford, Dennis, ERF, Seddon son, Steyr, Volvo	198.2	177.1	17.9	410	14	10-10
85	GG/83/1	19072	Bedford, Ford, Iveco, Leyland, Renault,	152.4	374.4	12.7	394	12	L-9
86	MB/120/1	19078	Mercedes-Benz	200	173.5	15.5	364	8	8x12
87	MB/121/1	19112	Mercedes-Benz	200	130.5	15.5	364	6	8x12
88	VL/87/2	19090	AWD, Bedford, ERF, Volvo	173.2	177.1	17.9	410	14	10-10
89	GG/92/1	19111	Bedford, ERF, Ford, Leyland, Renault,	177.8	358.4	12.7	394	18	L-9
90	RW/38/1	19116		199.6	196.4	22	410	12	8x15
91	RW/39/1	19119		199.6	196.4	22	410	12	8x15
92	BC/90/1	19166	Kässbohrer	200	203.6	19.2	400	10	8x20







# BRAKE LINING SERIES

## NON-ASBESTOS

S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH 	THICKNESS 	OD 	HOLE 	RIVETS 
93	BC/35/1	19200	BPW, Cardi, Fruehauf, SAE, SAF	160	203.9	17.8	420	10	8x15
94	DF/16/2	19256	Bova, DAF, Neoplan	178	212.4	18.5	419	14	10-10
95	DF/17/2	19260	Bova, DAF, Neoplan	178	217.5	18.6	419	14	10-10
96	GG/140	19351	Bedford, Ford, Renault	152.4	320	12.7	394	12	L-9
97	RW/1/3	19365	Fruehauf, Meritor	203.2	194.6	18.1	419	12	5x16
98	RW/2/3	19366	Fruehauf, Meritor	203.2	189.1	18.2	419	12	5x16
99	GG/142/1	19371	Bedford, ERF, Leyland	203.2	358.4	12.7	394	18	
100	CW/4/1	19384	Foden, Fruehauf, Iveco, Meritor,	177.8	189.1	18.6	381	12	10-10
101		19411		160	186.2	16	420	8	
102	MB/58/3	19466	Mercedes-Benz, Neoplan	220	155.5	19.2	408	10	8x15
103	VL/72/1	19467	Volvo	177.8	192	19	394	12	L-12
104	VL/73/1	19468	Volvo	177.8	147	19	394	9	L-12
105	SJ/32/1	19479	SAF	180	170.3	20.8	367	8	8x18
106	SJ/33/1	19480	SAF	180	170.3	20.7	367	8	8x18
107	SJ/34/1	19490	SAF	200	170.3	20.8	367	8	8x15
108	SJ/35/1	19491	SAF	200	170.3	20.7	367	8	8x15
109	MP/31/2	19494	Mercedes-Benz, Van Hool	160	178	17.3	410	8	8x20
110	MP/32/2	19495	Fruehauf, Renault	180	178	17.3	410	8	8x18
111	MP/36/2	19496	MAN, Mercedes-Benz, Steyr	223	178	17.3	410	8	8x20
112	MB/120/2	19505	Mercedes-Benz	200	173.6	15.5	364	8	8x12
113		19112	Mercedes-Benz	200	130.5	15.5	364	6	8x12
114	SJ/24/1	19517	SAF, Trailor	150	129.1	15.6	300	8	8x18
115	SJ/25/1	19518	SAF, Trailor	150	131.7	15.7	300	8	8x18

# BRAKE LINING SERIES







## NON-ASBESTOS

S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH 	THICKNESS 	OD 	HOLE 	RIVETS 
116	RW/29/1	19553	ERF, Iveco, Meritor	199.6	196.4	21.2	410	12	8x15
117	RW/28/1	19555	Iveco, Meritor, Rockwell	180	196.4	21.2	410	12	8x15
118	FT/6/1	19557	Foden, Fruehauf, SAE, SAF, SMB, Trailor	203.2	194.6	18.1	419	16	5x16
119	FT/7/1	19606	Foden, Fruehauf, SAE, SAF, SMB, Trailor	203.2	189.1	18.2	419	16	5x15
120	BC/79/1	19573	BPW	150	145.4	17.5	300	8	8x18
121	MB/74/1	19579	Bova, MAN, Mercedes-Benz, Neoplan	160	217.1	17.7	410	10	8x20
122	MB/75/1	19580	Bova, MAN, Mercedes-Benz, Neoplan	160	173.7	17.6	410	8	8x20
123	MB/76/1	19581	Bova, MAN, Mercedes-Benz, Neoplan	220	217.1	17.7	410	10	8x20
124	MB/77/1	19582	Bova, MAN, Mercedes-Benz, Neoplan	220	173.7	17.6	410	8	8x20
125	BC/81/1	19591	BPW	220	203.9	17.8	420	10	8x15
126	RW/9/3	19604	Fruehauf, Meritor	190.5	126.6	15.7	311	10	L-10
127	RW/13/3	19605	Fruehauf, Meritor	190.5	159.2	15.5	311	10	L-10
128	FT/11/1	19613	Fruehauf, SMB, Trailor	177.8	194.6	19.4	419	16	5x15
129	FT/12/1	19614	Fruehauf, SMB, Trailor	177.8	189.1	19.5	419	16	5x15
130	MB/84/1	19632	Mercedes-Benz	180	173.7	17.7	410	8	8x18
131	MB/85/1	19633	Mercedes-Benz	180	217.1	17.6	410	10	8x18
132	RW/28/30/31/1	19714	Iveco	179.6	196.4	22	410	12	8x15
133	RW/29/32/33/1	19716	ERF, Iveco, Meritor	199.6	196.4	22.1	410	12	8x15
134	BC/120/1	19718	Fruehauf, Benalu, SMBF	200	169.05	20.68	360.9	8	5x16
135	BC/121/1	19719	Fruehauf, Benalu, SMBF	200	169.05	20.62	360.9	8	5x16
136		19720	Raba	160	195.3	21.7	400	10	10-10
137		19721	Raba	160	195.3	21.8	400	10	10-10
138		19722	Raba	180	195.3	21.7	420	16	L-10

# BRAKE LINING SERIES



## NON-ASBESTOS



S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH 	THICKNESS 	OD 	HOLE 	RIVETS 
139	FT/15/1	19790	Fruehauf	177.8	189.1	18.3	419	12	5x16
140	FT/16/1	19791	Fruehauf	177.8	194.6	18.3	419	12	5x16
141	VL/81/1	19799	Volvo	254	147	19	394	12	L-10
142	VL/82/1	19800	Volvo	254	192	19	394	9	L-10
143		19825	Bergische Achsen (BPW), Warstein	220	203.94	17.8	420	10	
144	MB/104/1	19844	Mercedes-Benz	160	130.5	13.5	360	6	8x15
145	MB/105/1	19845	Mercedes-Benz	160	173.5	13.5	360	8	8x15
146	MB/113/1	19844 20	Mercedes-Benz	160	130.5	15.5	364	6	8x15
147	MB/114/1	19845 20	Mercedes-Benz	160	173.5	15.5	364	8	8x15
148	PB/18/1	19847	Neoplan, Perrot, Setra, Van Hool	220	196	17.5	410	12	10x18
149	PB/19/1	19848	Neoplan, Perrot, Setra, Van Hool	220	196	17.4	410	12	10x18
150	PB/16/1	19849	Neoplan, Perrot, Setra	160	196	17.4	410	8	10x18
151	PB/17/1	19850	Neoplan, Perrot, Setra	160	196	17.5	410	8	10x18
152	VL/83/1	19885	Volvo	239.5	192	19	394	12	L-12
153	VL/84/1	19886	Volvo	239.5	147	19	394	9	L-12
154	CW/11/1	19887	Ford	177.8	195.6	19.5	394	16	L-8
155	DF/36/1	19888	DAF	175	180.9	18.7	420	12	10-10
156	DF/37/1	19889	DAF	175	177.4	18.8	420	12	10-10
157	DF/32/1	19890	Bova, DAF	200	177.4	18.8	420	16	10-10
158	DF/33/1	19891	Bova, DAF	200	180.9	18.7	420	16	10-10
159	PB/10/1	19559	SETRA SERIES 200 S 200	211	180	15.8	410	8	10x18
160	PB/11/1	19558	SETRA SERIES 200 S 200	207	180	15.9	410	8	10x18
161	BT/59/1	19451	RENAULT TRUCKS TRK	370.5	175	14	414	16	

# BRAKE LINING SERIES

## NON-ASBESTOS

S.NO	BFMC	WVA NO.	APPLICATION	IDL 	WIDTH	THICKNESS 	OD 	HOLE	RIVETS
162	BT/59/4	19569	RENAULTS TRUCKS	370.5	175	14	414	14	
163	SV/7/1	19185	MAN 13215	193	90	19	412	6	
164	PD/4/1	19881	PEGAS TRONER 1334 R	160	200	18.9	410	13	6x15
165	PD/3/1	19879	PEGAS TRONER 1334 R	160	200	17.8	410	13	6x15
166	PB/18/1	19699	BOVA FUTURA FHD, MERCE CONE NEOPL CITYLINER, NEOPL JETLINER SKYLINER, NEOPL TRANSLINER, S SERIES 200, 300	196	220	17.3	110	12	10x18
167	PB/10/1	17742	SETRA SERIES 300	207	140	16.8	410	8	10x20
168	PB/9/1	17743	SETRA SERIES 300	210	140	16.8	410	8	10x20
169	MB/83/1	17795	MERCE O 303	173.7	140	17.7	410	8	8x18
170	MB/82/1	17796	MERCE O 303	217	140	17.6	410	10	8x18
171	PD/8/1	19878	PEGAS TRONER 1236.38T	160	160	16.2	410	13	6x15
172	PD/7/1	19877	PEGAS TRONER 1236.38T	160	160	16.2	410	13	6x15
173	HJ/20/1	19449	HANOMAG	195	180	19	420	8	
174	BC/46/1	19121	BPW 420 X 180	191	180	18	420	10	
175	HJ/21/1	19450	HANOMAG	191	180	19	420	8	
176	FI/106/1	19694	FIAT, IVECO LKW	197	180	12	420	16	8x20
177	DF/30/1	19617	DAF F2800, DAF F3300, DAF F3600	210	203.2	18.5	420	16	L-10
178	DF/31/1	19618	DAF F2800, DAF F3300, DAF F3600	219	203.2	18.5	420	16	L-10
179	DF/38/1	19915	DAF 95 FA 95.310, DAF FTG, DAF FTT	177.4	240	18.8	420	16	L-11
180	DF/39/1	19914	DAF 95 FA 95.310, DAF FTG, DAF FTT	180.9	240	18.7	420	16	L-11

# BRAKE LINING SERIES

## NON-ASBESTOS

# LIGHTS



REAR LAMP 4 CHAMBER



REAR LAMP



REAR LAMP 3 CHAMBER



AUXILLARY LAMP SPHERICAL)  
L.E.D)(RED)



AUXILLARY LAMP FLAT) L.E.D)(ORANGE)



AUXILLARY LAMP DOME) L.E.D)(WHITE)



REAR LAMP (L.E.D 12V/24V)



AUXILLARY LAMP SQUARE (9 L.E.D)



AUXILLARY LAMP SQUARE (16 L.E.D)



REAR LAMP 4 CHAMBER (L.E.D-12V/24V)



H4 HEAD LAMP ROUND (7 INCHES)  
(WITHOUT TUBE)



AUXILLARY LAMP ROUND (9 L.E.D)



H4 HEAD LAMP (6'X8')(WITHOUT TUBE)

## NUTS AND BOLTS



M.A.N BRAKE PIN



REAR SHACKLE PIN  
WITH BUSH SCANIA



EQUALISER PIN BPW



**CHROME NUTE-TOYOTA**



**CASTLE NUT**



**WHEEL NUT-PEUGEOT**



**PINION NUT BI-HEX**



**AXLE NUT**



**PROPELLOR NUT HEX**



AXLE NUT



REVOLVING NUT



PROPELLOR NUT



WHEEL NUT



WHEEL BOLT-MERCEDES



WHEEL BOLT & CHROME NUT



WHEEL BOLT & CHROME NUT



WHEEL BOLT -TOYOTA



WHEEL BOLT & NUT-BEDFORD



REAR WHEEL BOLT & NUT CANTER



U-BOLT



U-BOLT





U-BOLT



U-BOLT

# FILTERS



OIL FILTER



AC 74



OIL FILTER



PC 42



HYDRAULIC FILTER



HYDRAULIC FILTER



FUEL FILTER (PAIR)

# NOTES


**ACCENTOR TECH PVT. LTD.**

CONTACT NUMBER: +91-9811488263

E-MAIL ID: sales@accentortech.com

