


 ACCURATE ENGINEERING

SINCE 2003

QUALITY, PRECISION, COMPLIANCE



Models Available

(Automatic/Semi-automatic Bandsaw Machine)

200 SAB/AB

260 SAB/AB

340 SAB/AB

420 SAB/AB

530 SAB/AB

650 SAB/AB

800 SAB

1000 SAB

1200 SAB

1500 SAB

2000 SAB



**Double column
Bandsaw Machine**



**Bandsaw Machine
LMG**



**Horizontal Bandsaw
Machine
LMG**



**Vertical Bandsaw
Machine**



**Automatic Bandsaw
Machine
LMG**

| Machine Model | 200AB / SAB | 260AB / SAB | 340AB / SAB | 420AB / SAB | 600 AB / SAB | 650AB / SAB | 800 SAB | 1000 SAB | 1200 SAB | 1500 SAB |
|------------------|----------------|----------------|----------------|----------------|-----------------|----------------|----------------|-----------------|-----------------|-----------------|
| Cutting Capacity | Round 200 mm | Round 260 mm | Round 340 mm | Round 420 mm | Round 550mm | Round 650 mm | Round 850 mm | Round 1000 mm | Round 1200 mm | Round 1500 mm |
| | Square 200 mm | Square 260 mm | Square 340 mm | Square 420 mm | Flat 585*550 mm | Square 650 mm | Square 850 mm | Square 1000 mm | Square 1000 mm | Square 1500 mm |
| Band Speed | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min | 20-80 Mts/min |
| Saw Motor | 3HP | 5HP | 5HP | 7.5HP | 10HP | 12HP | 15HP | 15HP | 20HP | 25HP |
| Hydraulic Motor | 1.5HP | 1.5HP | 1.5HP | 2HP | 2HP | 2HP | 2HP | 3HP | 3HP | 5HP |
| Coolant Motor | 0.16HP | 0.16HP | 0.16HP | 0.16HP | 0.16HP | 0.16HP | 1/2HP | 1/2HP | 1/2HP | 1/2HP |
| Blade Size | 3900*34*1.1 mm | 4100*34*1.1 mm | 4860*41*1.3 mm | 5800*41*1.3 mm | 6900*54*1.6 mm | 8000*67*1.6 mm | 8800*67*1.6 mm | 12300*67*1.6 mm | 13600*67*1.6 mm | 14100*80*1.6 mm |

MECHANICAL FEATURES :

- 1. Blade guide box with Carbide tip provided with two ball bearing for better guide .**
- 2. Wire brush for blade cleaning .**
- 3. Control panel.**
- 4. Heavy Duty Gear box.**
- 5. Hand operated lubricant system for LMG.**
- 6. All Model available in LMG as well as hard chrome Plated round pillars**

HYDRAULIC FEATURES :

- 1. Flow control valve for feed Control.**
- 2. Solenoid valve for various purpose.**
- 3. Hydraulic cylinders.**
- 4. Vice clamping arrangements.**
- 5. Inbuilt coolant tank with pump.**
- 6. Nozzle with lever for coolant flow.**

ACCURATE ENGINEERING

**PLOT NO 34,35,36, NATESAN NAGAR, 2ND STREET,
RAJIV NAGAR,
AYNABAKKAM, AMBATTUR, CHENNAI - 600095,
TAMILNADU, INDIA .**

PH : 9382334258, 9382709499

MAIL US AT - accucuts@yahoo.co.in

VISIT US AT - accurateengineering.org.