

**41** YEARS  
PRIDE OF INDIA

**ONIDA**

OWNER'S PRIDE

INDIA'S FIRST SURROUND COOL  
**HEAVY DUTY  
INVERTER AC**  
COOLS EVEN AT 55°C



ULTIMATE COOLING  
EXPERIENCE

AC RANGE 2022


## ULTIMATE COOLING



**Flexi5**  
Inverter

### QUADRA THROW TECHNOLOGY

Quadra Throw Technology allows the air conditioner to evenly spread cool air throughout the room giving you an ultimate cooling experience in your space.



### SUPER ENERGY SAVING

Onida Inverter ACs are designed for higher ISEER and run at super low power consumption to provide upto 40% savings in electricity bill.




### STABILIZER FREE OPERATION

Onida Inverter ACs operate with-in a wide Voltage range of 160V-280V and has a capability to withstand electricity fluctuations without the requirement of stabilizer.

### FLEXI 5

FLEXI 5 Inverter AC provides 5 Modes of personalized cooling. It controls the cooling in real time & optimizes energy consumption.



### I-FEEL SENSOR (CORNER TO CORNER COOLING)

The I-feel sensor senses the temperature around the remote and delivers the most comfortable temperature as per your space giving you corner to corner cooling.

## ULTIMATE SAVING



### R32 GAS

Onida AC uses Eco Friendly R32 Refrigerant which has a zero ozone depleting potential and low global warming.



\*Above Features are available in select models only.

## ULTIMATE DURABILITY



### TANZANITE PROTEKT

Tanzanite protekt is an anti-corrosion blue coating applied on copper tubes of the Cooling coil which provides exceptional durability especially in typical Indian regions affected from moisture, salt, industrial smoke, pollutants and improves the life by 3 times.

### Ag<sup>+</sup> IONIZER

Ag<sup>+</sup> Ionizer effectively creates an anti-allergy and anti-asthma friendly environment by purifying and cleaning the air. Onida's Ag<sup>+</sup> Ionizer is very effective at eliminating bacteria and prevents the growth of microbes such as spores, viruses and fungi.



### BLUE FIN

Onida's Blue Fin coating protects the coil from corrosion even in the extreme moist conditions. It Acts as an extra layer of protection to prevent the coil from unwanted damage. The epoxy coating present in bluefin prevents water droplets, accumulation of salt, or acid disposition.

### 100% COPPER

Increases the durability of your AC as it is built with 100% all weather grade copper coil which makes the AC reliable and corrosive resistant. This prevents repair and replacement of the condenser tubes in the long run.




### 10 YEARS WARRANTY\*\*

Onida offers 10 years warranty on compressor and 5 years on PCB on select Inverter ACs.

# INVERTER AC RANGE

## Magnus 2.0 Heavy Duty Inverter AC



INDIA'S FIRST SURROUND COOL  
**HEAVY DUTY  
INVERTER AC**  
COOLS EVEN AT 55°C

### 55°C Heavy Duty Cooling

Magnus 2.0 Heavy Duty Inverter AC is designed to give you at ultimate surround cooling experience and cools even at 55°C and in most extreme conditions.



**Flexi 5  
Inverter**



**Quadra Throw  
Technology**



**I-Feel  
Sensor**



**Super Energy  
Saving**



**Ag+  
Ionizer**



**Tanzanite  
Protekt**



**Warranty on  
Compressor\*\***

### SPECIFICATIONS


1.6 Tr HEAVY DUTY INVERTER AC

MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	NOISE LEVELS db (A)	IDU AIR FLOW CFM
IR194MG	5400 (2000~6000)	4 STAR	4.20	41	675
IR194MS			4.20	41	675

Max Cooling Capacity 6000 Watts (1.6 Tr). \*Under Standard Lab Conditions.



R32 Gas



Blue Fin  
Condenser



Stabilizer  
Free



100%  
Copper

\*Above Features are available in select models only. \*\*T&C Apply


# Magnus 2.0

Heavy Duty



## ONIDA'S HEAVY DUTY INVERTER AC



Crafted to give you Heavy Duty Cooling, India's first Heavy Duty Surround Cool Air Conditioner cools faster than other Conventional Air Conditioners in the market and gives you 50% more cooling with a maximum cooling capacity of 6000 watts\*.



\*Above Features are available in select models only.

# Magnus 2.0

## Plasmasure Inverter AC



### PLASMASURE

Plasmasure technology is a unique air purification technology which helps in removing Viruses, bacteria, VOC and other airborne particles from the air and hence makes it healthier for breathing. This means that Onida's Plasmasure air purifier is not only able to reduce/eliminate viruses and bacteria but also stops it from reproducing and spreading. Plasmasure also protects the air from other harmful particles, such as dust, smoke, and pollen.



Flexi 5 Inverter



I-Feel Sensor



Super Energy Saving




Quadra Throw Technology



Tanzanite Protekt



Plasmasure



Warranty on Compressor\*\*

## SPECIFICATIONS

Plasmasure Inverter

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	NOISE LEVELS db (A)	IDU AIR FLOW CFM
1 TON	IR125MG	3500 (1550~4000)	5 STAR	4.68	37	441
1.5 TON	IR185MG	5200 (1750~5750)	5 STAR	4.68	40	620

\*Above Features are available in select models only. \*\*T&C Apply



R32 Gas



Blue Fin Condenser



Stabilizer Free



100% Copper

# Magnus 2.0 Gold



## Introducing Magnus 2.0 Gold Edition

Magnus 2.0 Gold Edition is beautifully crafted with a surround cooling design to give an ultimate 360° cooling experience. Enjoy the Quadra Throw feature which gives powerful 4 way cooling experience.

This range comes with advanced silver ion Ag+ air purification Ionizer and Tanzanite Protekt which improves the life of cooling coil.



**Flexi 5  
Inverter**



**Quadra Throw  
Technology**



**I-Feel  
Sensor**



**Super Energy  
Saving**



**Ag+  
Ionizer**



**Tanzanite  
Protekt**



**Warranty on  
Compressor\*\***

## SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	SPECIAL FEATURE	ISEER	NOISE db (A)	IDU AIR FLOW CFM
1 TON	IR123MG	3500 (1750~4200)	3 STAR	BLUE FIN COATING	3.80	37	441
1 TON	IR124MG	3500 (1750~4200)	4 STAR	TANZANITE PROTEKT	4.15	37	441
1.5 TON	IR183MG	5150 (1850~5550)	3 STAR	BLUE FIN COATING	3.98	40	620
1.5 TON	IR184MG	5200 (1850~5550)	4 STAR	TANZANITE PROTEKT	4.25	40	620
2 TON	IR243MG	6250 (2800~6650)	3 STAR	BLUE FIN COATING	3.80	41	675



**R32 Gas**

**Blue Fin  
Condenser**



**Stabilizer  
Free**



**100%  
Copper**



\*Above Features are available in select models only. \*\*T&C Apply

# Magnus 2.0


Silver



## Magnus 2.0 Silver Edition

Magnus 2.0 Silver Edition is designed to give surround cooling experience with powerful cooling and power saving.

FLEXI 5 feature provides 5 Modes of personalized cooling. It controls the cooling in real time & optimizes energy consumption.



Flexi 5  
Inverter



I-Feel  
Sensor



Super Energy  
Saving



Tanzanite  
Protekt



Warranty on  
Compressor\*\*

## SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	SPECIAL FEATURE	ISEER	NOISE LEVELS db (A)	IDU AIR FLOW CFM
1 TON	IR123MS	3500 (1750~4200)	3 STAR	BLUE FIN COATING	3.80	37	441
1 TON	IR124MS	3500 (1750~4200)	4 STAR	TANZANITE PROTEKT	4.15	37	441
1.5 TON	IR183MS	5150 (1850~5550)	3 STAR	BLUE FIN COATING	3.98	40	620
1.5 TON	IR184MS	5200 (1850~5550)	4 STAR	TANZANITE PROTEKT	4.25	40	620
2 TON	IR243MS	6250 (2800~6650)	3 STAR	BLUE FIN COATING	3.80	41	675



\*Above Features are available in select models only. \*\*T&C Apply



# Ivory Smart AC




## IVORY SMART INVERTER AC

Onida's Smart AC with voice enabled comand is designed to keep you ahead of time. Compatible with Alexa and Google voice assisant. It may be linked to devices like Echo dot & google home.

"Alexa, Switch on AC."

"Alexa, Switch off AC."

Press & ask |  alexa |

"Ok Google, Set Temperature."

"Ok Google, Set Cooling."



**I-Feel  
Sensor**



**Super Energy  
Saving**



**Stabilizer Free  
Operation**



**Warranty on  
Compressor\*\***

## SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1.5 TON	IR183IVRS	5000(1000-5300)	3 STAR	3.77	500	33

\*Above Features are available in select models only. \*\*T&C Apply



**R32 Gas**




**Stabilizer  
Free**



**100%  
Copper**

# Grande



## GRANDE INVERTER AC

Designed with a Metallic gold strip, this premium range gives ultimate cooling with maximum energy efficiency. Onida's Grande in all its glory promises a premium look for the premium you.

The unique I-feel sensor senses the temperature around the remote and delivers the most comfortable temperature as per your space giving you corner to corner cooling.



**I-Feel  
Sensor**



**Super Energy  
Saving**



**Stabilizer Free  
Operation**



**Warranty on  
Compressor\*\***

## SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1 TON	IR123GRD	3520(1200-4200)	3 STAR	3.64	324	27
1.5 TON	IR183GRD	5000(1000-5300)	3 STAR	3.77	500	33

\*Above Features are available in select models only. \*\*T&C Apply



**R32 Gas**



**Stabilizer  
Free**



**100%  
Copper**

# Trendy 2.0

## Heavy Duty



INDIA'S FIRST  
**HEAVY DUTY  
 INVERTER AC**  
 COOLS EVEN AT 55°C

### Trendy Heavy Duty Inverter

Heavy Duty cooling which cools at a high capacity in the most extreme weather conditions even at 55°C.



**Flexi 5  
 Inverter**



**I-Feel  
 Sensor**



**Super Energy  
 Saving**



**Ag+  
 Ionizer**



**Tanzanite  
 Protekt**



**Warranty on  
 Compressor\*\***

#### SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1.6 TON HD	IR194TS	5400 (2000~6000)	4 STAR	4.20	675	41
	IR194TG	5400 (2000~6000)	4 STAR	4.20	675	41

\*Above Features are available in select models only. \*\*T&C Apply



**R32 Gas**



**Blue Fin  
 Condenser**



**Stabilizer  
 Free**



**100%  
 Copper**



**100%  
 COPPER**

# Trendy 2.0

## Gold



### Trendy 2.0 Gold

An AC that offers powerful cooling together with a bold style and a luxurious look. Introducing Trendy 2.0, the gold edition. The large IDU denotes the powerful cooling and also features Plasmasure in select model capacities.

Catering to the needs of Indians, Onida has also been leading in innovation with its Inverter Air Conditioners.



**Flexi 5 Inverter**



**I-Feel Sensor**



**Super Energy Saving**



**Ag+ Ionizer**



**Plasmasure**




**Warranty on Compressor\*\***

### SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1 TON	IR123TG	3500 (1750-4200)	3 STAR	3.80	441	37
	IR124TG	3500 (1750-4200)	4 STAR	4.15	441	37
	IR125TG	3500 (1550-4000)	5 STAR	4.68	441	37
1.5 TON	IR183TG	5150 (1850-5550)	3 STAR	3.98	620	40
	IR184TG	5200 (1850-5550)	4 STAR	4.25	620	40
2 TON	IR243TG	6250 (2800-6650)	3 STAR	3.80	675	41



**R32 Gas**



**Blue Fin Condenser**



**Stabilizer Free**



**100% Copper**

\*Above Features are available in select models only. \*\*T&C Apply

# Trendy 2.0

## Silver



### TRENDY 2.0 SILVER

An AC that offers powerful cooling together with a bold style and a luxurious look. Introducing Trendy 2.0, the silver edition. The AC is designed to give you powerful cooling and power saving together with long lasting Durability in the form of Tanzanite Protekt.



**Flexi 5**  
Inverter



**I-Feel**  
Sensor



**Super Energy**  
Saving



**Tanzanite**  
Protekt



**10 YEAR**  
WARRANTY  
Warranty on  
Compressor\*

### SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1 TON	IR123TS	3500 (1750~4200)	3 STAR	3.80	441	37
	IR124TS	3500 (1750~4200)	4 STAR	4.15	441	37
	IR125TS	3500 (1550~4000)	5 STAR	4.68	441	37
1.5 TON	IR183TS	5150 (1850~5550)	3 STAR	3.98	620	40
	IR184TS	5200 (1850~5550)	4 STAR	4.25	620	40
2 TON	IR243TS	6250 (2800~6650)	3 STAR	3.80	675	41



R32 Gas



Blue Fin  
Condenser



Stabilizer  
Free



100%  
Copper

\*Above Features are available in select models only.

Silk 2.0  
Heavy Duty



ONIDA'S  
**HEAVY DUTY  
FIXED SPEED AC**  
COOLS EVEN AT 55°C

**55°C Heavy Duty Cooling**

Heavy Duty Air conditioner is designed to cool at a high capacity in the most extreme weather conditions even at 55°C.



Quadra Throw Technology



I-Feel Sensor



Ag+ Ionizer



Tanzanite Protekt

**SPECIFICATIONS**

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1.6 TON HD	SR193SG	5450	3 STAR	3.56	660	36
	SR193SS	5450	3 STAR	3.56	660	36



R32 Gas



100% Copper

\*Above Features are available in select models only.

# Silk 2.0

## Gold



### Silk Gold Edition 2.0

Designed for excellence, designed for Heavy Duty Cooling, Onida's Silk Gold Edition is a true genius with its powerful cooling and high durability.



**Quadra Throw Technology**



**I-Feel Sensor**



**Ag+ Ionizer**



**Tanzanite Protekt**

## SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1 TON	SR123SG	3450	3 STAR	3.58	425	34
1.5 TON	SR183SG	5150	3 STAR	3.58	660	36
2 TON	SR243SG	6250	3 STAR	3.57	695	36



**R32 Gas**




**100% Copper**

\*Above Features are available in select models only.

# Silk 2.0

Silver



## SILK SILVER EDITION 2.0

The Silk 2.0 Silver is aesthetically designed for powerful cooling and durability. The Silk edition is one of Onida's best rated models and the redefined look will give you an even better performance.



I-Feel  
Sensor



Tanzanite  
Protekt



Blue Fin  
Coating



Ag+  
Ionizer



## SPECIFICATIONS

CAPACITY	MODEL NO	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
1 TON	SR123SS	3450	3 STAR	3.58	425	34
1.5 TON	SR183SS	5150	3 STAR	3.58	660	36
2 TON	SR243SS	6250	3 STAR	3.57	695	36



R32 Gas



100%  
Copper

\*Above Features are available in select models only.



# Grande 2.0



## GRANDE 2.0

Introducing the elegant and bold Grande 2.0 designed with perfection for the premium you. The Grande 2.0 is a powerful cooling fixed speed Air Conditioner.



I-Feel Sensor



Ag+ Ionizer



Tanzanite Protekt

## SPECIFICATIONS

MODEL NO	CAPACITY	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR db (A)
SR123GRD2	1.0 TON	3500	3 STAR	3.61	441	37
SR183GRD2	1.5 TON	5150	3 STAR	3.58	635	40



R32 Gas



100% Copper

\*Above Features are available in select models only.

# Aspro 2.0



## ASPRO 2.0

Introducing Aspro, a fixed speed AC which is designed to powerfully cool and promises long lasting durability. The gold blend with white defines a premium look and will give your space the appeal it needs.



I- Feel Sensor



Tanzanite Protekt



Ag+ Ionizer

## SPECIFICATIONS

MODEL NO	CAPACITY	RATED COOLING CAPACITY (WATTS)	STAR RATING	ISEER	IDU AIR FLOW CFM	NOISE LEVELS INDOOR dB (A)
SR123AG	1.0 TON	3500	3 STAR	3.61	441	37
SR183AG	1.5 TON	5150	3 STAR	3.58	635	40

\*Above Features are available in select models only.



R32 Gas



Blue Fin Condenser




100% Copper

# INVERTER SERIES

**MAGNUS**  
GOLD/SILVER | 1 ton (3, 4, 5 star), 1.5 ton (3, 5 star), 1.6 ton HD (4 star) 2 ton (3 Star)



**GRANDE** | 1 ton (3 star), 1.5 ton (3 star)



**TRENDY 2.0**  
GOLD/SILVER | 1 ton (3, 4, 5 star), 1.5 ton (3, 4, 5 star), 1.6 ton HD (4 star), 2 ton (3 star)




# FIXED SPEED SERIES


GRANDE 2.0 | 1 ton (3 star), 1.5 ton (3 star)



SILK 2.0 | GOLD/SILVER | 1 ton (3 star), 1.5 ton (3 star) 1.6 ton HD (3 star)



ASPRO 2.0 | 1 ton (3 star), 1.5 ton (3 star)



# SPECIFICATIONS

Type	Capacity	Star Rating	Model No.	Description	Rated Cooling Capacity Watts	Power Consumption Watts	ISEER	IDU Air Flow CFM	IDU Size W x H x D mm	ODU Size W x H x D mm	Noise Levels Indoor db(A)	
SPLIT INVERTER	1 T	3 STAR	IR123MG	MAGNUS 2.0 GOLD	3500 (1750~4200)	1090 (420~1550)	3.80	441	835 x 295 x 215	781 x 557 x 241	37	
			IR123MS	MAGNUS 2.0 SILVER	3500 (1750~4200)	1090 (420~1550)	3.80	441	835 x 295 x 215	781 x 557 x 241	37	
			IR123TG	TRENDY 2.0 GOLD	3500 (1750~4200)	1090 (420~1550)	3.80	441	800 x 292 x 222	781 x 557 x 241	37	
			IR123TS	TRENDY 2.0 SILVER	3500 (1750~4200)	1090 (420~1550)	3.80	441	800 x 292 x 222	781 x 557 x 241	37	
			IR123IVR	IVORY	3520(1200-4200)	1220(300-1600)	3.64	324	773 x 250 x 185	732 x 550 x 330	27	
			IR123GRD	GRANDE	3520(1200-4200)	1220(300-1600)	3.64	324	773 x 250 x 185	732 x 550 x 330	27	
		4 STAR	IR124MG	MAGNUS 2.0 GOLD	3500 (1750~4200)	1060 (420~1550)	4.15	441	835 x 295 x 215	672 x 520 x 241	37	
			IR124MS	MAGNUS 2.0 SILVER	3500 (1750~4200)	1060 (420~1550)	4.15	441	835 x 295 x 215	672 x 520 x 241	37	
			IR124TG	TRENDY 2.0 GOLD	3500 (1750~4200)	1060 (420~1550)	4.15	441	800 x 292 x 222	672 x 520 x 241	37	
			IR124TS	TRENDY 2.0 SILVER	3500 (1750~4200)	1060 (420~1550)	4.15	441	800 x 292 x 222	672 x 520 x 241	37	
		5 STAR	IR125MG	MAGNUS 2.0 GOLD	3500 (1550~4000)	940 (300~1200)	4.68	441	835 x 295 x 215	781 x 557 x 241	37	
			IR125MS	MAGNUS 2.0 SILVER	3500 (1550~4000)	940 (300~1200)	4.68	441	835 x 295 x 215	781 x 557 x 241	37	
	IR125TG		TRENDY 2.0 GOLD	3500 (1550~4000)	940 (300~1200)	4.68	441	800 x 292 x 222	781 x 557 x 241	37		
	IR125TS		TRENDY 2.0 SILVER	3500 (1550~4000)	940 (300~1200)	4.68	441	800 x 292 x 222	781 x 557 x 241	37		
	1.5 T	3 STAR	IR183MG	MAGNUS 2.0 GOLD	5150 (1850~5550)	1570 (420~1720)	3.98	620	1035 x 295 x 215	781 x 557 x 281	40	
			IR183MS	MAGNUS 2.0 SILVER	5150 (1850~5550)	1570 (420~1720)	3.98	620	1035 x 295 x 215	781 x 557 x 281	40	
			IR183TG	TRENDY 2.0 GOLD	5150 (1850~5550)	1570 (420~1720)	3.98	620	1000 x 295 x 230	781 x 557 x 281	40	
			IR183TS	TRENDY 2.0 SILVER	5150 (1850~5550)	1570 (420~1720)	3.98	620	1000 x 295 x 230	781 x 557 x 281	40	
			IR183IVR	IVORY	5000(1000-5300)	1740(250-1800)	3.77	500	970 x 300 x 225	732 x 550 x 330	33	
			IR183GRD	GRANDE	5000(1000-5300)	1740(250-1800)	3.77	500	970 x 300 x 225	732 x 550 x 330	33	
		4 STAR	IR183IVRS	IVORY SMART	5000(1000-5300)	1740(250-1800)	3.77	500	970 x 300 x 225	732 x 550 x 330	33	
			IR184MG	MAGNUS 2.0 GOLD	5200 (1850~5550)	1530 (420~1720)	4.25	620	1035 x 295 x 215	781 x 557 x 281	40	
			IR184MS	MAGNUS 2.0 SILVER	5200 (1850~5550)	1530 (420~1720)	4.25	620	1035 x 295 x 215	781 x 557 x 281	40	
			IR184TG	TRENDY 2.0 GOLD	5200 (1850~5550)	1530 (420~1720)	4.25	620	1000 x 295 x 230	781 x 557 x 281	40	
		5 STAR	IR184TS	TRENDY 2.0 SILVER	5200 (1850~5550)	1530 (420~1720)	4.25	620	1000 x 295 x 230	781 x 557 x 281	40	
			IR185MG	MAGNUS 2.0 GOLD	5200 (1750~5750)	1415 (350~1650)	4.68	620	1035 x 295 x 215	781 x 557 x 281	40	
			IR185MS	MAGNUS 2.0 SILVER	5200 (1750~5750)	1415 (350~1650)	4.68	620	1035 x 295 x 215	781 x 557 x 281	40	
			IR185TG	TRENDY 2.0 GOLD	5200 (1750~5750)	1415 (350~1650)	4.68	620	1000 x 295 x 230	781 x 557 x 281	40	
		1.6 T HD	4 STAR	IR185TS	TRENDY 2.0 SILVER	5200 (1750~5750)	1415 (350~1650)	4.68	620	1000 x 295 x 230	781 x 557 x 281	40
				IR194MG	MAGNUS 2.0 GOLD	5400 (2000~6000)	1560 (550~1850)	4.20	675	1035 x 295 x 215	781 x 557 x 281	41
				IR194MS	MAGNUS 2.0 SILVER	5400 (2000~6000)	1560 (550~1850)	4.20	675	1035 x 295 x 215	781 x 557 x 281	41
				IR194TG	TRENDY 2.0 GOLD	5400 (2000~6000)	1560 (550~1850)	4.20	675	1000 x 295 x 230	781 x 557 x 281	41
	2 T	3 STAR	IR194TS	TRENDY 2.0 SILVER	5400 (2000~6000)	1560 (550~1850)	4.20	675	1000 x 295 x 230	781 x 557 x 281	41	
			IR243MG	MAGNUS 2.0 GOLD	6250 (2800~6650)	2070 (600~2200)	3.80	675	1035 x 295 x 215	781 x 557 x 281	41	
			IR243MS	MAGNUS 2.0 SILVER	6250 (2800~6650)	2070 (600~2200)	3.80	675	1035 x 295 x 215	781 x 557 x 281	41	
			IR243TG	TRENDY 2.0 GOLD	6250 (2800~6650)	2070 (600~2200)	3.80	675	1000 x 295 x 230	781 x 557 x 281	41	
SPLIT FIXED SPEED	1 T	3 STAR	IR243TS	TRENDY 2.0 SILVER	6250 (2800~6650)	2070 (600~2200)	3.80	675	1000 x 295 x 230	781 x 557 x 281	41	
			SR123SG	SILK 2.0 GOLD	3450	964	3.58	425	820 x 270 x 220	840 x 560 x 300	34	
			SR123SS	SILK 2.0 SILVER	3450	964	3.58	425	820 x 270 x 220	840 x 560 x 300	34	
			SR123AG	ASPRO 2.0 GOLD	3500	970	3.61	441	800 x 292 x 222	781 x 557 x 241	37	
	1.5 T	3 STAR	SR123GRD2	GRANDE 2.0	3500	970	3.61	441	835 x 295 x 215	781 x 557 x 241	37	
			SR183SG	SILK 2.0 GOLD	5150	1440	3.58	660	920 x 320 x 240	840 x 560 x 300	36	
			SR183SS	SILK 2.0 SILVER	5150	1440	3.58	660	920 x 320 x 240	840 x 560 x 300	36	
			SR183AG	ASPRO 2.0 GOLD	5150	1440	3.58	635	1000 x 295 x 230	781 x 557 x 241	40	
	1.6 T HD	3 STAR	SR183GRD2	GRANDE 2.0	5150	1440	3.58	635	1035 x 295 x 215	781 x 557 x 241	40	
			SR193SG	SILK 2.0 GOLD	5450	1530	3.56	660	920 x 320 x 240	860 x 600 x 335	36	
	2 T	3 STAR	SR193SS	SILK 2.0 SILVER	5450	1530	3.56	660	920 x 320 x 240	860 x 600 x 335	36	
			SR243SG	SILK 2.0 GOLD	6250	1750	3.57	695	920 x 320 x 240	860 x 600 x 335	36	
			SR243SS	SILK 2.0 SILVER	6250	1750	3.57	695	920 x 320 x 240	860 x 600 x 335	36	

All above models are with R32 gas.

Features & specifications may change due to continuous product development. Cooling capacity in turbo / high speed mode. Smart inverter capacity, power input, ISEER is variable as per season and part load. Noise level at low speed. E&OE.



24x7 CUSTOMER CARE NO.  
**7490955555**  
Service Email ID - [customer.care@onida.com](mailto:customer.care@onida.com)  
Download service App - ONIDA VER 2.0 on   
Live Chat on - [www.onida.com](http://www.onida.com)

MIRC Electronics Ltd. Onida House, G-1, M.I.D.C, Mahakali Caves Road, Andheri (E),  
Mumbai - 400 093. Institutional enquiries: [corporate.sales@onida.com](mailto:corporate.sales@onida.com)  
[www.onida.com](http://www.onida.com) [facebook.com/onida.live](https://facebook.com/onida.live) [twitter.com/onida@live](https://twitter.com/onida@live) [instagram.com/onida.india](https://instagram.com/onida.india)

